

Index

- accident and emergency department
 - use of 242
 - adults 242
 - children 243
 - treating injury or poisoning 132
- aerobics 50
- alcohol use 2, 10, 69-86
 - abuse 70
 - Alcohol Use Disorders Identification Test *see* AUDIT
 - amnesia 70
 - AUDIT (Alcohol Use Disorders Identification Test)
 - 10, 69-86
 - men, by age and ethnicity 81
 - questionnaire 71
 - SF-36 profiles 175-179
 - sociodemographic variables 80
 - women, by age and ethnicity 81
 - cancer 70
 - cardiomyopathy 70
 - cirrhosis 70
 - consumption frequency 82
 - dependence 70
 - domestic violence 70
 - education 69, 78
 - endocrine disorders 70
 - ethnicity 75-78
 - European 69, 75-78
 - family income 69, 78
 - five or more drinks on a typical day, proportion of people who drink 73
 - four times a week, people who drink at least 73
 - gastritis 70
 - haemorrhagic stroke 70
 - health service utilisation 79
 - high blood pressure 70
 - injuries and poisonings 70, 126
 - Māori 2, 69, 75-78
 - mental disorders 70
 - motor vehicle crashes 70
 - NZDep96 score 78
 - Pacific people 69, 75-78
 - pancreatitis 70
 - potentially hazardous drinking pattern, proportion of people 72
 - pregnancy, during 70
 - psychosis 70
 - self-rated health scores 79
 - six or more drinks on one occasion at least weekly 74
 - smoking status 79
- Alcohol Use Disorders Identification Test *see* AUDIT
- alternative therapist 217, 219
- ambulance officer, treating injury or poisoning 132
- amnesia, alcohol use 70
- anxiety, physical activity 41
 - disorders, alcohol dependence 180
- asthma 2, 9, 10, 111-120
 - education 116, 118
 - ethnicity 115, 116, 118, 119
 - European 111, 115, 116, 118, 119
 - family income 116, 118, 119
 - general practitioner visits 117
 - health service utilisation 117
 - Māori 111, 115, 116, 118, 119
 - 1992/93 Household Survey, questions on 112
 - 1996/97 New Zealand Health Survey, questions on 112
 - NZDep96 score 116
 - Pacific people 111, 115, 116, 118, 119
 - prevalence of probable 113-119
 - probable, among those aged 15-44, 118, 119
 - self-related health status 116, 117
 - smokers 116, 117
 - specific questions about, positive responses
 - by age and sex 114
 - by ethnicity 115
- AUDIT (Alcohol Use Disorders Identification Test) 10, 69-86
 - questionnaire 71
 - scores
 - men, by age and ethnicity 81
 - SF-36 profiles 175-179
 - sociodemographic variables 80
 - women, by age and ethnicity 81
- bodily pain 140ff
- bowls 50
- burns 127, 129
- cancer
 - alcohol use 70
 - colon, physical activity 41
- cardiomyopathy 70
- cardiovascular risk factors 10, 87-96
 - coronary heart disease 87
 - deaths 87
 - diabetes 87, 88
 - education 91, 92
 - European 91
 - family income 91, 92
 - high blood pressure 87, 88
 - Māori 87, 91
 - number of
 - ethnicity 91
 - sex 89
 - sociodemographic variables 94, 95
 - NZDep96 score 91, 93
 - Pacific people 91
 - physical inactivity 87, 88
 - smoking 87, 88
 - socioeconomic groups, lower 87
 - stroke 87
 - two or more, people with, by age and sex 90
- children
 - general practitioner use 200, 201, 213
 - hospital use 235-247
 - injuries and poisonings 2, 121, 132, 133, 136
 - other health professionals use 215-220
 - prescription item use 223-225, 233
- chiroprapist 219
- chiropractor 219
- cirrhosis 70
- coronary heart disease 87 *and see* cardiovascular risk factors
 - physical activity 41
- cycling 50
- demographic characteristics of sample (App1) 251, 252
- demographic factors 11
- demographic variables, SF-36 profiles by 143-149
- dentist and dental nurses 3, 217, 218
- depression, physical activity 41, *and see* mood disorders
- diabetes 2, 9, 10, 99-109
 - cardiovascular risk factor 87, 88
 - education 103, 106
 - ethnicity 101, 106, 107

- European 99, 101, 102, 106, 107
- family income 103, 106
- health service utilisation 105
- Māori 99, 101, 102, 106, 107
- 1992/93 Household Survey, questions on 100
- 1996/97 New Zealand Health Survey, questions on 100
- NZDep96 score 93, 94, 106
- Pacific people 99, 101, 102, 106, 107
- physical activity 41
- prevalence 100-104
- self-rated health status 105
- SF-36 profiles 185-188
- smokers 104
- treatment 105
- disability 9
- domestic violence, alcohol use 70
- education 11, 16, 17
 - alcohol use 69, 78
 - asthma 103, 106, 116, 118
 - cardiovascular risk factors 91, 92
 - general practitioner use 203, 208
 - health professionals, use 220
 - high blood pressure 57, 65, 61, 62
 - injuries and poisonings 125, 126, 134
 - physical activity 41, 48, 49, 52, 55
 - prescription item use 226
 - SF-36 profiles 149-152
 - smoking 28, 34, 36
- emotional health, role limitations due to 140-192
- endocrine disorders 70
- environmental tobacco smoke 22
- ethnicity 11, 15
 - alcohol 75-78
 - asthma 115, 116, 118, 119
 - cardiovascular risk factors 91
 - diabetes 101
 - general practitioner use 201, 202, 208, 209
 - health professionals use 219
 - high blood pressure 59, 60, 65, 66
 - injuries and poisonings 124, 125
 - physical activity 41, 47, 48, 51, 53-55
 - prescription item use 224, 225
 - SF-36 profiles 147-149
 - smoking 25, 26, 34-36
- European people
 - alcohol use 2, 69, 75-78
 - asthma 111, 115, 116, 118, 119
 - cardiovascular risk factors 91
 - diabetes 2, 99, 101, 102, 106, 107
 - general practitioner visits 201, 202, 208, 209
 - health professionals use 219
 - high blood pressure 57, 59, 60, 65
 - injuries and poisonings 2, 121, 124, 125, 134, 135
 - physical activity 41, 47, 48, 51, 53-55
 - prescription item use 224, 225
 - SF-36 141, 147-8
 - smoking 21, 25, 26, 34
- exercise, exercising at home 50, *and see* physical activity
- falls, injuries 2, 121, 127-129
- family income 11, 17
 - alcohol use 69, 78
 - asthma 116, 118, 119
 - cardiovascular risk factors 91, 92
 - diabetes 103, 106
 - general practitioner use 202, 208
 - health professionals use 220
 - high blood pressure 57, 65, 61, 62
 - injuries and poisonings 125, 126, 134
 - physical activity 41, 48, 51, 55
- prescription item use 225
- SF-36 profiles 152-156
- smoking 27, 34, 36
- figures, notes to (App 2) 253, 254
- games, injuries 121, 127, 128
- gardening 50
- gastritis 70
- general practitioner use 3, 197-214
 - age and ethnicity, by 209
 - age and sex, by 198-201, 208
 - asthma 117
 - children 200, 201, 213
 - education 203, 208
 - ethnicity, by 201, 202, 208, 209
 - family income 202, 208
 - NZDep96 score 203, 208
 - prescription, obtaining from GP 205
 - reasons for visiting 204, 205
 - adults 204
 - children 204, 205
 - reasons given for last seeing GP, by age, sex and ethnicity 210
 - satisfaction, with services 205, 206
 - SF-36 profiles 189, 190
 - treating injury or poisoning 132
 - unmet health need
 - adults 206
 - children 207
 - main reasons given for, by sociodemographic variables 212
- gym exercise 50
- haemorrhagic stroke, alcohol use 70
- health cards 11
- health insurance 11
- health perception, general 140ff
- health professionals use 215-220
 - alternative therapist 219
 - chiroprapist 219
 - chiropractor 219
 - dentists and dental nurses 217, 218
 - education 220
 - ethnicity 219
 - family income 220
 - general practitioner *see* general practitioner
 - Māori health worker 219
 - medical specialists 218
 - nurses 219
 - NZDep96 score 220
 - occupational therapist 219
 - optometrists or opticians 219
 - osteopath 219
 - Pacific health worker 219
 - pharmacists 216
 - physiotherapists 219
 - podiatrist 219
 - psychologist 219
 - social worker 219
 - speech therapist 219
 - traditional healer 219
 - unmet health need 220
- health risk behaviours 10
- health service utilisation 3, 10, 195-247
 - alcohol use 79
 - asthma 117
 - diabetes 105
 - general practitioner use 3, 197-214 *and see* general practitioner use
 - health professionals use 215-220 *and see* health professionals use

- hospital use 3, 235-247 *and see* hospital use
- physical activity 50
- prescription item use 3, 221-233 *and see* prescription item use
- SF-36 profiles by 189-192
 - general practitioner use 189, 190
 - hospital admission 191, 192
- smoking 29
- health status 97-193
 - asthma 111-120 *and see* asthma
 - diabetes 99-109 *and see* diabetes
 - injuries and poisonings 121-137 *and see* injuries and poisonings
 - self-reported 17, 139-193
 - SF-36 Health Status Questionnaire 139-193 *and see* SF-36 Health Status Questionnaire
- health system, cost of smoking to 22
- health-related risk factors 19-96
 - alcohol use 69-86 *and see* alcohol use
 - combined cardiovascular risk factors 87-96 *and see* cardiovascular risk factors
 - cardiovascular risk factors
 - high blood pressure 57-67 *and see* high blood pressure
 - physical activity 41-56 *and see* physical activity
 - smoking 21-39 *and see* smoking
- heart disease 57 *and see* cardiovascular risk factors
- high blood pressure 1, 9, 10, 57-67
 - alcohol use 70
 - cardiovascular risk factor 87, 88
 - education 57, 61, 62, 65
 - ethnicity 59, 60, 65, 66
 - European 57, 59, 60, 65
 - family income 57, 61, 62, 65
 - heart disease 57
 - Māori 57, 59, 60, 65
 - 1992/93 Household Health Survey, questions on 58
 - 1996/97 New Zealand Health survey, questions on 58
 - NZDep96 score 61, 62, 65
 - Pacific people 57, 59, 60, 65
 - physical activity 41
 - self-rated health status 63, 64
 - SF-36 profiles 180-184
 - smoking and 63
 - sociodemographic variables 65
 - stroke 57
- homicide 121
- hospital use 3, 235-247
 - admissions 236-239, 245-247
 - age and ethnicity 246
 - age and sex 237
 - children 237-239
 - by age, sex and ethnicity 247
 - injuries and poisonings, by age and sex 124
 - private hospital 239, 240
 - public hospital 238, 239
 - SF-36 profiles 191, 192
 - sociodemographic variables, by 245
 - health care, satisfaction with overall 243, 244
 - private hospital services 240
 - public and private, overall patterns of use 240
 - public hospital
 - emergency department services 242, 243
 - inpatient or day-patient use 240
 - outpatient department services 241, 242
 - treating injury or poisoning 132
- hospitalisation rates, injuries and poisonings, by age and sex 124
- Household Disability Survey 1996 9
- household type 11
- hypertension *see* high blood pressure
- income *see* family income
- injuries and poisonings 2, 9, 121-137
 - alcohol use 70, 126
 - burns 127, 129
 - causes 127-129
 - children 121, 132, 133
 - education 125, 126, 134
 - ethnicity 124, 125
 - European 121, 124, 125, 134, 135
 - falls 121, 127-129
 - family income 125, 126, 134
 - games 121, 127, 128
 - homicide 121
 - hospitalisation rates, by age and sex 124
 - incidence by age and sex 122, 123
 - intentional 127
 - Māori 121, 124, 125, 134, 135
 - medical treatment
 - age and sex 123
 - children 133, 136
 - ethnicity and sex 125
 - sociodemographic variables 134
 - source 131, 132
 - 1996/97 Health Survey, questions on 122
 - NZDep96 score 125
 - NZDep96 score 134
 - Pacific people 121, 124, 125, 134, 135
 - poisonings 2, 9, 130
 - sports 121, 127, 128
 - suicide 121
 - transport 129
 - unintentional 121
 - where occurred
 - home 131
 - work 130
- jogging 50
- labour force status 11, 18
 - SF-36 profiles 157-160
- Māori
 - alcohol use 2, 69, 75-78
 - AUDIT score, SF-36 profiles 178, 179
 - asthma 2, 111, 115, 116, 118, 119
 - cardiovascular risk factors 87, 91
 - diabetes 2, 99, 101, 102, 106, 107
 - SF-36 profiles 187, 188
 - education, SF-36 profiles 151, 152
 - family income, SF-36 profiles 155, 156
 - general practitioner use 190
 - visits 201, 202, 208, 209
 - health professionals use 219
 - health service utilisation, SF-36 profiles 189-192
 - high blood pressure 1, 57, 65, 59, 60
 - SF-36 profiles 183, 184
 - hospital admission 192
 - injuries and poisonings 2, 121, 124, 125, 134, 135
 - labour force status, SF-36 profiles 159, 160
 - NZDep96 score, SF-36 profiles 163, 164
 - physical activity 41, 47, 48, 51, 53-55
 - SF-36 profiles 174, 175
 - prescription item use 224, 225
 - smoking 1, 21, 25, 26, 34-36
 - SF-36 profiles 170, 171
 - traditional healer 219
- Māori health worker 219
- Māori traditional healer 219
- medical specialists 3, 218
- mental disorders, alcohol use 70, *and see* anxiety disorders, mood disorders

- mental health 9
 - general 140-192
- mood disorders, alcohol dependence 180
- motor vehicle crashes, alcohol use 70

- netball 50
- nurses 217, 219
 - treating injury or poisoning 132
- NZDep96 18
 - alcohol use 78
 - asthma 116
 - cardiovascular risk factors 91, 93
 - diabetes 93, 94, 106
 - general practitioner use 203, 208
 - health professionals use 220
 - high blood pressure 61, 62, 65
 - injuries and poisonings 125, 134
 - physical activity 41, 48, 52, 55
 - prescription item use 225, 226
 - SF-36 profiles 160-164
 - smoking 28, 34, 36

- occupation 11
- occupational therapist 219
- older people
 - alcohol use 69, 70
 - cardiovascular risk factors 87
 - diabetes 101
 - physical activity 41, 50
- optometrists or opticians 219
- osteopath 219

- Pacific health worker 219
- Pacific people
 - alcohol use 2, 69, 75-78
 - asthma 111, 115, 116, 118, 119
 - cardiovascular risk factors 91
 - diabetes 2, 99, 101, 102, 106, 107
 - general practitioner visits 201, 202, 208, 209
 - health professionals use 219
 - high blood pressure 57, 59, 60, 65
 - injuries and poisonings 121, 124, 125, 134, 135
 - physical activity 41, 47, 48, 51, 53-55
 - prescription item use 224, 225
 - SF-36 141, 147, 148
 - smoking 21, 25, 26, 34
- Pākehā see European people
- pancreatitis 70
- pharmacists 3, 216
 - treating injury or poisoning 132
- physical activity 1, 10, 41-56
 - aerobics 50
 - anxiety 41
 - bowls 50
 - cancer of colon 41
 - categories of levels of 43
 - coronary heart disease 41
 - cycling 50
 - depression 41
 - diabetes 41
 - education 41, 48, 49, 52, 55
 - ethnicity 41, 47, 48, 51, 53-55
 - European 41, 47, 48, 51, 53-55
 - exercising at home 50
 - family income 41, 48, 51, 55
 - gardening 50
 - gym exercise 50
 - health service utilisation 50
 - high blood pressure 41
 - jogging 50
 - Māori 41, 47, 48, 51, 53-55
 - netball 50
 - NZDep96 score 41, 48, 52, 55
 - Pacific people 41, 47, 48, 51, 53-55
 - physically active people
 - age and sex, by 44
 - ethnicity and sex, by 47
 - rugby 50
 - running 50
 - sedentary adults
 - age and sex 45
 - education level 49
 - ethnicity and sex 48
 - self-rated health status 49
 - SF-36 profiles 172-175
 - socioeconomic status 41
 - stroke 41
 - swimming 50
 - vigorous, proportion of people participating in in last week
 - age and sex 46
 - sociodemographic variables 55
 - walking 50
- physical functioning 140-192
- physical health 9
 - role limitations due to 140-192
- physical inactivity, cardiovascular risk factor 87, 88
- physiotherapists 219
- podiatrist 219
- poisonings see injuries and poisonings
- pregnancy, alcohol use during 70
- prescription item use 3, 221-233
 - age and sex, by 222-224
 - children 221, 223-225, 227, 232
 - education 225, 226
 - ethnicity 224, 225, 228
 - family income 225
 - NZDep96 score 225, 226
 - obtaining from GP 205
 - uncollected prescription items 226, 227
 - reasons for not collecting 227
- psychologist 219
- psychosis, alcohol use 70

- risk factors see cardiovascular risk factors, health-related
 - risk factors
- rugby 50
- running 50

- self-rated health status
 - alcohol use 79
 - asthma 116
 - diabetes 105
 - high blood pressure 63, 64
 - physical activity 49
 - smoking 29
- SF-36 Health Status Questionnaire 2, 9, 139-193
 - analysis 14, 15
 - demographic variables, profiles by 143-149
 - diabetes 185-188
 - education 149-152
 - ethnicity 147-149
 - family income 152-156
 - general practitioner use 189, 190
 - health concepts measured by 140
 - health risk behaviours, profiles by 167-180
 - health service utilisation, profiles by 189-192
 - high blood pressure 180-184
 - hospital admission 191, 192
 - interpretation 140
 - item groupings 142
 - labour force status 157-160

- mean scores 14
- NZDep96 score 160-164
- physical activity 172-175
- principal component summary scores 15
- psychometric properties App 3 257, 258
- reliability of SF-36 15
- skewed core distributions 14
- smoking status 167-171
- socioeconomic variables, profiles by 149-165
- stratification of analysis by sex and Māori/non-Māori 14
- validity of SF-36 15
- smoking 1, 10, 21-39
 - alcohol use and 79
 - asthma 116, 117
 - cardiovascular risk factor 87, 88
 - current smokers, proportion by
 - age, sex and ethnicity 26
 - age and sex 24
 - educational status 28
 - ethnicity and sex 26
 - family income 27
 - NZDep96 score status 28
 - diabetes 104
 - duration 31
 - education 28, 34, 36
 - environmental tobacco smoke 22
 - ethnicity 25, 26, 34-37
 - European people 21, 25, 26, 34-36
 - ever-smokers who are ex-smokers, proportion by age and sex 25
 - family income 27, 34, 36
 - health service utilisation 29
 - health system, cost to 22
 - high blood pressure and 63
 - Māori 1, 21, 25, 26, 34-36
 - non-smokers' attitudes to others' smoke 32, 33
 - number of cigarettes smoked 29, 30, 36
 - 1992/93 Household Health Survey, questions on 23
 - 1996 Census, questions on 23
 - 1996/97 New Zealand Health Survey, questions on 23
 - NZDep96 score 28, 34, 36
 - Pacific people 21, 25, 26, 34-36
 - quit ratios 24, 25
 - quitting status 31, 37
 - self-rated health status 29
 - SF-36 profiles 167-171
 - socioeconomic status 21, 27
 - who most at risk from 29-31
- social functioning 140-192
- social worker 219
- socioeconomic factors 11
- socioeconomic status 16
 - alcohol 79
 - asthma 116
 - cardiovascular risk 87, 91
 - diabetes 103
 - high blood pressure 61
 - injuries 125
 - physical activity 41
 - smoking 21, 27
 - SF-36 165
- socioeconomic variables, SF-36 profiles by 149-165
 - education 149-152
 - family income 152-156
 - labour force status 157-160
 - NZDep96 score 160-164
- speech therapist 219
- sports injuries 2, 121, 127, 128
- stroke 87
 - high blood pressure 57
 - physical activity 41
 - suicide 121
 - swimming 50
- tables, notes to (App 2) 255
- traditional healer 219
- unintentional injury 121
- vitality 140-192
- walking 50