

**Mortality
and
Demographic Data
1996**



MANATU HAUORA

**New Zealand Health Information Service
1999**

Reproduction of material

The New Zealand Health Information Service permits the reproduction of material from this publication without prior notification, provided that all the following conditions are met: the information must not be used for commercial gain, must not be distorted or changed, and NZHIS must be acknowledged as the source.

Disclaimer

The purpose of this publication is to facilitate informed discussion and assist in future policy development. The opinions expressed in the publication do not necessarily reflect the official views of the Ministry of Health.

The Ministry of Health gives no indemnity as to the correctness of the information or data supplied. The Ministry of Health shall not be liable for any loss or damage arising directly or indirectly from the supply of this publication.

All care has been taken in the preparation of this report. The data presented in this report was deemed to be accurate at the time of publication, but may be subject to slight changes over time.

Acknowledgements

Many people have assisted in the production of this publication. In particular, the contribution of internal and external peer reviewers is appreciated.

The New Zealand Health Information Service welcomes comments and suggestions about this publication, including additional data analysis or other improvements that may be useful.

Mortality Coding Staff

Team Leaders:

Christine Thorpe
Fredericka Walker-Murray

Coders:

Maimie Abbott
Devindra Awmee
Christine Fowler
Ah Mee Wong

Published with the permission of the Director-General of Health

© 1999 Ministry of Health, PO Box 5013, Wellington, New Zealand

ISSN 0548-9911

Foreword

Mortality and Demographic Data 1996 presents data on the underlying causes of all deaths registered in New Zealand in 1996. The causes of death were coded to the Australian Version of the World Health Organisation's International Classification of Diseases, 9th Revision (2nd ed), Clinical Modification (ICD-9-CMA-II). The underlying cause of death is defined by WHO as (a) the disease or injury which initiated the train of events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury.

The three main sources of information for the mortality data are the death certificates from doctors or coroners, post mortem reports from private pathologists and hospitals, and death registration forms which are usually completed by the funeral director.

The report is in two main parts: a commentary (summarising key facts, mortality rates, trends and major causes of death by age group and sex) and statistical tables (presenting data on actual numbers of deaths by age, sex, regional health authority, subregion and ICD code).

This report presents the start of a new time series for ethnicity data. In September 1995, Births, Deaths & Marriages introduced new birth and death registration forms with modified ethnicity questions to correspond with the 1996 Census of Population and Dwellings. Before September 1995, ethnicity was based on the biological concept of 50 percent or more descent with the choice of only one ethnicity (Māori, Pacific Islander or Other). In 1995 the question changed to one of self-identification, with the option of selecting multiple ethnicities. The impact and timing of this change is that 1995 data is not comparable with the data of earlier or later years, and 1996 is the start of a new time series for ethnic data.

More detailed information on numbers and rates of livebirths, intermediate and late fetal deaths, neonatal and post-neonatal deaths are published in the annual report series *Fetal and Infant Deaths*.

Further information is available on request from the Analytical Unit, New Zealand Health Information Service.

A handwritten signature in black ink, appearing to read 'Jim Fraser', with a long horizontal flourish underneath.

Jim Fraser

Chief Analyst
New Zealand Health Information Service

March 1999

Contents

Key facts	7
Significant changes to ethnicity coding in 1995	8
Recent changes to ethnic statistics on births and deaths	8
Introduction	8
Background to change	8
Ethnic birth and death registration – what has changed	9
Impact on vital statistics	10
References	10
Major causes of mortality	11
All causes of mortality	11
Trends in selected causes of mortality	13
Selected trends	15
Cancer	15
Lung cancer	16
Female breast cancer	17
Prostate cancer	18
Malignant melanoma of the skin	20
Cervical cancer	21
Ischaemic heart disease	22
Cerebrovascular disease	24
Statistical tables	29–141
Explanatory notes	143
Deaths	143
Causes of death	143
Domicile	143
Age-specific and age-standardised rates	143
Population data 1996	143
Segi’s world population	144
Mortality data available from NZHIS	145
Additional information available from NZHIS	146

Statistical tables

1.	Deaths from all causes, by age and sex, 1996.	29
1a.	Deaths from all causes, age-specific and age-standardised rates, 1996.	30
2.	Deaths by regional health authority and subregion: age and sex, total population, 1996.	31–34
2a.	Deaths by regional health authority and subregion: age and sex, Māori population, 1996.	35–38
2b.	Deaths by regional health authority and subregion: age and sex, Pacific Island population, 1996.	39–41
3.	Causes of death: ICD chapter headings by age and sex, total population, 1996.	42–43
3a.	Causes of death: ICD chapter headings by age and sex, Māori population, 1996.	44–45
3b.	Causes of death: ICD chapter headings by age and sex, Pacific Island population, 1996.	46–47
4.	Causes of death: subgroups by age and sex, total population, 1996.	48–58
4a.	Causes of death: subgroups by age and sex, Māori population, 1996.	59–67
5.	Causes of death: individual 3-digit codes by age and sex, total population, 1996.	68–115
5a.	Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.	116–141

New Zealand mortality: key facts

Major causes of mortality

- There were 28 379 deaths in 1996, with 14 523 male and 13 856 female deaths.
- There were 2630 Māori deaths in 1996, accounting for 9 percent of total deaths.
- Pacific Island and Asian deaths collectively accounted for approximately 4 percent of total deaths in 1996.
- Males had an age-standardised mortality rate that was 54 percent higher than the female rate.
- Māori mortality rates were higher than non-Māori in every age group except 5–9 years, with Māori males having the highest overall rate.
- Cancer was the leading cause of death in 1996, followed by ischaemic heart disease. These were also leading causes of death for Māori in 1996.
- Males had more than twice the female mortality rate for cancer of the stomach and lung, ischaemic heart disease and motor vehicles crashes. They had almost four times the suicide rate of females.
- Māori males had more than twice the Māori female rate for motor vehicle crashes, and approximately three times the suicide rate.
- The largest differences in mortality rates between Māori and non-Māori in 1996 were for cancer (especially lung and stomach), heart disease, motor vehicle crashes, and diabetes mellitus.

Selected trends

Cancer

- There were 3872 male and 3589 female deaths from cancer in 1996, with rates of 162.1 and 125.0 per 100 000 respectively.
- Female breast cancer accounted for 681 deaths in 1996, and cervical cancer 82 deaths. There were 502 deaths from prostate cancer in 1996.
- Lung cancer was a leading cancer death in 1996, with 904 male and 502 female deaths.

Ischaemic heart disease

- Ischaemic heart disease accounted for 23 percent of deaths in 1996 (3729 male and 2904 female deaths).
- Males had more than twice the female mortality rate from ischaemic heart disease.

Cerebrovascular disease

- Cerebrovascular disease was the third leading cause of death in 1996. Males and females had similar mortality rates.

Significant changes to ethnicity coding in 1995

In September 1995 new birth and death registration forms with modified ethnic questions were introduced. Details of the changes are presented below in an extract from *Demographic Trends 1996*, published by Statistics New Zealand.

Because of the changes, ethnic breakdowns of mortality data for 1995 were not comparable with earlier years, and 1996 is the start of a new time series of ethnic data.

Recent changes to ethnic statistics on births and deaths

(Reproduced, with the permission of Statistics New Zealand, from *Demographic Trends 1996*)

Introduction

Recent changes to the Births, Deaths and Marriages Act and the introduction of new birth and death registration forms in September 1995 probably marked a minor milestone in ethnic demography. The new modified ethnic questions are consistent with the concept of ethnic self-identification. They are aimed at providing more detailed statistics, incorporating a broader range of ethnic options as well as providing an opportunity for multiple response. These changes are an important outcome of ongoing evaluation of statistical concepts and definitions designed to introduce consistency to ethnic questions and classifications across a range of statistical surveys.

Background to change

As the principal agency responsible for collecting, processing and publishing population statistics in New Zealand, Statistics New Zealand seeks to provide information that meets the legal, public policy and community requirements for up-to-date official statistics at the local, regional and national level (Statistics New Zealand 1993). The accuracy and usefulness of this information depends on the co-operation of respondents and the clarity and appropriateness of the questions asked. Statistics New Zealand is aware that asking the right questions is crucial to the provision of accurate statistics and for this reason, questions are critically examined and tested before being used. In principal, this involves Statistics New Zealand regularly evaluating the concepts and definitions underlying questions in order to ensure that questions are appropriate, useful and reflect current public perceptions and understandings, while also maintaining continuity over time. As part of this process [Statistics New Zealand] undertakes periodic reviews of various statistical series.

A Review Committee on Ethnic Statistics was established by the [then] Department of Statistics in the early 1980s. This was largely prompted by a perceived change in public understanding of the meaning of ethnicity, from a primarily racial framework to a broader concept reflecting socio-cultural elements and the notion of self-identification. Previously, for statistical purposes, ethnicity was defined basically in racial terms and was measured according to a person's degree of Māori or Pacific Island blood. In recent years this old definition of ethnicity has been acknowledged as limited, inappropriate and offensive to many people.

The review committee, which includes representatives of Statistics New Zealand and other interested parties, sought to address these problems and, in 1988, produced a number of recommendations including the following:

- that the [then] Department of Statistics implement a standard classification of ethnicity, suitable for collecting standard ethnic information across all statistical surveys;
- that wherever possible the method of reporting ethnicity be self-identification;
- that in addition to any cultural affiliation measures, information on Māori people includes a measure of descent;
- that, where possible, Pacific Island groups be separately identified;
- that, wherever possible, Māori respondents be asked to indicate their iwi [tribal affiliation]; and
- that alternative options for describing the ethnicity of the majority Pākehā/ European culture in New Zealand be investigated.

The 1986 Census of Population and Dwellings was the first major statistical survey to adopt the recommendations, especially the concept of ethnic self-identification, and made provisions for multiple ethnic responses.

Ethnic birth and death registration – what has changed

Prior to September 1995, registration of death required information on the degree of Māori or Pacific Island blood of the deceased and the tribe of the deceased’s mother and father. Similarly, in the case of a birth, information on the degree of Māori or Pacific [Island] blood of the newborn’s parents was sought, as well as their tribes. If the parents were not of Māori or Pacific Island descent no ethnic details were required. For statistical purposes this residual group was generally categorised as non-Māori, non-Pacific Island.

This question thus produced two types of responses, Māori or Pacific Island people (defined as those who had half or more Māori or Pacific Island blood) and non-Māori and non-Pacific Island people. These questions were recognised as limiting as there was no way of separately identifying all ethnic groups. Moreover, after 1986 (when census ethnic question embraced the concept of self-identification), the inconsistencies between the scope of two ethnic census and registration inquiries became marked. The two data sets (registration-based vital events and census questions) were based on different concepts and added to the complexities of accurately measuring ethnic differentials in fertility and mortality.

In principle, the new ethnic registration questions on ethnicity are the same as those asked in the 1996 Census of Population and Dwellings. In the case of death, two questions relating to ethnicity are now asked. The first requires that respondents tick as many circles as needed to show which ethnic group the deceased belonged to. The second asks whether the deceased was descended from a New Zealand Māori. Below is a reproduction of [part of] the death form:

Ethnic group(s) Tick as many circles as needed to show which ethnic groups(s) the deceased belonged to	<input type="radio"/> NZ Māori <input type="radio"/> NZ European or Pākehā <input type="radio"/> Other European <input type="radio"/> Samoan <input type="radio"/> Cook Island Māori <input type="radio"/> Tongan <input type="radio"/> Niuean <input type="radio"/> Chinese <input type="radio"/> Indian <input type="radio"/> Other (such as Fijian, Vietnamese)	Which of these groups? <input type="radio"/> Dutch <input type="radio"/> English <input type="radio"/> Australian <input type="radio"/> Scottish <input type="radio"/> Other <input type="radio"/> Irish
	Print other ethnic group(s) here <input style="width: 150px;" type="text"/>	
Was the deceased descended from a New Zealand Māori?	<input type="radio"/> No <input type="radio"/> Don't know <input type="radio"/> Yes	

In the case of births these questions are asked for the newborn child and for each of the parents.

Impact on vital statistics

A preliminary evaluation of resulting data suggests that the new questions are generating ethnic vital statistics that are different from the old data in three key respects.

- A much greater range of ethnic groups can be identified. Where previously the non-Māori, non-Pacific Island category was large and ambiguous, it is now possible to identify specific ethnic groups, such as Chinese, Malaysian or South African, within this broad group.
- Where previously only one ethnic response was tabulated, a large number of multi-ethnic responses can now be generated as a result of respondents having the opportunity to select more than one ethnic group.
- The third major change is specific to Māori and Pacific Island respondents who were previously classified according to their degree of blood. The new classification is based on the concept of self-identification and, as such, produces a different data set.

The implications of changes to the data collected are many. It will now be possible to more accurately identify specific ethnic groups and generate ethnic-specific rates of fertility and mortality, as well as calculating population estimates and projections. This will make it possible to more accurately gauge the specific needs of ethnic groups and, for the first time, detail on smaller ethnic minorities will be available. The opportunity for multiple response incorporated in the new questions now also makes it possible to establish the number of births or deaths occurring to people of mixed ethnic identity.

Statistics New Zealand is currently revising the methodology and population concepts used to derive ethnic fertility indices for Māori and non-Māori groups. Statistics collected on the new forms, coupled with data collected from the self-identification questions asked by the census, will enable fertility indices to be calculated for the first time on the basis of true self-identification as recommended by the 1988 Review of Statistics.

Implications of these changes for the historical time series of fertility and mortality indices are currently being assessed. The findings will be published in a future issue of *Demographic Trends*.

References

Department of Statistics (1988), *Report of the Review Committee on Ethnic Statistics*, Wellington.

Department of Statistics (1993), *Standard Classification of Ethnicity 1993*, Wellington.

Major causes of mortality

All causes of mortality

There were 28 379 deaths registered in 1996 (14 523 males and 13 856 females). The 1996 total was 1.5 percent higher than 1995, when there were 27 956 deaths.

There were 2630 Māori, 735 Pacific Island and 318 Asian deaths in 1996. Māori deaths accounted for 9 percent of total deaths, with Pacific Island and Asian deaths collectively accounting for almost 4 percent of total deaths in 1996.

Two types of death rates are presented in this report, age-specific and age-standardised rates. Age-specific mortality rates calculate the number of deaths in relation to the population size of a particular group, while age-standardised rates account for differences in population structure, and can be used to compare different groups and data from different years.

Table 1 below shows age-specific and age-standardised rates for all causes of death in 1996. For all age groups excluding infants (less than one year), age-specific mortality rates increased with age. Māori rates were higher than the corresponding non-Māori rates for the age groups presented in Table 1, and the age-standardised rate for Māori in 1996 was approximately twice the non-Māori rate.

Figure 1 (next page) shows age-standardised mortality rates from 1987 to 1996. Mortality rates have decreased by 18 percent for males and 16 percent for females over this period. In 1996 Māori males had the highest mortality rate of the four groups (1048.4 per 100 000 population), which was 83 percent higher than the non-Māori male rate (574.3 per 100 000 population). The Māori female rate (755.6

Table 1: Death rates by age group, sex and ethnicity, 1996. (Rates per 100 000 population, age-standardised to Segi's world population for all ages combined.)

	Age-specific rate							Age-standardised rate
	0-1	1-14	15-24	25-44	45-64	65-74	75+	
Total population								
Male:	809.4	29.1	138.2	156.2	748.2	3163.9	10 085.0	611.8
Female:	710.6	27.0	58.6	80.5	494.0	1904.6	7843.3	397.6
Māori population								
Male:	1253.2	32.3	197.3	304.0	1681.2	5586.6	12 358.9	1048.4
Female:	1225.7	37.2	73.4	149.0	1206.3	4293.3	9540.6	755.6
Non-Māori population								
Male:	642.2	28.1	125.1	133.8	661.4	3047.3	10 024.7	574.3
Female:	521.7	23.8	55.1	69.6	425.3	1784.3	7803.4	367.2

per 100 000 population) was over twice the corresponding non-Māori female rate (367.2 per 100 000 population). Figure 2 shows a comparison of mortality rates by sex and ethnicity for 1996. Because of changes in ethnicity recording that came into force in September 1995, it is not possible to compare Māori and non-Māori rates over time (see 'Significant changes to ethnicity coding', page 8).

Figure 1:
Death rates from all causes, by sex, 1987–96.

◇ Males
■ Females

Note: the rates are per 100 000, age-standardised to Segi's world population.





Figure 2:
Death rates from all causes, by sex and ethnicity, 1996.

Note: the rates are per 100 000, age-standardised to Segi's world population.



The leading causes of death in 1996 were cancer and ischaemic heart disease, which collectively accounted for half of all deaths in New Zealand. Figure 3 shows these two causes of death as a percentage of total deaths from 1987 to 1996. Cancer has been the leading cause of death in New Zealand since 1993, accounting for around 26 percent of deaths per year. Prior to 1993 ischaemic heart disease was the leading cause.

The mortality rates for both cancer and ischaemic heart disease have decreased since 1987 (Figure 4). Ischaemic heart disease rates decreased by 32 percent while cancer deaths have decreased by only 3 percent.

Figure 3:
Ischaemic heart disease
and cancer as a
percentage of total deaths,
1987–96.

▲ Ischaemic disease
○ Cancer





Figure 4:
Death rates for ischaemic
heart disease and cancer,
1987–96.

▲ Ischaemic disease
○ Cancer

Note: the rates are per 100 000,
age-standardised to Segi's
world population.



Trends in selected causes of mortality

Table 2 (next page) presents age-standardised rates for selected causes of death in 1996. Males had a higher mortality rate for all of the causes of death listed, and the overall mortality rate for males in 1996 was 54 percent higher than the female rate.

Males had more than twice the female age-standardised mortality rate for cancer of the lung and stomach, ischaemic heart disease and motor vehicle crashes. The male suicide rate was almost four times the female rate in 1996.

The Māori male age-standardised rate for all causes of death was 39 percent higher than the Māori female rate in 1996. Māori males had more than twice the Māori female rate for deaths from motor vehicle crashes and pneumonia and

influenza, and nearly four times the suicide rate.

Māori had a total age-standardised death rate in 1996 which was almost twice the non-Māori death rate. The largest differences between Māori and non-Māori were for cancer (especially lung and stomach cancer), heart disease, motor vehicle crashes and diabetes mellitus. Non-Māori had higher age-standardised death rates from cancer of the large bowel and the prostate.

For more information on leading causes of death, see the next section 'Selected Trends'.

Table 2: Age-standardised death rates by cause, sex and ethnicity, 1996. (Note: the rates are per 100 000, age-standardised to Segi's world population.)

Cause of death	Total population			Māori			Non-Māori		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total cancer	140.0	162.1	125.0	226.4	246.7	210.9	133.7	156.0	118.4
– Lung cancer	27.0	38.0	18.2	77.7	96.8	61.5	23.7	34.4	15.2
– Large-bowel cancer*	21.2	25.0	18.2	15.2	21.0	10.6	21.5	25.3	18.5
– Breast cancer	25.5	-	25.5	32.5	-	32.5	24.7	-	24.7
– Prostate cancer	18.4	18.4	-	16.2	16.2	-	18.4	18.4	-
– Stomach cancer	5.4	7.4	3.7	18.8	25.2	13.2	4.5	6.1	3.2
Ischaemic heart disease	106.1	150.0	69.0	200.0	258.3	150.0	99.4	141.8	63.8
Cerebrovascular disease	38.1	39.8	36.4	47.0	48.0	46.1	37.1	38.8	35.5
Hypertensive disease	4.4	4.9	3.9	15.2	16.7	12.8	3.7	4.0	3.4
Other forms of heart disease†	19.5	22.9	16.2	58.9	74.5	45.6	17.2	19.8	14.7
CORD‡	19.5	28.2	14.5	38.1	50.6	30.2	18.6	27.1	13.7
Suicide	13.8	22.2	5.8	17.5	26.9	8.8	12.9	20.9	5.3
Motor vehicle crashes	14.8	21.4	8.4	27.4	41.4	14.3	13.0	18.8	7.4
Pneumonia and influenza	15.8	17.3	14.9	21.7	34.9	14.5	15.2	16.3	14.3
Diabetes mellitus	10.5	12.5	9.1	49.3	50.9	47.9	7.9	9.9	6.4
HIV	0.9	1.8	0.0	0.7	1.4	0.0	0.9	1.8	0.1
All causes of death	493.3	611.8	397.6	888.2	1048.4	755.6	459.6	574.3	367.2

* Includes ICD 153 and 154, cancer of the colon and rectum.

† Includes heart failure, cardiomyopathy, pericardial and endocardial diseases.

‡ Chronic obstructive respiratory disease, ICD 496.

Selected trends

Note: because of changes in ethnicity recording that came into force in September 1995, it is not possible to compare Māori and non-Māori rates over time (see 'Significant changes to ethnicity coding', page 8). This section presents 1996 ethnicity data as the start of a new time series.

Cancer

Table 3 shows the number and rate of cancer deaths from 1987 to 1996, while Figure 5 shows age-standardised rates over the same period. Between 1987 and 1996 the cancer mortality rate has remained relatively constant, decreasing by 5 percent for males and 2 percent for females. Males had a consistently higher rate of deaths from cancer than females, and in 1996 the male rate was 30 percent higher than the corresponding female rate.

Table 3:
Deaths from cancer,
1987–96 (ICD 140–208).


Year	Males		Females	
	No.	Rate	No.	Rate
1987	3375	170.8	3035	127.9
1988	3444	172.6	3037	124.7
1989	3492	171.2	3139	128.9
1990	3548	170.1	3198	129.1
1991	3541	168.4	3251	128.9
1992	3771	173.2	3110	118.0
1993	3812	178.3	3282	126.8
1994	3834	167.2	3332	121.2
1995	3918	168.0	3504	126.8
1996	3872	162.1	3598	125.0

Note: the rates are per 100 000, age-standardised to Segi's world population.

Figure 5:
Death rates from cancer,
by sex, 1987–96.

◇ Males
■ Females


Note: the rates are per 100 000, age-standardised to Segi's world population.



Cancer was the leading cause of death for Māori females in 1996 and the second leading cause for Māori males (Table 2). The Māori rate of cancer was almost 70 percent higher than the non-Māori rate in 1996. Māori males had the highest rate of cancer death of the four groups in 1996, followed by Māori females (Figure 6). Cancer was also the leading cause of Pacific Island deaths in 1996.

Figure 6:
Death rates from cancer,
by sex and ethnicity,
1996.

Note: the rates are per 100 000,
age-standardised to Segi's
world population.



Lung cancer

Table 4 and Figure 7 show deaths from lung cancer from 1987 to 1996. The lung cancer mortality rate for males has decreased by 21 percent over this period while the female rate increased by 6 percent. The male mortality rate from lung cancer was more than double the female rate in 1996.

Lung cancer was one of the leading causes of cancer death in 1996 and accounted for 19 percent of total cancer deaths. It was by far the most common cause of cancer deaths for Māori in 1996. Māori males had a lung cancer mortality rate which was almost three times the non-Māori rate in 1996, while the female Māori rate was four times the non-Māori female rate (Figure 8). Lung cancer was the leading cause of Pacific Island cancer deaths in 1996.

Table 4:
Deaths from lung cancer,
1987–96 (ICD 162).

Note: the rates are per 100 000,
age-standardised to Segi's
world population.

Year	Males		Females	
	No.	Rate	No.	Rate
1987	950	48.1	396	17.2
1988	892	45.0	395	16.7
1989	896	43.8	411	18.0
1990	903	43.1	433	18.4
1991	869	41.2	427	18.0
1992	947	43.2	445	17.5
1993	892	40.0	444	17.7
1994	919	39.6	484	18.8
1995	892	38.8	514	19.4
1996	904	38.0	502	18.2

Figure 7:
Death rates from lung cancer, by sex, 1987–96.

◇ Males
■ Females

Note: the rates are per 100 000, age-standardised to Segi's world population.





Figure 8:
Death rates from lung cancer, by sex and ethnicity, 1996.

Note: the rates are per 100 000, age-standardised to Segi's world population.



Female breast cancer

Table 5 (next page) and Figure 9 show the numbers and rates for cancer of the female breast from 1987 to 1996. There was an 11 percent decrease in the rate of female breast cancer over this period, but the 1995 and 1996 rates were identical.

Figure 10 shows the mortality rate of female breast cancer for 1996 by ethnicity. The Māori female rate of breast cancer was over 30 percent higher than the non-Māori female rate in 1996.

Figure 9:
Death rates from female breast cancer, 1987–96.

Note: the rates are per 100 000, age-standardised to Segi's world population.





Table 5:
Deaths from female breast cancer, 1987–96 (ICD 174).

Year	No.	Rate
1987	607	28.6
1988	593	27.0
1989	605	27.1
1990	635	28.2
1991	588	25.8
1992	569	24.0
1993	584	24.0
1994	567	22.9
1995	638	25.5
1996	681	25.5

Note: the rates are per 100 000, age-standardised to Segi's world population.

Figure 10:
Death rates from female breast cancer, by ethnicity, 1996.



Note: the rates are per 100 000, age-standardised to Segi's world population.

Prostate cancer

Table 6 and Figure 11 show the mortality rate from prostate cancer from 1987 to 1996. Over this period the mortality rate was relatively stable, with an overall increase of 10 percent. The mortality rate from prostate cancer decreased by 13 percent from 1995 to 1996.


Non-Māori males had a prostate cancer mortality rate which was almost 14 percent higher than the Māori rate in 1996 (Figure 12).

Table 6:
Deaths from prostate cancer, 1987–96 (ICD 185).

Year	No.	Rate
1987	365	16.8
1988	402	18.5
1989	425	18.9
1990	436	19.1
1991	423	18.2
1992	478	19.8
1993	520	20.7
1994	517	19.8
1995	554	21.1
1996	502	18.4


Note: the rates are per 100 000, age-standardised to Segi's world population.

Figure 11:
Death rates from prostate cancer, 1987–96.



Note: the rates are per 100 000, age-standardised to Segi's world population.

Figure 12:
Death rates from prostate cancer, by ethnicity, 1996.



Note: the rates are per 100 000, age-standardised to Segi's world population.

Malignant melanoma of the skin

Table 7 and Figure 13 show deaths from malignant melanoma of the skin from 1987 to 1996. Over this period the male rate of melanoma has increased by 7 percent and the female rate by 6 percent. Male mortality rates from melanoma were consistently higher than female rates throughout this period. Figure 14 shows a comparison of non-Māori male and female rates for 1996. There were no Māori male deaths from melanoma in 1996, and Māori female rates are not shown in Figure 14 because of the small number of deaths in 1996.

Table 7:
Deaths from malignant melanoma of the skin, 1987–96 (ICD 172).

Year	Males		Females	
	No.	Rate	No.	Rate
1987	83	4.4	67	3.1
1988	101	5.2	69	3.0
1989	95	4.9	71	3.2
1990	115	5.9	73	3.0
1991	109	5.4	71	3.1
1992	99	4.8	83	3.4
1993	112	5.2	82	3.1
1994	114	5.3	79	3.0
1995	126	5.8	71	2.9
1996	107	4.7	87	3.3

Note: the rates are per 100 000, age-standardised to Segi's world population.

Figure 13:
Death rates from malignant melanoma of the skin, by sex, 1987–96.

◇ Males
■ Females

Note: the rates are per 100 000, age-standardised to Segi's world population.





Figure 14:
Death rates from malignant melanoma of the skin, by sex, 1996.

Note: the rates are per 100 000, age-standardised to Segi's world population.



Cervical cancer

Table 8 and Figure 15 show cervical cancer deaths from 1987 to 1996. Over this time the mortality rate has decreased by 40 percent, and in 1996 it was the second lowest rate of the past 10 years. The Māori mortality rate from cervical cancer (11.8 per 100 000 population) exceeded the non-Māori rate (2.6 per 100 000 population) in 1996 (Figure 16).

Table 8:
Deaths from cervical cancer, 1987–96 (ICD 180).

Note: the rates are per 100 000, age-standardised to Segi's world population.

Year	No.	Rate
1987	117	5.7
1988	99	4.8
1989	85	4.1
1990	101	5.0
1991	106	4.7
1992	84	3.7
1993	80	3.3
1994	77	3.4
1995	96	4.2
1996	82	3.4

Figure 15:
Death rates from cervical cancer, 1987–96.

Note: the rates are per 100 000, age-standardised to Segi's world population.





Figure 16:
Death rates from cervical cancer, by ethnicity, 1996.

Note: the rates are per 100 000, age-standardised to Segi's world population.



Ischaemic heart disease

Ischaemic heart disease was the second most common cause of death in 1996, accounting for 23 percent of deaths. Between 1987 and 1996, the mortality rate from ischaemic heart disease decreased by approximately 30 percent for both males and females (Table 9; Figure 17). The male mortality rate from ischaemic heart disease has consistently been more than twice the female rate between 1987 and 1996. In 1996 the Māori rate was twice the non-Māori rate (Figure 18). Ischaemic heart disease was the second leading cause of Pacific Island deaths in 1996.

Table 9:
Deaths from ischaemic heart disease, 1987–96 (ICD 410–414).

Year	Males		Females	
	No.	Rate	No.	Rate
1987	4379	218.7	3235	102.6
1988	4173	203.5	3079	94.7
1989	4071	194.6	2964	88.5
1990	3884	180.5	2923	86.8
1991	3789	172.9	2954	83.7
1992	4064	180.7	3034	82.2
1993	3842	165.9	3056	80.9
1994	3718	156.8	2901	74.9
1995	3810	157.7	2887	71.6
1996	3729	150.0	2904	69.0

Note: the rates are per 100 000, age-standardised to Segi's world population.

Figure 17:
Death rates from ischaemic heart disease, by sex, 1987–96.

◇ Males
■ Females

Note: the rates are per 100 000, age-standardised to Segi's world population.





Figure 18:
Death rates from ischaemic heart disease, by sex and ethnicity, 1996.

Note: the rates are per 100 000, age-standardised to Segi's world population.



Cerebrovascular disease

Cerebrovascular disease was the third leading cause of death in 1996 following cancer and ischaemic heart disease. Mortality rates have decreased between 1987 and 1996 (Table 10; Figure 19), with male rates decreasing by 24 percent and female rates by 28 percent. Throughout this period the male mortality rates were consistently higher than the female rates, although the difference was not large.

Figure 20 shows mortality rates from cerebrovascular disease by sex and ethnicity. In 1996, Māori had a mortality rate which was 27 percent higher than the corresponding non-Māori rate.

Table 10:
Deaths from
cerebrovascular disease,
1987–96 (ICD 430–438).

Year	Males		Females	
	No.	Rate	No.	Rate
1987	1076	52.3	1675	50.4
1988	1077	50.5	1616	44.9
1989	1072	49.7	1597	45.0
1990	1021	45.7	1579	44.1
1991	1036	45.7	1624	43.0
1992	1113	47.2	1621	41.5
1993	1061	45.3	1727	43.6
1994	1096	44.4	1631	38.8
1995	1070	41.8	1645	37.7
1996	1045	39.8	1614	36.4

Note: the rates are per 100 000,
age-standardised to Segi's
world population.

Figure 19:
Death rates from
cerebrovascular disease,
by sex, 1987–96.

◇ Males
■ Females

Note: the rates are per 100 000,
age-standardised to Segi's
world population.





Figure 20:
Death rates from cerebrovascular disease, by sex and ethnicity, 1996.

Note: the rates are per 100 000, age-standardised to Segi's world population.



Statistical Tables

Table 1: Deaths from all causes, by age and sex, 1996.

	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
All deaths																								
Total:	28379	417	38	22	20	15	54	69	257	270	281	312	339	368	700	858	1178	1744	2629	3541	4069	4631	6567	
Male:	14523	229	19	13	11	9	30	34	171	200	202	205	216	220	389	510	722	1071	1617	2083	2150	2148	2274	
Female:	13856	188	19	9	9	6	24	35	86	70	79	107	123	148	311	348	456	673	1012	1458	1919	2483	4293	
Māori deaths																								
Total:	2630	184	16	8	3	5	9	22	67	66	75	84	90	84	151	188	242	318	313	254	179	149	123	
Male:	1462	97	9	3	2	2	5	9	44	52	51	58	57	50	77	117	139	182	168	132	88	70	50	
Female:	1168	87	7	5	1	3	4	13	23	14	24	26	33	34	74	71	103	136	145	122	91	79	73	
Pacific Island deaths																								
Total:	735	41	4	3	4	0	4	4	12	15	29	27	21	34	49	45	69	60	83	82	61	48	40	
Male:	418	27	2	3	3	0	3	1	6	13	20	14	12	17	28	31	42	33	55	48	24	24	12	
Female:	317	14	2	0	1	0	1	3	6	2	9	13	9	17	21	14	27	27	28	34	37	24	28	

Table 1a: Deaths from all causes, age-specific and age-standardised rates, 1996. (Rates per 100 000 population and age-standardised to Segi's world population.)

	Age-standardised rate	Age-specific rate																	
		0–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85+
All deaths																			
Total:	493.3	183.1	18.7	26.1	97.7	99.4	102.8	106.3	118.9	144.3	290.2	459.5	742.7	1289.3	1977.2	3115.5	4944.9	8376.7	17076.2
Male:	611.8	195.0	20.3	25.1	128.0	148.3	152.5	143.9	155.1	175.4	323.5	546.3	916.4	1588.6	2480.6	4024.4	6406.2	10524.8	20310.8
Female:	397.6	170.5	17.1	27.2	66.5	51.1	56.1	70.8	84.3	114.2	257.1	372.7	571.3	991.9	1492.8	2355.6	3938.1	7120.3	15749.5
Māori deaths																			
Total:	888.2	301.4	13.3	38.4	129.6	139.4	173.8	200.0	247.2	299.6	675.8	1167.8	1746.0	3122.2	4338.2	5815.0	7708.9	12173.2	17521.4
Male:	1048.4	304.4	14.6	30.9	171.3	226.5	250.7	292.6	329.5	368.0	703.2	1484.6	2035.7	3659.0	4968.9	6636.5	9109.7	14675.1	20833.3
Female:	755.6	298.3	12.1	46.1	88.4	57.4	105.2	117.3	172.7	235.2	649.5	864.7	1466.0	2614.4	3776.0	5128.2	6755.8	10618.3	16008.8
Pacific Island deaths																			
Total:	721.0	226.7	19.2	23.3	71.3	95.5	181.9	181.3	174.9	340.6	616.4	800.0	1532.3	1870.9	3398.9	5137.8	6688.6	11594.2	15325.7
Male:	904.5	293.8	27.9	11.4	71.6	171.3	273.4	201.4	210.2	344.9	703.9	1122.0	1894.5	2169.6	5064.5	7142.9	6666.7	16326.5	14814.8
Female:	572.7	154.3	9.9	35.5	71.1	24.7	104.3	163.8	142.9	336.9	529.1	487.6	1181.1	1607.1	2055.8	3691.6	6776.6	9195.4	15555.6

Table 2: Deaths by regional health authority and subregion: age and sex, total population, 1996.

Region of domicile	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
Total deaths	28 379	417	38	22	20	15	54	69	257	270	281	312	339	368	700	858	1178	1744	2629	3541	4069	4631	6567
North Health RHA																							
Northland		29	4	1	1	1	3	5	16	14	13	14	15	19	28	35	57	95	96	165	141	161	209
Total:	1122																						
Male:	613	14	1	1	0	1	0	2	13	12	9	10	10	11	18	23	29	56	59	96	79	82	87
Female:	509	15	3	0	1	0	3	3	3	2	4	4	5	8	10	12	28	39	37	69	62	79	122
North West Auckland																							
Total:	2590	35	6	2	4	0	8	3	23	31	15	27	32	33	65	70	100	154	245	327	375	448	587
Male:	1271	18	4	1	3	0	3	2	13	18	10	16	18	19	34	38	65	96	138	181	196	197	201
Female:	1319	17	2	1	1	0	5	1	10	13	5	11	14	14	31	32	35	58	107	146	179	251	386
Central Auckland																							
Total:	2825	39	3	3	0	2	5	7	11	13	27	29	28	40	71	73	102	157	215	312	382	499	807
Male:	1370	25	2	3	0	1	2	4	7	9	16	19	19	24	43	55	63	94	137	186	186	207	268
Female:	1455	14	1	0	0	1	3	3	4	4	11	10	9	16	28	18	39	63	78	126	196	292	539
South Auckland																							
Total:	2037	42	6	7	3	1	8	6	21	28	29	43	39	40	82	89	116	157	180	252	236	299	353
Male:	1069	25	3	4	2	0	6	3	12	20	22	28	27	25	45	55	71	95	105	136	118	147	120
Female:	968	17	3	3	1	1	2	3	9	8	7	15	12	15	37	34	45	62	75	116	118	152	233
Midland RHA																							
Thames Valley and Peninsula																							
Total:	362	3	0	0	0	0	0	0	0	1	0	2	5	5	6	7	13	18	25	63	58	47	109
Male:	199	1	0	0	0	0	0	0	0	1	0	1	4	2	5	2	6	13	20	38	37	27	42
Female:	163	2	0	0	0	0	0	0	0	0	1	1	1	3	1	5	7	5	5	25	21	20	67
Central and Northern Waikato																							
Total:	607	5	1	1	2	2	0	1	6	5	3	7	7	13	19	28	23	37	60	71	81	86	149
Male:	321	1	0	0	1	2	0	1	5	4	2	3	4	5	7	16	14	22	38	42	46	43	65
Female:	286	4	1	1	1	0	0	0	1	1	1	4	3	8	12	12	9	15	22	29	35	43	84
Hamilton City																							
Total:	757	20	1	0	0	0	4	0	15	7	9	13	9	5	18	29	29	37	70	89	111	114	177
Male:	397	9	0	0	0	0	3	0	12	7	7	7	4	2	6	17	21	24	51	54	59	50	64
Female:	360	11	1	0	0	0	1	0	3	0	2	6	5	3	12	12	8	13	19	35	52	64	113
South and Eastern Waikato																							
Total:	369	6	0	1	1	0	0	1	5	5	4	6	6	4	13	11	18	26	43	48	63	48	60
Male:	201	4	0	0	1	0	0	1	3	4	3	3	3	3	7	6	10	17	31	31	29	22	23
Female:	168	2	0	1	0	0	0	0	2	1	1	3	3	1	6	5	8	9	12	17	34	26	37

Table 2 (continued): Deaths by regional health authority and subregion: age and sex, total population, 1996.

Region of domicile	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
Western Bay of Plenty	1071	11	1	0	1	0	0	5	10	4	12	11	17	14	16	25	35	70	116	133	156	173	261
Total:	560	6	1	0	0	0	2	7	3	9	7	14	10	10	6	14	19	44	67	79	85	98	89
Male:	511	5	0	0	1	0	3	3	3	1	3	4	3	4	10	11	16	26	49	54	71	75	172
Female:	667	18	0	1	1	0	1	3	11	10	12	7	8	8	21	26	30	39	63	80	93	98	137
Total:	376	11	0	0	1	0	1	1	5	7	10	5	5	4	14	19	18	26	44	55	47	52	51
Male:	291	7	0	1	0	0	2	6	6	3	2	2	3	4	7	7	12	13	19	25	46	46	86
Female:	414	8	2	1	0	1	0	2	3	6	11	8	8	6	23	24	31	29	42	50	50	60	49
Eastern Bay of Plenty	242	5	1	1	0	1	0	2	2	3	7	8	7	4	13	13	17	23	27	26	30	34	18
Total:	172	3	1	0	0	0	0	1	1	3	4	0	1	2	10	11	14	6	15	24	20	26	31
Male:	220	4	2	0	0	1	2	6	6	6	3	5	6	3	4	15	7	16	29	18	27	29	37
Female:	123	1	1	0	0	1	1	4	5	0	4	5	2	2	2	12	4	9	16	11	14	14	17
Total:	97	3	1	0	0	0	1	2	1	3	1	1	1	1	2	3	3	7	13	7	13	15	20
King Country	405	7	1	1	1	0	1	2	2	2	7	5	8	7	11	13	19	42	37	54	59	59	67
Total:	220	2	1	1	0	1	1	1	1	2	3	5	5	4	9	5	13	29	21	37	28	30	21
Male:	185	5	0	0	0	0	1	1	1	0	4	0	3	3	2	8	6	13	16	17	31	29	46
Female:	888	16	0	0	1	1	2	5	6	8	8	5	7	11	15	17	31	57	89	115	148	148	205
Taranaki	469	9	0	0	0	1	1	4	5	6	6	4	6	6	10	14	22	38	56	65	80	63	79
Total:	419	7	0	0	1	1	1	1	1	1	2	1	1	5	5	3	9	19	33	50	68	85	126
Male:	1240	26	1	0	1	1	4	5	9	11	12	10	13	17	28	40	55	70	123	159	174	207	274
Female:	637	13	1	0	1	0	4	2	4	9	9	7	8	9	17	19	30	41	72	89	94	106	102
Central RHA	603	13	0	0	0	1	0	3	5	2	3	3	5	8	11	21	25	29	51	70	80	101	172
Hawke's Bay	668	10	2	0	1	0	1	10	5	8	1	10	8	13	17	29	29	40	65	82	94	114	158
Total:	330	7	0	0	0	0	1	5	4	6	0	4	5	8	12	16	16	20	38	46	49	53	56
Male:	338	3	2	0	1	0	0	5	1	2	1	6	3	5	5	5	13	20	27	36	45	61	102
Female:	1243	16	2	2	0	2	3	20	12	16	16	12	9	8	23	33	47	66	116	165	191	204	294
Manawatu	622	7	0	1	0	1	2	13	10	11	9	3	4	13	19	29	31	69	100	105	102	102	92
Total:	621	9	2	1	0	1	1	7	2	5	3	6	4	10	14	18	35	47	65	86	86	102	202
Male:																							
Female:																							

Table 2 (continued): Deaths by regional health authority and subregion: age and sex, total population, 1996.

Region of domicile	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Porirua-Kapiti	Total:	689	11	1	0	0	0	0	1	3	5	6	8	7	8	20	20	35	49	65	79	110	116	145
	Male:	372	8	0	0	0	0	0	3	3	3	6	5	4	7	7	15	20	26	40	45	65	60	58
	Female:	317	3	1	0	0	0	1	0	0	2	0	3	3	1	13	5	15	23	25	34	45	56	87
Hutt	Total:	1018	11	1	0	1	0	2	3	6	8	11	6	12	13	23	37	51	66	92	131	154	179	211
	Male:	498	8	0	0	0	2	1	4	5	9	9	4	6	9	7	18	32	46	51	74	70	71	81
	Female:	520	3	1	0	1	0	2	2	2	3	2	2	6	4	16	19	19	20	41	57	84	108	130
Wellington	Total:	923	11	1	0	0	0	2	3	10	17	10	16	14	16	28	27	34	49	85	101	139	151	209
	Male:	459	5	1	0	0	0	0	2	6	15	6	9	13	9	15	13	26	33	57	61	68	59	61
	Female:	464	6	0	0	0	2	1	4	2	2	4	7	1	7	13	14	8	16	28	40	71	92	148
Wairarapa	Total:	373	6	0	0	0	0	0	4	4	3	0	2	4	1	8	11	12	25	44	37	57	73	86
	Male:	189	3	0	0	0	0	0	1	3	3	0	2	2	0	5	9	6	19	21	22	31	34	31
	Female:	184	3	0	0	0	0	0	3	0	0	0	0	2	1	3	2	6	6	23	15	26	39	55
Nelson-Marlborough	Total:	1009	11	1	0	0	1	2	4	9	6	8	9	7	11	21	28	39	56	80	136	157	181	242
	Male:	512	9	1	0	0	1	0	3	7	4	7	5	4	7	14	14	21	36	48	78	93	85	75
	Female:	497	2	0	0	0	2	1	2	2	2	1	4	3	4	7	14	18	20	32	58	64	96	167
Southern RHA	Total:	306	2	0	0	0	0	0	1	3	1	5	2	2	3	6	11	14	10	26	43	41	62	74
	Male:	159	2	0	0	0	0	0	1	1	1	5	2	2	3	2	7	8	8	14	27	19	32	26
	Female:	147	0	0	0	0	0	1	2	0	0	0	0	0	0	4	4	6	2	12	16	22	30	48
Canterbury	Total:	3436	38	2	0	0	0	4	6	20	38	29	36	34	40	71	95	124	184	305	438	519	553	898
	Male:	1697	21	2	0	0	1	2	2	16	26	24	23	18	27	40	55	74	104	189	263	275	243	292
	Female:	1739	17	0	0	0	2	4	4	4	12	5	13	16	13	31	40	50	80	116	175	244	310	606
South Canterbury	Total:	562	0	0	0	0	0	0	4	4	0	1	4	3	5	7	15	24	38	48	69	88	112	144
	Male:	289	0	0	0	0	0	0	4	4	0	1	4	2	1	5	8	15	19	31	42	53	54	50
	Female:	273	0	0	0	0	0	0	0	0	0	0	0	1	4	2	7	9	19	17	27	35	58	94
Otago	Total:	1598	20	0	2	1	1	2	2	14	18	12	10	14	17	31	30	43	90	173	189	236	269	424
	Male:	807	11	0	1	0	1	1	0	11	16	8	6	10	9	18	14	33	56	109	119	125	114	145
	Female:	791	9	0	1	1	0	1	2	3	2	4	4	4	8	13	16	10	34	64	70	111	155	279

Table 2 (continued): Deaths by regional health authority and subregion: age and sex, total population, 1996.

Region of domicile	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Southland																								
Total:	847	10	0	0	1	0	3	0	9	4	2	9	12	7	19	21	46	50	83	124	118	133	196	
Male:	442	4	0	0	1	0	1	0	7	3	2	7	7	6	12	11	32	33	58	72	63	65	58	
Female:	405	6	0	0	0	0	2	0	2	1	0	2	5	1	7	10	14	17	25	52	55	68	138	
Overseas and undefined																								
Total:	133	2	0	0	0	0	1	1	2	4	8	5	3	6	10	11	14	17	14	11	11	8	5	
Male:	79	0	0	0	0	0	1	0	1	1	4	2	2	3	7	7	8	13	10	8	6	4	2	
Female:	54	2	0	0	0	0	0	1	1	3	4	3	1	3	3	4	6	4	4	3	5	4	3	

Table 2a: Deaths by regional health authority and subregion: age and sex, Māori population, 1996.

Region of domicile	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
Total deaths	2630	184	16	8	3	5	9	22	67	66	75	84	90	84	151	188	242	318	313	254	179	149	123
North Health RHA																							
Northland	315	24	4	0	1	0	1	4	7	10	6	7	10	8	19	15	29	37	30	44	25	18	16
Total:	162	12	1	0	0	0	0	2	6	8	4	5	6	4	12	9	14	19	14	16	15	7	8
Male:	153	12	3	0	1	0	1	2	1	2	2	2	4	4	7	6	15	18	16	28	10	11	8
Female:																							
North West Auckland	123	14	2	0	0	0	1	0	2	3	2	8	3	3	7	14	7	13	17	10	6	5	6
Total:	67	7	1	0	0	0	0	1	3	2	2	4	2	1	2	10	3	10	11	5	2	1	2
Male:	56	7	1	0	0	0	1	0	1	0	0	4	1	2	5	4	4	3	6	5	4	4	4
Female:																							
Central Auckland	169	10	0	0	0	0	1	3	5	1	4	8	3	4	13	16	15	26	18	14	7	13	8
Total:	85	4	0	0	0	0	1	3	1	3	2	7	1	1	5	12	8	12	7	6	6	8	1
Male:	84	6	0	0	0	0	2	2	0	2	1	2	2	3	8	4	7	14	11	8	1	5	7
Female:																							
South Auckland	270	14	1	3	0	1	3	2	8	8	7	8	12	12	15	18	35	32	24	23	17	13	14
Total:	151	7	1	1	0	0	2	1	5	7	4	6	10	9	5	12	17	18	11	15	9	7	4
Male:	119	7	0	2	0	1	1	1	3	1	3	2	2	3	10	6	18	14	13	8	8	6	10
Female:																							
Midland RHA																							
Thames Valley and Peninsula	27	1	0	0	0	0	0	0	0	0	0	0	2	2	2	2	1	2	4	4	5	1	1
Total:	13	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	3	3	3	2	0	0
Male:	14	1	0	0	0	0	0	0	0	0	0	0	0	2	1	2	0	1	1	1	3	1	1
Female:																							
Central and Northern Waikato	104	3	0	0	0	1	0	1	2	1	3	3	3	7	6	6	11	15	12	7	12	7	6
Total:	55	1	0	0	0	1	0	1	2	1	1	1	1	3	1	2	7	8	5	5	6	5	4
Male:	49	2	0	0	0	0	0	0	0	0	2	2	2	4	5	4	4	7	7	2	6	2	2
Female:																							
Hamilton City	80	11	0	0	0	0	1	0	3	1	3	2	4	2	6	7	4	8	6	7	9	2	4
Total:	48	5	0	0	0	0	1	0	2	1	3	1	3	1	4	3	4	3	6	3	4	2	2
Male:	32	6	0	0	0	0	0	0	1	0	0	1	1	1	2	4	0	5	0	4	5	0	2
Female:																							
South and Eastern Waikato	57	4	0	1	1	0	0	2	2	2	2	2	3	2	2	3	7	6	10	5	2	3	0
Total:	35	2	0	0	1	0	0	2	1	2	1	2	2	2	1	2	6	3	5	3	0	2	0
Male:	22	2	0	1	0	0	0	1	0	1	0	1	1	0	1	1	1	3	5	2	2	1	0
Female:																							

Table 2a (continued): Deaths by regional health authority and subregion: age and sex, Māori population, 1996.

Region of domicile	Total deaths	Age in years																					
		0–	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85+
Western Bay of Plenty	106	4	1	0	0	0	0	2	1	1	4	5	5	7	6	4	9	12	16	5	12	6	6
Total:	55	1	1	0	0	0	1	0	1	3	3	3	3	6	4	2	4	6	7	4	6	0	3
Male:	51	3	0	0	0	0	1	1	0	1	2	2	2	1	2	2	5	6	9	1	6	6	3
Female:	161	15	0	1	0	0	2	7	2	8	5	5	5	7	7	7	13	18	24	15	5	11	11
Lakes	98	10	0	0	0	0	0	4	1	6	3	3	3	2	6	7	9	13	9	9	2	6	8
Total:	63	5	0	1	0	0	2	3	1	2	2	2	2	3	1	0	4	9	11	6	3	5	3
Male:	153	8	1	1	0	0	1	1	5	7	5	6	6	2	12	15	14	18	19	17	5	10	6
Female:	89	5	1	1	0	0	1	1	3	4	5	5	5	1	6	6	8	13	11	8	3	4	3
Eastern Bay of Plenty	64	3	0	0	0	0	0	0	2	3	0	1	1	1	6	9	6	5	8	9	2	6	3
Total:	84	3	2	0	0	0	1	4	4	2	4	1	2	3	3	10	4	9	12	4	5	5	9
Male:	50	0	1	0	0	0	1	4	4	0	3	0	1	1	9	2	2	5	7	2	3	3	4
Female:	34	3	1	0	0	0	0	0	0	2	1	1	1	2	1	2	2	4	5	2	2	2	5
King Country	84	3	2	0	0	0	1	4	4	2	4	1	2	2	3	10	4	9	12	4	5	5	9
Total:	87	2	1	1	0	0	1	4	4	0	3	0	1	1	9	2	5	7	9	2	3	3	4
Male:	68	3	0	0	0	0	0	0	0	2	1	1	1	2	1	2	2	4	5	2	2	2	5
Female:	155	5	1	1	0	1	2	0	2	4	5	8	5	7	7	9	10	25	19	20	17	5	9
Tairāwhiti	87	2	1	1	0	0	1	0	2	1	5	5	2	6	5	5	5	16	9	13	7	3	2
Total:	68	3	0	0	0	0	1	0	0	3	0	3	3	3	1	4	5	9	10	7	10	2	7
Male:	78	6	0	0	0	1	0	0	0	3	1	1	1	1	4	1	6	16	12	7	12	4	3
Female:	47	5	0	0	0	0	0	0	0	3	1	1	1	2	1	4	4	10	6	5	5	2	1
Taranaki	31	1	0	0	0	1	0	0	0	0	0	0	0	0	2	0	2	6	6	2	7	2	2
Total:	162	13	1	0	1	0	1	3	7	5	2	5	6	6	10	12	19	16	16	18	5	15	7
Male:	86	6	1	0	1	0	0	0	6	3	2	3	5	7	7	10	10	10	9	7	0	7	2
Female:	76	7	0	0	0	0	1	3	1	2	0	2	1	3	5	9	9	6	7	11	5	8	5
Central RHA	84	6	0	0	0	0	0	2	4	5	1	5	2	5	7	6	6	10	14	5	5	7	0
Hawke's Bay	47	4	0	0	0	0	0	2	3	3	0	2	2	3	5	3	5	5	10	2	1	2	0
Total:	37	2	0	0	0	0	0	0	1	2	1	3	0	2	2	3	3	5	4	3	4	5	0
Male:	86	5	1	1	0	2	1	3	2	5	5	2	2	3	5	7	6	10	14	5	5	7	0
Female:	45	1	0	0	0	1	0	1	1	4	3	1	0	2	3	3	3	5	10	2	1	2	0
Wanganui	37	2	0	0	0	0	0	0	1	2	1	3	0	2	2	2	3	5	4	3	4	5	0
Total:	86	5	1	1	0	2	1	3	2	5	5	2	2	3	6	7	8	10	10	11	6	3	3
Male:	45	1	0	0	0	1	1	1	1	4	3	1	0	2	4	4	4	7	7	6	3	1	2
Female:	41	4	1	1	0	1	1	2	1	1	2	1	2	1	2	3	4	3	4	5	3	2	1
Manawatu	86	5	1	1	0	2	0	1	3	2	5	5	2	2	3	6	7	8	10	11	6	3	3
Total:	45	1	0	0	0	1	0	0	1	1	4	3	1	0	2	4	4	4	7	6	3	1	2
Male:	41	4	1	1	0	1	0	1	2	1	1	2	1	2	1	2	3	4	3	5	3	2	1
Female:																							

Table 2a (continued): Deaths by regional health authority and subregion: age and sex, Māori population, 1996.

Region of domicile	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Porirua-Kapiti	Total:	60	7	0	0	0	0	0	1	3	1	2	1	2	2	4	6	7	5	7	7	7	5	0
	Male:	27	4	0	0	0	0	0	1	1	1	1	0	2	0	2	1	4	2	2	3	3	3	0
	Female:	33	3	0	0	0	0	0	0	0	2	0	1	1	0	2	5	3	3	5	4	4	2	0
Hutt	Total:	78	7	1	0	0	0	1	1	2	1	1	3	2	8	10	9	8	7	7	7	7	1	2
	Male:	47	6	0	0	0	0	0	1	2	0	1	2	2	2	6	6	6	4	4	4	4	0	1
	Female:	31	1	1	0	0	0	1	0	0	1	0	1	0	6	4	3	2	3	3	3	3	1	1
Wellington	Total:	34	3	0	0	0	0	0	1	2	1	2	1	1	2	4	4	3	1	6	2	1	0	0
	Male:	19	2	0	0	0	0	0	0	1	1	1	1	1	0	1	4	1	1	4	0	1	0	0
	Female:	15	1	0	0	0	0	0	1	1	0	1	0	0	2	3	0	2	0	2	2	0	0	0
Wairarapa	Total:	29	2	0	0	0	0	0	1	0	0	0	2	0	4	3	2	4	4	2	3	2	0	0
	Male:	16	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	3	3	1	3	1	0	0
	Female:	13	2	0	0	0	0	0	1	0	0	0	2	0	2	0	2	1	1	1	1	0	0	0
Nelson-Marlborough	Total:	27	3	1	0	0	0	0	2	1	1	1	0	1	0	2	2	3	5	3	1	0	1	1
	Male:	16	3	1	0	0	0	0	0	1	1	1	0	1	0	2	1	2	0	2	1	0	0	0
	Female:	11	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	1	5	1	0	0	1	1
Southern RHA	Total:	9	2	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	2	1	0	0	0	0
	Male:	8	2	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	1	1	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Canterbury	Total:	99	10	0	0	0	0	1	7	3	2	5	2	5	6	8	11	10	12	5	2	2	2	7
	Male:	59	6	0	0	0	0	1	6	2	2	4	1	3	4	5	7	6	6	3	1	0	2	2
	Female:	40	4	0	0	0	0	1	1	1	0	1	1	2	2	3	4	4	6	2	1	2	1	5
South Canterbury	Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	0	2	0	0
	Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	0	0
	Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0
Otago	Total:	30	1	0	0	0	0	0	3	1	1	1	0	1	0	0	2	4	4	3	2	5	2	2
	Male:	17	1	0	0	0	0	0	2	1	1	0	0	0	0	0	2	2	2	2	2	2	1	1
	Female:	13	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	2	2	1	0	3	1	1

Table 2a (continued): Deaths by regional health authority and subregion: age and sex, Māori population, 1996.

Region of domicile	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Southland																								
Total:	847	10	0	0	1	0	3	0	9	4	2	9	12	7	19	21	46	50	83	124	118	133	196	
Male:	442	4	0	0	1	0	1	0	7	3	2	7	7	6	12	11	32	33	58	72	63	65	58	
Female:	405	6	0	0	0	2	2	0	2	1	0	2	5	1	7	10	14	17	25	52	55	68	138	
Overseas and undefined																								
Total:	133	2	0	0	0	0	1	1	2	4	8	5	3	6	10	11	14	17	14	11	11	8	5	
Male:	79	0	0	0	0	0	1	0	1	1	4	2	2	3	7	7	8	13	10	8	6	4	2	
Female:	54	2	0	0	0	0	0	1	1	3	4	3	1	3	3	4	6	4	4	3	5	4	3	

Table 2b: Deaths by regional health authority and subregion: age and sex, Pacific Island population, 1996.

Region of domicile	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
Total deaths	735	41	4	4	4	0	4	4	12	15	29	27	21	34	49	45	69	60	83	82	61	48	40
North Health RHA																							
Northland																							
Total:	12	0	0	0	0	0	0	1	0	1	0	1	0	0	0	1	0	0	2	2	1	1	2
Male:	8	0	0	0	0	0	0	1	0	1	0	0	1	0	0	1	0	0	2	2	0	1	0
Female:	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	2
North West Auckland																							
Total:	76	3	2	1	0	0	0	1	2	1	4	4	3	3	3	1	11	5	11	9	6	4	5
Male:	43	2	1	1	0	0	0	1	2	1	2	3	2	1	1	7	3	6	6	5	3	1	1
Female:	33	1	1	0	0	0	0	0	0	0	2	1	1	2	0	4	2	5	4	3	3	3	4
Central Auckland																							
Total:	199	10	1	1	0	0	1	2	3	9	2	5	8	16	11	18	17	19	21	21	23	18	13
Male:	107	7	1	1	0	0	1	3	4	0	4	3	9	9	11	8	12	14	14	7	8	4	4
Female:	92	3	0	0	0	1	1	0	5	2	1	5	7	7	7	9	7	7	7	16	10	9	9
South Auckland																							
Total:	222	11	1	1	3	0	2	1	6	7	5	14	5	10	12	11	20	20	23	31	13	12	14
Male:	130	9	0	1	2	0	1	0	2	6	5	8	2	4	8	7	16	11	16	13	6	8	5
Female:	92	2	1	0	1	0	1	1	4	1	0	6	3	6	4	4	4	9	7	18	7	4	9
Midland RHA																							
Thames Valley and Peninsula																							
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
Central and Northern Waikato																							
Total:	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Male:	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Hamilton City																							
Total:	9	0	0	0	0	0	0	0	0	0	1	0	0	1	0	4	2	0	0	0	1	0	0
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	0	0	0	0	0
Female:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	0	0	0	1	0	0
South and Eastern Waikato																							
Total:	10	1	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	1	3	0	1	0	0
Male:	8	1	0	0	0	0	1	0	0	1	0	0	0	1	0	1	1	2	0	0	1	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0
Western Bay of Plenty																							
Total:	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	1
Male:	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0

Table 2b (continued): Deaths by regional health authority and subregion: age and sex, Pacific Island population, 1996.

Region of domicile	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Lakes	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	2	0	0	0	0
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Tairāwhiti	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Taranaki	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Central RHA																								
Hawke's Bay	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	2	0	0	0	1	0
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	1	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wanganui	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Manawatu	12	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1	1	1	1	1	1
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	1	0	0	0	0
Male:	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	1
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Porirua-Kapiti	41	2	0	0	0	0	0	0	1	0	3	1	1	1	6	1	6	3	7	2	4	2	1	1
Total:	24	2	0	0	0	0	0	0	1	0	3	1	0	1	3	1	2	1	4	1	3	1	0	0
Male:	17	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0	4	2	3	1	1	1	1	1
Female:	29	1	0	0	0	0	0	0	0	0	3	1	1	2	2	5	3	2	2	3	3	1	0	0
Hutt	16	0	0	0	0	0	0	0	0	0	2	1	0	1	1	2	1	2	2	1	2	1	0	0
Total:	13	1	0	0	0	0	0	0	0	0	1	0	1	1	1	3	2	0	0	2	1	0	0	0
Male:	13	1	0	0	0	0	0	0	0	0	1	0	1	1	1	3	2	0	0	2	1	0	0	0
Female:	27	2	0	0	0	0	0	0	1	0	2	2	0	2	3	1	2	1	4	0	3	2	2	2
Wellington	13	1	0	0	0	0	0	0	0	0	1	1	0	1	2	0	2	1	3	0	1	0	0	0
Total:	14	1	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	1	1	0	2	2	2	2
Male:	14	1	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	1	1	0	2	2	2	2
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wairarapa	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2b (continued): Deaths by regional health authority and subregion: age and sex, Pacific Island population, 1996.

Region of domicile	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
Nelson-Marlborough	5	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	1	1	1	0	0	
Total:	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	1	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Female:																									
Southern RHA																									
Canterbury	20	4	0	0	0	0	1	0	0	0	1	1	2	2	0	0	1	2	2	1	2	1	2	1	0
Total:	11	1	0	0	0	0	1	0	0	0	0	1	2	2	0	0	1	1	0	1	0	1	0	1	0
Male:	9	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2	0	2	0	2	0	0
Female:																									
Otago	7	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2	1	0	0	0	0	0
Total:	7	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2	1	0	0	0	0	0
Male:																									
Southland	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:																									
Overseas and undefined																									
Total:	27	0	0	0	0	0	0	0	0	1	3	1	2	1	1	2	2	5	2	4	1	2	1	2	0
Male:	16	0	0	0	0	0	0	0	0	0	2	0	1	0	0	1	0	5	2	4	0	1	0	1	0
Female:	11	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	2	0	0	0	1	1	1	1	0

Table 3: Causes of death: ICD chapter headings by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Total deaths		28 379	417	38	22	20	15	54	69	257	270	281	312	339	368	700	858	1178	1744	2629	3541	4069	4631	6567
Male:		14 523	229	19	13	11	9	30	34	171	200	202	205	216	220	389	510	722	1071	1617	2083	2150	2148	2274
Female:		13 856	188	19	9	9	6	24	35	86	70	79	107	123	148	311	348	456	673	1012	1458	1919	2483	4293
001-139 I Infectious and parasitic diseases																								
Total:		208	6	2	1	3	0	2	0	3	4	3	13	6	12	15	7	14	8	20	13	17	22	37
Male:		118	1	0	0	2	0	2	0	1	1	2	10	5	11	13	4	8	6	10	7	12	10	13
Female:		90	5	2	1	1	0	0	0	2	3	1	3	1	1	2	3	6	2	10	6	5	12	24
140-239 II Neoplasms																								
Total:		7606	0	6	1	0	4	13	19	20	17	37	70	94	128	283	393	517	780	1031	1238	1149	1004	802
Male:		3956	0	2	0	0	4	6	9	13	10	17	26	38	53	117	180	264	432	588	702	618	503	374
Female:		3650	0	4	1	0	0	7	10	7	7	20	44	56	75	166	213	253	348	443	536	531	501	428
240-279 III Endocrine, nutritional and metabolic diseases and immunity disorders																								
Total:		832	3	1	1	0	0	1	1	6	3	2	6	11	17	20	27	64	75	96	123	132	114	129
Male:		413	1	1	1	0	0	1	0	2	2	0	2	6	9	10	17	37	44	46	68	73	46	47
Female:		419	2	0	0	0	0	0	1	4	1	2	4	5	8	10	10	27	31	50	55	59	68	82
280-289 IV Diseases of the blood and blood-forming organs																								
Total:		66	1	0	0	0	1	1	0	0	0	1	0	0	0	1	2	2	2	4	4	10	9	28
Male:		29	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	0	3	3	7	4	8
Female:		37	0	0	0	0	1	0	0	0	0	1	0	0	0	1	1	1	2	1	1	3	5	20
290-319 V Mental disorders																								
Total:		555	0	0	0	0	0	0	6	6	13	12	13	13	8	7	6	4	2	16	29	58	130	245
Male:		194	0	0	0	0	0	0	1	5	10	8	7	5	3	2	3	2	8	15	22	46	57	
Female:		361	0	0	0	0	0	0	5	1	3	4	6	3	4	4	1	1	8	14	36	84	188	
320-389 VI Diseases of the nervous system and sense organs																								
Total:		454	11	2	1	2	3	7	6	7	9	9	17	14	23	12	11	26	26	63	63	57	54	87
Male:		225	6	2	0	1	0	5	2	4	5	5	13	9	10	4	5	13	13	33	33	36	22	32
Female:		229	5	0	1	1	3	2	4	3	2	4	4	5	13	8	6	13	13	30	21	32	55	
390-459 VII Diseases of the circulatory system																								
Total:		11 785	0	1	0	0	0	3	3	8	18	16	40	55	92	197	266	396	642	999	1458	1874	2301	3416
Male:		5908	0	0	0	0	0	0	1	6	9	9	26	42	69	134	206	289	449	696	895	999	1030	1048
Female:		5877	0	1	0	0	0	3	2	2	9	7	14	13	23	63	60	107	193	303	563	875	1271	2368
460-519 VIII Diseases of the respiratory system																								
Total:		3209	16	2	2	1	0	0	0	4	5	3	6	10	10	19	32	56	117	246	388	490	622	1180
Male:		1573	8	1	1	0	0	0	0	3	3	1	5	6	4	10	23	34	62	138	232	244	328	470
Female:		1636	8	1	1	1	0	0	0	1	2	2	1	4	6	9	22	55	108	156	246	294	710	

Table 3 (continued): Causes of death: ICD chapter headings by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
520-579 IX Diseases of the digestive system																								
Total:	776	1	0	0	0	0	0	1	2	0	4	7	10	3	14	23	28	30	75	88	114	147	229	
Male:	357	1	0	0	0	0	1	1	1	0	3	3	6	1	7	17	16	18	45	55	57	62	64	
Female:	419	0	0	0	0	0	0	0	1	0	1	4	4	2	7	6	12	12	30	33	57	85	165	
580-629 X Diseases of the genitourinary system																								
Total:	435	1	1	0	0	0	1	0	0	2	2	2	3	3	5	7	6	11	30	37	65	100	159	
Male:	202	0	0	0	0	0	1	0	0	1	1	2	1	0	1	1	3	4	17	17	34	47	72	
Female:	233	1	1	0	0	0	0	0	0	1	1	0	2	3	4	6	3	7	13	20	31	53	87	
630-676 XI Complications of pregnancy, childbirth and the puerperium																								
Total:	4	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	
Female:	4	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	0	
680-709 XII Diseases of the skin and subcutaneous tissue																								
Total:	57	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1	3	2	11	13	22	
Male:	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0	4	8	9	
Female:	31	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	2	7	5	13	
710-739 XIII Diseases of the musculoskeletal system and connective tissue																								
Total:	160	0	0	0	0	0	0	0	1	0	2	0	5	2	1	6	6	7	21	20	25	23	41	
Male:	47	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	0	5	8	8	2	11	11	
Female:	113	0	0	0	0	0	0	0	1	0	1	0	4	1	0	5	6	2	13	12	17	21	30	
740-759 XIV Congenital anomalies																								
Total:	181	103	9	4	6	0	6	1	5	4	5	3	3	2	6	3	4	1	3	8	1	3	1	
Male:	92	48	4	4	4	0	3	1	2	3	3	1	1	2	3	3	3	1	3	1	1	1	0	
Female:	89	55	5	0	2	0	3	0	3	1	2	2	2	0	3	0	1	0	0	7	0	2	1	
760-779 XV Certain conditions originating in the perinatal period																								
Total:	149	147	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	88	87	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	61	60	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
780-799 XVI Symptoms, signs, and ill-defined conditions																								
Total:	167	102	3	1	0	0	0	0	0	0	2	2	0	0	1	1	1	2	2	2	2	8	38	
Male:	86	60	2	0	0	0	0	0	0	0	2	1	0	0	1	0	0	2	1	2	2	3	10	
Female:	81	42	1	1	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	0	5	28	
E800-999 External causes of injury and poisoning																								
Total:	1735	26	10	11	7	7	20	38	195	204	181	140	111	77	107	72	66	40	57	68	64	81	153	
Male:	1209	16	6	7	4	5	11	20	138	161	148	116	90	56	79	50	56	32	41	45	33	36	59	
Female:	526	10	4	4	3	2	9	18	57	43	33	24	21	21	28	22	10	8	16	23	31	45	94	

Table 3a: Causes of death: ICD chapter headings by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Total deaths		184	16	8	3	3	5	9	22	67	66	75	84	90	84	151	188	242	318	313	254	179	149	123
Male:	1462	97	9	3	2	2	2	5	9	44	52	51	58	57	50	77	117	139	182	168	132	88	70	50
Female:	1168	87	7	5	1	3	4	4	13	23	14	24	26	33	34	74	71	103	136	145	122	91	79	73
001-139 I Infectious and parasitic diseases																								
Total:	35	3	2	1	0	0	0	0	0	1	1	2	3	1	1	1	3	5	2	6	1	2	0	0
Male:	16	1	0	0	0	0	0	0	0	0	1	1	2	1	1	0	2	2	1	2	0	2	0	0
Female:	19	2	1	1	0	0	0	0	0	1	0	1	1	0	0	1	1	3	1	4	1	0	0	0
140-239 II Neoplasms																								
Total:	646	0	2	0	0	0	0	3	5	5	4	7	19	25	21	53	66	75	98	93	87	42	25	16
Male:	319	0	0	0	0	0	0	3	1	2	3	2	9	11	11	20	30	39	53	43	54	22	10	6
Female:	327	0	2	0	0	0	0	0	4	3	1	5	10	14	10	33	36	36	45	50	33	20	15	10
240-279 III Endocrine, nutritional and metabolic diseases and immunity disorders																								
Total:	163	1	1	0	0	0	0	0	0	1	2	1	1	5	6	7	11	30	33	22	23	15	3	1
Male:	77	1	1	0	0	0	0	0	0	0	1	0	0	2	1	3	5	15	18	8	12	8	2	0
Female:	86	0	0	0	0	0	0	0	0	1	1	1	1	3	5	4	6	15	15	14	11	7	1	1
280-289 IV Diseases of the blood and blood-forming organs																								
Total:	4	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
290-319 V Mental disorders																								
Total:	30	0	0	0	0	0	0	0	0	1	1	2	5	4	1	4	1	0	0	3	1	1	4	2
Male:	14	0	0	0	0	0	0	0	0	0	0	2	3	2	1	2	0	0	0	1	0	0	2	1
Female:	16	0	0	0	0	0	0	0	0	1	1	0	2	2	0	2	1	0	0	2	1	1	2	1
320-389 VI Diseases of the nervous system and sense organs																								
Total:	34	3	1	1	1	1	1	0	2	0	1	5	3	6	4	2	0	0	1	2	1	0	0	0
Male:	21	0	1	0	1	0	1	0	1	0	1	2	3	5	3	1	0	0	1	1	1	0	0	0
Female:	13	3	0	1	0	1	0	1	1	0	0	3	0	1	1	1	0	0	0	1	0	0	0	0
390-459 VII Diseases of the circulatory system																								
Total:	906	0	0	0	0	0	0	1	0	4	3	3	13	18	32	54	82	98	143	126	108	73	82	66
Male:	519	0	0	0	0	0	0	0	0	4	1	1	8	15	24	32	59	64	85	80	48	34	41	23
Female:	387	0	0	0	0	0	0	1	0	0	2	2	5	3	8	22	23	34	58	46	60	39	41	43
460-519 VIII Diseases of the respiratory system																								
Total:	219	15	0	0	0	0	0	0	0	2	1	1	2	5	4	10	5	15	25	35	25	26	22	26
Male:	122	8	0	0	0	0	0	0	0	2	1	1	2	4	1	5	4	8	13	19	14	11	11	18
Female:	97	7	0	0	0	0	0	0	0	0	0	0	0	1	3	5	1	7	12	16	11	15	11	8

Table 3a (continued): Causes of death: ICD chapter headings by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
520-579 IX Diseases of the digestive system																								
Total:	45	1	0	0	0	0	0	0	0	0	2	0	3	1	3	7	5	4	8	3	3	3	4	1
Male:	26	1	0	0	0	0	0	0	0	0	2	0	2	0	2	7	2	3	4	0	2	1	0	
Female:	19	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	3	1	4	3	1	3	1	
580-629 X Diseases of the genitourinary system																								
Total:	44	1	0	0	0	0	0	0	0	0	0	0	2	2	2	1	2	4	7	3	3	9	6	5
Male:	18	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	2	2	2	5	2	2
Female:	26	1	0	0	0	0	0	0	0	0	0	0	1	2	1	0	2	2	5	1	4	4	3	3
630-676 XI Complications of pregnancy, childbirth and the puerperium																								
Total:	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
680-709 XII Diseases of the skin and subcutaneous tissue																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	1	0	1	1
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	1
710-739 XIII Diseases of the musculoskeletal system and connective tissue																								
Total:	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1	1	1	0	0	1	1
Female:	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1	1	1	0	0	1	1
740-759 XIV Congenital anomalies																								
Total:	40	30	5	0	0	0	0	0	0	1	1	0	1	0	1	1	0	0	0	0	0	0	0	0
Male:	18	12	3	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0
Female:	22	18	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
760-779 XV Certain conditions originating in the perinatal period																								
Total:	48	47	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	27	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	21	20	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
780-799 XVI Symptoms, signs, and ill-defined conditions																								
Total:	72	67	1	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	1	1
Male:	40	38	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	32	29	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	1
E800-999 External causes of injury and poisoning																								
Total:	330	15	4	5	1	3	5	15	53	52	50	35	20	12	11	11	9	6	10	2	7	1	3	3
Male:	242	8	3	3	1	2	2	7	36	44	39	31	14	8	9	8	8	5	8	1	4	1	0	0
Female:	88	7	1	2	0	1	3	8	17	8	11	4	6	4	2	3	1	1	2	1	3	0	3	3

Table 3b: Causes of death: ICD chapter headings by age and sex, Pacific Island population, 1996.

Cause of death	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
Total deaths	735	41	4	3	4	4	4	4	12	15	29	27	21	34	49	45	69	60	83	82	61	48	40
Male:	418	27	2	3	3	0	3	1	6	13	20	14	12	17	28	31	42	33	55	48	24	24	12
Female:	317	14	2	0	1	0	1	3	6	2	9	13	9	17	21	14	27	27	28	34	37	24	28
001-139 I Infectious and parasitic diseases																							
Total:	17	1	0	0	2	0	1	0	0	0	0	2	0	0	2	3	2	1	1	0	1	1	0
Male:	11	0	0	0	2	0	1	0	0	0	0	1	0	0	2	2	1	1	0	0	1	0	0
Female:	6	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	0	1	0
140-239 II Neoplasms																							
Total:	176	0	1	0	0	0	1	0	0	2	5	7	8	15	14	17	23	22	18	21	15	6	1
Male:	90	0	1	0	0	0	0	0	0	1	3	2	1	6	7	10	10	14	11	11	7	6	0
Female:	86	0	0	0	0	0	1	0	0	1	2	5	7	9	7	7	13	8	7	10	8	0	1
240-279 III Endocrine, nutritional and metabolic diseases and immunity disorders																							
Total:	60	0	0	0	0	0	0	0	0	0	0	1	1	4	7	4	8	7	9	7	7	3	2
Male:	27	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	5	0	5	4	5	1	1
Female:	33	0	0	0	0	0	0	0	0	0	0	1	1	2	5	2	3	7	4	3	2	2	1
280-289 IV Diseases of the blood and blood-forming organs																							
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
290-319 V Mental disorders																							
Total:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0	2	0
Male:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0
320-389 VI Diseases of the nervous system and sense organs																							
Total:	8	2	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	1	0	1	1	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	6	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	1	0	1	1	0	0
390-459 VII Diseases of the circulatory system																							
Total:	260	0	0	0	0	0	0	1	1	4	5	5	3	11	21	13	26	21	45	38	23	23	20
Male:	148	0	0	0	0	0	0	0	0	4	3	3	3	6	13	12	19	15	30	21	6	9	4
Female:	112	0	0	0	0	0	0	1	1	0	2	2	0	5	8	1	7	6	15	17	17	14	16
460-519 VIII Diseases of the respiratory system																							
Total:	62	1	1	1	0	0	0	0	1	1	2	1	0	0	1	2	4	5	6	10	9	5	12
Male:	35	0	0	1	0	0	0	0	1	1	0	1	0	0	1	2	2	2	5	8	3	3	5
Female:	27	1	1	0	0	0	0	0	0	0	2	0	0	0	0	0	2	3	1	2	6	2	7

Table 3b (continued): Causes of death: ICD chapter headings by age and sex, Pacific Island population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
520-579 IX Diseases of the digestive system																								
Total:	17	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	2	2	2	2	3	1	1	
Male:	11	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	2	0	2	2	1	0	1	
Female:	6	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	2	1	0	
580-629 X Diseases of the genitourinary system																								
Total:	11	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	1	0	2	2	2	1	
Male:	7	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1	1	1	1	
Female:	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	1	1	0	
630-676 XI Complications of pregnancy, childbirth and the puerperium																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
680-709 XII Diseases of the skin and subcutaneous tissue																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
710-739 XIII Diseases of the musculoskeletal system and connective tissue																								
Total:	5	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	1	0	0	0	1	
Male:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	3	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	
740-759 XIV Congenital anomalies																								
Total:	11	7	0	1	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
Male:	9	5	0	1	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
760-779 XV Certain conditions originating in the perinatal period																								
Total:	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
780-799 XVI Symptoms, signs, and ill-defined conditions																								
Total:	12	11	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	9	8	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
E800-999 External causes of injury and poisoning																								
Total:	70	3	2	1	2	0	2	3	7	7	11	9	8	3	2	3	2	0	1	1	0	2	1	
Male:	52	2	1	1	1	0	2	1	4	7	9	6	8	2	1	2	0	1	1	0	1	0	1	
Female:	18	1	1	0	1	0	0	2	3	0	2	3	0	1	1	1	0	0	0	0	0	1	0	

Table 4: Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Total deaths	Total:	417	38	22	20	15	54	69	257	270	281	312	339	368	700	858	1178	1744	2629	3541	4069	4631	6567	
	Male:	229	19	13	11	9	30	34	171	200	202	205	216	220	389	510	722	1071	1617	2083	2150	2148	2274	
	Female:	188	19	9	9	6	24	35	86	70	79	107	123	148	311	348	456	673	1012	1458	1919	2483	4293	
001-009 Intestinal infectious diseases	Total:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	0	4	2	
	Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	
	Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	4	1	
010-018 Tuberculosis	Total:	13	0	0	0	0	0	0	0	0	0	0	0	0	1	4	2	1	2	0	1	0	2	
	Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	1	0	1	
	Female:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2	0	0	0	1	
020-027 Zoonotic bacterial diseases	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
030-041 Other bacterial diseases	Total:	69	5	2	1	2	0	1	2	4	0	1	2	0	1	0	2	0	2	3	9	12	20	
	Male:	31	1	0	2	0	1	0	0	1	0	0	2	0	0	0	1	0	2	1	8	6	6	
	Female:	38	4	2	1	0	0	2	3	0	1	0	0	1	1	0	1	0	0	2	1	6	14	
042 Human immunodeficiency virus (HIV) infection	Total:	38	0	0	0	0	0	0	1	0	2	10	2	9	8	0	3	1	1	0	1	0	0	
	Male:	37	0	0	0	0	0	0	1	0	2	10	2	8	8	0	3	1	1	0	1	0	0	
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
045-049 Poliomyelitis and other non-arthropod-borne viral diseases of central nervous system	Total:	8	0	0	1	0	0	0	0	0	0	0	1	3	1	0	0	1	0	0	0	1	0	
	Male:	5	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	1	0	
	Female:	3	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	
050-057 Viral diseases accompanied by exanthem	Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	4	
	Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
070-079 Other diseases due to viruses and chlamydiae	Total:	27	1	0	0	0	0	0	0	0	1	2	1	0	3	2	3	2	2	2	2	2	0	6
	Male:	11	0	0	0	0	0	0	0	0	0	1	0	1	2	1	2	1	2	1	1	0	1	
	Female:	16	1	0	0	0	0	0	0	1	2	0	2	0	1	0	2	0	1	1	1	2	5	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
110-118 Mycoses																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	1	1	0
Male:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	1	1	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130-136 Other infectious and parasitic diseases																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	1	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
137-139 Late effects of infectious and parasitic diseases																								
Total:	23	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	7	3	3	2	3	3
Male:	12	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	3	2	1	1	1	1	1
Female:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	1	2	1	1	2	2
140-149 Malignant neoplasm of lip, oral cavity and pharynx																								
Total:	114	0	0	0	0	0	0	0	0	0	0	1	1	6	7	14	19	16	19	25	10	8	6	6
Male:	86	0	0	0	0	0	0	0	0	0	0	1	1	4	6	12	15	15	18	7	5	5	1	1
Female:	28	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	4	7	3	3	3	5	5
150-159 Malignant neoplasm of digestive organs and peritoneum																								
Total:	2215	0	0	0	0	0	0	1	3	4	16	18	26	72	99	165	241	336	342	356	287	287	249	249
Male:	1179	0	0	0	0	0	0	1	3	1	8	12	14	47	56	93	147	199	187	188	127	127	96	96
Female:	1036	0	0	0	0	0	0	0	0	3	8	6	12	25	43	72	94	137	155	168	160	160	153	153
160-165 Malignant neoplasm of respiratory and intrathoracic organs																								
Total:	1502	0	0	0	0	0	0	0	0	2	3	7	14	34	81	108	200	253	306	227	172	172	95	95
Male:	986	0	0	0	0	0	0	0	0	1	0	4	8	26	52	71	136	157	210	150	112	112	59	59
Female:	516	0	0	0	0	0	0	0	0	1	3	3	6	8	29	37	64	96	96	77	60	60	36	36
170-175 Malignant neoplasm of bone, connective tissue, skin and breast																								
Total:	990	0	0	0	0	0	2	2	4	7	15	34	41	84	89	82	77	92	138	113	106	97	97	
Male:	180	0	0	0	0	0	1	1	2	3	4	6	6	10	13	14	12	22	35	23	13	14	14	
Female:	810	0	0	0	0	0	1	1	2	4	3	14	28	35	74	68	65	70	103	90	93	83	83	
179-189 Malignant neoplasm of genitourinary organs																								
Total:	1195	0	0	0	0	0	0	0	3	0	7	6	17	19	30	43	53	132	200	203	218	167	167	
Male:	710	0	0	0	0	0	0	0	2	0	1	0	3	5	4	15	19	43	77	133	135	152	121	121
Female:	485	0	0	0	0	0	0	0	1	0	6	6	14	14	26	28	34	54	55	67	68	66	46	46
190-199 Malignant neoplasm of other and unspecified sites																								
Total:	773	0	1	0	0	4	4	2	6	4	6	16	11	11	33	36	53	83	99	109	108	107	80	80
Male:	384	0	0	0	0	4	0	1	4	2	3	8	7	8	12	18	32	49	58	56	45	43	34	34
Female:	389	0	1	0	0	0	4	1	2	2	3	8	4	3	21	18	21	34	41	53	63	64	46	46

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
200-208 Malignant neoplasm of lymphatic and haematopoietic tissue																								
Total:	672	0	3	1	0	0	7	14	6	3	10	10	6	14	20	31	38	61	86	97	105	84	76	
Male:	347	0	1	0	0	0	5	6	4	2	6	6	5	10	12	18	21	29	50	51	52	38	31	
Female:	325	0	2	1	0	0	2	8	2	1	4	4	1	4	8	13	17	32	36	46	53	46	45	
140-208 Total malignant neoplasms																								
Total:	7461	0	4	1	0	4	13	18	20	17	36	67	94	126	279	386	513	775	1017	1217	1122	982	770	
Male:	3872	0	1	0	0	4	6	8	13	10	16	24	38	52	115	178	262	431	578	690	600	490	356	
Female:	3589	0	3	1	0	0	7	10	7	7	20	43	56	74	164	208	251	344	439	527	522	492	414	
210-229 Benign neoplasms																								
Total:	26	0	1	0	0	0	0	0	0	0	1	0	0	0	2	2	1	2	2	5	5	2	3	
Male:	8	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	2	0	2	1	0	
Female:	18	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	5	3	1	3	
235-238 Neoplasms of uncertain behaviour																								
Total:	93	0	0	0	0	0	0	1	0	0	0	3	0	2	1	4	2	2	11	12	18	15	22	
Male:	65	0	0	0	0	0	0	1	0	0	0	2	0	1	1	1	2	1	7	10	14	10	15	
Female:	28	0	0	0	0	0	0	0	0	0	0	1	0	1	0	3	0	1	4	2	4	5	7	
239 Neoplasms of unspecified nature																								
Total:	26	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	4	4	5	7	
Male:	11	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	3	
Female:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	2	2	3	4	
240-246 Disorders of the thyroid gland																								
Total:	15	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	3	3	6	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	6	
250-259 Diseases of other endocrine glands																								
Total:	602	1	1	1	0	0	0	0	2	1	1	2	5	7	8	22	46	53	75	97	101	89	90	
Male:	310	0	1	1	0	0	0	0	0	1	0	1	4	5	4	15	26	31	32	54	59	40	36	
Female:	292	1	0	0	0	0	0	0	2	0	1	1	1	2	4	7	20	22	43	43	42	49	54	
260-269 Nutritional deficiencies																								
Total:	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	6	
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	
Female:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	
270-279 Other metabolic disorders and immunity disorders																								
Total:	202	2	0	0	0	0	1	1	4	2	1	4	6	9	11	5	18	21	21	25	27	17	27	
Male:	95	1	0	0	0	0	1	0	2	1	0	1	2	3	5	2	11	13	14	14	13	3	9	
Female:	107	1	0	0	0	0	0	1	2	1	3	4	4	6	6	3	7	8	7	11	14	14	18	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
280-289 Diseases of blood and blood-forming organs																								
Total:	66	1	0	0	0	1	0	0	0	0	0	0	0	0	1	2	2	2	4	4	4	10	9	28
Male:	29	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	3	3	3	7	4	8
Female:	37	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1	2	1	1	1	3	5	20
290-294 Organic psychotic conditions																								
Total:	477	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	2	16	27	56	128	244	
Male:	149	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	8	13	21	46	57	
Female:	328	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	8	14	35	82	187		
295-299 Other psychoses																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	
300-316 Neuroses, personality and other non-psychotic mental disorders																								
Total:	71	0	0	0	0	0	0	6	6	13	12	12	12	8	7	3	1	0	0	1	1	1	1	0
Male:	43	0	0	0	0	0	0	1	5	10	8	6	5	3	3	2	1	0	0	1	1	1	0	0
Female:	28	0	0	0	0	0	0	5	1	3	4	6	3	4	1	0	0	0	0	0	0	0	1	0
317-319 Mental retardation																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
320-326 Inflammatory diseases of central nervous system																								
Total:	21	5	0	0	1	0	0	0	0	1	1	1	2	2	2	1	0	1	0	2	1	1	1	1
Male:	10	4	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0	0	0	2	0	0	0	0
Female:	11	1	0	0	1	0	0	0	0	0	1	1	1	1	1	0	0	1	0	0	1	1	1	1
330-337 Hereditary and degenerative diseases of central nervous system																								
Total:	305	4	0	0	0	1	4	2	0	0	0	5	3	10	6	6	8	17	18	51	49	45	82	
Male:	145	2	0	0	0	0	3	1	0	0	4	4	3	5	3	3	3	9	9	26	30	17	30	
Female:	160	2	0	0	0	1	1	1	0	0	1	1	5	5	3	5	5	8	9	25	19	28	52	
340-349 Other disorders of central nervous system																								
Total:	98	0	2	1	1	2	2	4	3	6	8	9	7	11	4	4	3	5	5	7	4	5	1	
Male:	51	0	2	0	1	0	2	1	0	4	4	5	4	4	0	2	2	2	1	4	4	3	0	
Female:	47	0	0	1	0	2	0	3	3	2	4	3	7	7	4	1	3	4	4	3	0	2	1	
350-359 Disorders of the peripheral nervous system																								
Total:	27	1	0	0	0	0	0	0	4	1	0	2	2	0	0	0	0	2	3	3	3	3	3	
Male:	19	0	0	0	0	0	0	0	4	1	0	1	1	0	0	0	0	2	3	1	2	2	2	
Female:	8	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2	1	1	1	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
380-389 Diseases of the ear and mastoid process																								
Total:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Female:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
390-392 Acute rheumatic fever																								
Total:	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
393-398 Chronic rheumatic heart disease																								
Total:	127	0	0	0	0	0	0	1	3	2	3	2	2	7	10	3	5	8	12	16	20	19	16	16
Male:	51	0	0	0	0	0	1	2	0	3	0	0	4	5	2	2	3	5	7	11	8	4	1	1
Female:	76	0	0	0	0	0	0	1	2	0	2	2	3	5	5	1	3	5	7	5	12	15	15	15
401-405 Hypertensive disease																								
Total:	289	0	0	0	0	0	0	0	0	0	2	2	2	5	7	4	9	19	21	28	46	64	82	82
Male:	122	0	0	0	0	0	0	0	0	0	2	2	2	4	5	3	4	11	13	17	18	21	22	22
Female:	167	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	5	8	8	11	28	43	60	60
410-414 Ischaemic heart disease																								
Total:	6633	0	0	0	0	0	0	0	1	3	11	29	49	120	178	280	410	673	907	1096	1225	1650	1650	
Male:	3729	0	0	0	0	0	0	1	1	2	8	26	43	97	150	221	304	496	585	653	585	557	557	
Female:	2904	0	0	0	0	0	0	0	0	1	3	3	6	23	28	59	106	177	322	443	640	1093	1093	
415-417 Diseases of pulmonary circulation																								
Total:	84	0	0	0	0	0	1	0	1	0	2	3	0	0	0	2	4	7	13	13	10	11	16	16
Male:	32	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	7	8	4	2	6	6
Female:	52	0	0	0	0	0	1	0	1	0	2	3	0	0	0	1	2	5	6	5	6	9	10	10
420-429 Other forms of heart disease																								
Total:	1286	0	1	0	0	0	1	2	11	6	13	8	17	16	27	30	59	76	108	148	242	519	519	
Male:	563	0	0	0	0	0	0	2	6	6	6	6	11	10	23	23	41	50	64	77	99	139	139	
Female:	723	0	1	0	0	0	1	2	0	5	7	2	6	6	4	7	18	26	44	71	143	380	380	
430-438 Cerebrovascular disease																								
Total:	2659	0	0	0	0	0	1	0	3	2	3	5	10	12	39	41	52	88	138	281	427	581	976	976
Male:	1045	0	0	0	0	0	0	0	2	0	5	7	5	13	22	28	28	52	81	146	171	238	275	275
Female:	1614	0	0	0	0	0	1	0	1	2	3	0	3	7	26	19	24	36	57	135	256	343	701	701
440-448 Diseases of arteries, arterioles and capillaries																								
Total:	654	0	0	0	0	0	0	1	0	0	1	0	2	4	10	16	45	61	96	121	155	142	142	
Male:	341	0	0	0	0	0	0	1	0	0	1	0	2	4	5	9	33	40	60	65	78	43	43	
Female:	313	0	0	0	0	0	0	0	0	0	0	0	0	0	5	7	12	21	36	56	77	99	99	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
451-459 Diseases of veins and lymphatics, and other diseases of circulatory system																								
Total:	50	0	0	0	0	0	0	0	0	1	1	2	1	0	1	1	0	6	5	9	4	4	15	
Male:	23	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	3	4	4	2	3	5		
Female:	27	0	0	0	0	0	0	0	0	1	0	2	0	0	1	0	3	1	5	2	1	10		
460-466 Acute respiratory infections																								
Total:	15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	6	6		
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Female:	10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	6		
470-478 Other diseases of upper respiratory tract																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
480-487 Pneumonia and influenza																								
Total:	1186	11	2	1	1	0	0	2	2	0	1	0	2	2	3	3	7	15	22	58	127	229	700	
Male:	438	5	1	1	0	0	0	2	2	0	1	0	2	1	1	3	5	8	14	33	53	91	217	
Female:	748	6	1	0	1	0	0	0	0	0	0	0	0	1	2	0	2	7	8	25	74	138	483	
490-496 Chronic obstructive pulmonary disease and allied conditions																								
Total:	1788	2	0	0	0	0	0	2	5	2	6	7	7	7	15	27	45	92	214	311	334	343	376	
Male:	1021	2	0	0	0	0	0	1	3	0	5	4	4	2	8	19	25	46	119	187	175	209	216	
Female:	767	0	0	0	0	0	0	1	2	2	1	3	5	7	8	20	20	46	95	124	159	134	160	
500-508 Pneumonoconioses and other lung diseases due to external agents																								
Total:	13	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	4	4	
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	3	3	
Female:	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
510-519 Other diseases of respiratory system																								
Total:	204	1	0	1	0	0	0	0	0	0	0	0	1	1	1	2	4	9	10	17	26	38	93	
Male:	98	1	0	0	0	0	0	0	0	0	0	0	0	1	1	4	4	8	5	10	14	19	34	
Female:	106	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	1	5	7	12	19	59	
520-529 Diseases of oral cavity, salivary glands and jaws																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	2	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
530-537 Diseases of oesophagus, stomach and duodenum																								
Total:	174	0	0	0	0	0	0	0	0	1	1	1	1	1	0	2	2	4	17	16	22	35	72	
Male:	77	0	0	0	0	0	0	0	0	1	1	1	1	0	2	2	2	2	9	9	13	14	23	
Female:	97	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	8	8	7	9	21	49	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
540-543 Appendicitis																								
Total:	6	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1
Male:	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1
550-553 Hernia of abdominal cavity																								
Total:	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	3	8	
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	7	
555-558 Noninfectious enteritis and colitis																								
Total:	106	1	0	0	0	0	0	0	1	0	1	1	1	0	2	1	6	6	11	14	18	20	24	
Male:	43	1	0	0	0	0	0	0	1	0	1	1	0	0	1	1	3	4	7	9	9	6	0	
Female:	63	0	0	0	0	0	0	0	0	0	0	1	0	1	0	3	3	2	4	5	9	14	24	
560-569 Other diseases of intestines and peritoneum																								
Total:	166	0	0	0	0	0	0	0	1	0	1	1	1	0	2	1	2	5	15	13	35	35	54	
Male:	69	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	3	10	7	18	13	15	
Female:	97	0	0	0	0	0	0	0	1	0	0	1	0	1	2	1	1	2	5	6	17	22	39	
570-579 Other diseases of digestive system																								
Total:	302	0	0	0	0	0	0	0	0	0	2	4	5	2	10	19	18	15	29	42	35	53	68	
Male:	157	0	0	0	0	0	0	0	0	0	1	0	3	1	6	14	10	9	18	28	15	27	25	
Female:	145	0	0	0	0	0	0	0	0	0	1	4	2	1	4	5	8	6	11	14	20	26	43	
580-589 Nephritis, nephrotic syndrome and nephrosis																								
Total:	281	0	0	0	0	0	0	0	0	1	2	2	3	3	3	7	4	6	17	26	48	61	98	
Male:	134	0	0	0	0	0	0	0	0	0	1	2	1	0	1	1	2	2	12	11	25	34	42	
Female:	147	0	0	0	0	0	0	0	0	1	1	0	2	3	2	6	2	4	5	15	23	27	56	
590-599 Other diseases of urinary system																								
Total:	132	1	1	0	0	0	0	1	0	1	0	0	0	0	1	0	2	4	10	10	15	34	52	
Male:	51	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1	4	5	7	8	23	
Female:	81	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	6	5	8	26	29	
600-608 Diseases of male genital organs																								
Total:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	5	7	
Male:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	5	7	
614-616 Inflammatory disease of female pelvic organs																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
617-629 Other disorders of female genital tract																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
640-648 Complications mainly related to pregnancy																								
Total:	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
660-669 Complications occurring mainly in labour and delivery																								
Total:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
670-677 Complications of the puerperium																								
Total:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
680-686 Infections of skin and subcutaneous tissue																								
Total:	29	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	2	2	5	5	11	11
Male:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	3	3	5	5	
Female:	15	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	2	2	2	6	6
690-698 Other inflammatory conditions of skin and subcutaneous tissue																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	2
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
700-709 Other diseases of skin and subcutaneous tissue																								
Total:	24	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	4	8	9	9	
Male:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	5	3	3	
Female:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	4	3	6	6	
710-719 Arthropathies and related disorders																								
Total:	113	0	0	0	0	0	0	0	1	0	1	0	3	1	1	4	4	4	17	17	19	17	24	24
Male:	29	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	6	6	6	1	6	6
Female:	84	0	0	0	0	0	0	0	1	0	1	0	2	1	0	4	4	2	11	11	13	16	18	18
720-724 Dorsopathies																								
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1	3	3	0	3	3
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	2	2	0	1	1
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	2	2
725-729 Rheumatism, excluding the back																								
Total:	7	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	4	4
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Female:	6	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	3	3

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
730-739 Osteopathies, chondropathies and acquired musculoskeletal deformities																								
Total:	26	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	3	0	3	6	10	
Male:	8	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1	0	0	1	3	
Female:	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	3	5	7	
740-759 Congenital anomalies																								
Total:	181	103	9	4	6	0	6	1	5	4	5	3	3	2	6	3	4	1	3	8	1	3	1	
Male:	92	48	4	4	0	3	1	2	3	3	3	1	1	2	3	3	3	1	3	1	1	1	0	
Female:	89	55	5	0	2	0	3	0	3	1	2	2	2	0	3	0	1	0	0	7	0	2	1	
764-779 Other conditions originating in the perinatal period																								
Total:	149	147	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	88	87	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	61	60	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
780-789 Symptoms																								
Total:	8	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	4	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	7	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	3	
797-799 Ill-defined and unknown causes of morbidity and mortality																								
Total:	159	102	3	0	0	0	0	0	0	0	2	2	0	0	1	0	1	2	2	2	2	6	34	
Male:	85	60	2	0	0	0	0	0	0	0	2	1	0	0	1	0	0	2	1	2	2	3	9	
Female:	74	42	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0	3	25	
E800-807 Railway accidents																								
Total:	7	0	0	0	0	0	0	0	2	2	1	0	1	0	1	0	0	0	0	0	0	0	0	
Male:	7	0	0	0	0	0	0	0	2	2	1	0	1	0	1	0	0	0	0	0	0	0	0	
E810-819 Motor vehicle traffic accidents																								
Total:	520	6	2	2	2	4	9	22	103	78	61	37	31	21	25	18	17	17	13	17	11	7		
Male:	365	3	1	1	1	3	5	11	76	62	44	31	23	12	15	11	14	14	9	10	6	4		
Female:	155	3	1	1	1	1	4	11	27	16	17	6	8	9	10	7	3	3	8	7	5	3		
E820-825 Motor vehicle nontraffic accidents																								
Total:	17	0	0	1	0	0	0	2	2	3	3	1	2	0	0	1	2	0	0	0	0	0	0	
Male:	16	0	0	1	0	0	0	2	2	3	3	1	1	0	0	1	2	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
E826-829 Other road vehicle accidents																								
Total:	6	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	1	1	0	1	0	0	
Male:	5	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E830-838 Water transport accidents																								
Total:	36	0	0	0	0	0	0	0	2	6	5	5	2	1	4	4	5	0	1	1	0	0	0	
Male:	33	0	0	0	0	0	0	2	2	5	5	4	2	1	4	4	5	0	0	1	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	
E840-845 Air and space transport accidents																								
Total:	19	0	0	0	0	0	0	0	1	0	6	1	3	0	5	1	1	0	0	1	0	0	0	
Male:	17	0	0	0	0	0	0	1	0	4	4	1	3	0	5	1	1	0	0	1	0	0	0	
Female:	2	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	
E850-858 Accidental poisoning by drugs, medicinal substances, and biologicals																								
Total:	13	0	0	0	1	0	0	0	0	1	0	0	2	3	4	1	0	0	1	0	0	0	0	
Male:	5	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	0	1	0	0	0	0	
Female:	8	0	0	0	1	0	0	0	0	0	0	2	1	4	0	0	0	0	0	0	0	0	0	
E860-869 Accidental poisoning by other solid and liquid substances, gases and vapours																								
Total:	13	0	1	0	0	0	1	0	0	0	1	0	2	0	4	2	0	0	0	0	0	1	0	1
Male:	11	0	0	0	0	1	0	0	0	0	1	0	2	0	4	1	0	0	0	0	0	1	0	1
Female:	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E870-876 Misadventures to patients during surgical and medical care																								
Total:	7	1	0	0	0	0	1	0	0	0	0	0	0	1	1	0	1	0	0	0	0	1	0	1
Male:	4	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	1
E880-888 Accidental falls																								
Total:	267	1	0	0	0	0	0	4	4	4	5	3	1	2	6	5	7	1	7	22	26	51	122	
Male:	121	1	0	0	0	0	0	2	3	3	4	3	1	2	6	4	5	1	5	11	11	18	44	
Female:	146	0	0	0	0	0	0	2	1	1	1	0	0	0	0	1	2	0	2	11	15	33	78	
E890-899 Accidents caused by fires and flames																								
Total:	35	0	0	3	1	1	2	1	1	2	1	5	5	0	2	0	1	2	3	0	1	2	2	
Male:	26	0	0	3	1	0	1	1	1	2	1	4	4	0	2	0	0	2	2	0	1	1	0	
Female:	9	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	1	0	1	0	0	1	2	
E900-909 Accidents due to natural and environmental factors																								
Total:	9	0	0	0	0	0	0	1	0	1	0	0	1	0	1	2	0	0	0	0	2	1	0	
Male:	4	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	1	0	0	
Female:	5	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	
E910-915 Accidents caused by submersion, suffocation and foreign bodies																								
Total:	91	14	6	3	3	1	5	2	6	9	6	5	5	1	4	3	2	1	4	3	4	1	3	
Male:	60	10	4	2	2	1	2	1	4	7	6	4	4	1	2	1	2	0	3	2	1	1	0	
Female:	31	4	2	1	1	0	3	1	2	2	0	1	1	0	2	2	0	1	1	1	3	0	3	

Table 4 (continued): Causes of death: subgroups by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
E916-928 Other accidents	46	0	1	1	0	0	0	2	2	3	4	3	2	8	5	1	3	0	2	2	0	2	5
Total:	38	0	1	0	0	0	1	2	2	3	4	3	2	8	5	0	3	0	2	2	0	1	1
Male:	8	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	4
Female:																							
E929 Late effects of accidental injury	17	0	0	0	0	0	0	0	0	0	0	2	1	2	2	1	1	0	0	1	3	1	3
Total:	10	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1	1	0	0	1	1	0	0
Male:	7	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	1	3
Female:																							
E950-959 Suicide and self-inflicted injury	540	0	0	0	0	0	0	7	59	84	73	69	49	31	38	25	24	15	20	22	8	10	6
Total:	428	0	0	0	0	0	3	38	38	67	64	57	42	24	27	19	21	13	18	16	5	8	6
Male:	112	0	0	0	0	0	4	21	21	17	9	12	7	7	11	6	3	2	2	6	3	2	0
Female:																							
E960-969 Homicide and injury purposely inflicted by other persons	69	3	0	1	0	1	2	0	11	7	12	7	4	5	3	3	2	2	1	3	0	0	2
Total:	45	1	0	0	0	1	1	0	7	2	9	6	3	3	3	2	2	1	0	2	0	0	2
Male:	24	2	0	1	0	0	1	0	4	5	3	1	1	2	0	1	0	1	1	1	0	0	0
Female:																							
E970-978 Legal intervention	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
Male:																							
E980-989 Injury undetermined whether accidentally or purposely inflicted	20	1	0	0	0	0	0	0	2	4	3	2	0	1	0	4	0	1	0	0	0	1	1
Total:	11	0	0	0	0	0	0	0	1	3	2	1	0	0	0	2	0	1	0	0	0	0	1
Male:	9	1	0	0	0	0	0	0	1	1	1	1	0	1	0	2	0	0	0	0	0	0	1
Female:																							
E990-999 Injury resulting from war operations	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Male:																							

Table 4a: Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
Total deaths		184	16	8	3	3	5	9	22	67	66	75	84	90	84	151	188	242	318	313	254	179	149	123
Total:	2630	184	16	8	3	3	5	9	22	67	66	75	84	90	84	151	188	242	318	313	254	179	149	123
Male:	1462	97	9	3	2	2	2	5	9	44	52	51	58	57	50	77	117	139	182	168	132	88	70	50
Female:	1168	87	7	5	1	3	4	4	13	23	14	24	26	33	34	74	71	103	136	145	122	91	79	73
010-018 Tuberculosis		7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	0	0	0	0
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	0	0
030-041 Other bacterial diseases		13	3	2	1	0	0	0	0	1	1	0	0	1	0	0	0	1	0	1	0	2	0	0
Total:	13	3	2	1	0	0	0	0	0	1	1	0	0	1	0	0	0	1	0	1	0	2	0	0
Male:	7	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0	1	0	2	0	0
Female:	6	2	2	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
042 Human immunodeficiency virus (HIV) infection		4	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0	0	0	0	0
Total:	4	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0	0	0	0	0
Male:	4	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0	0	0	0	0
070-079 Other diseases due to viruses and chlamydiae		5	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0	1	0	0	0	0
Total:	5	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0	1	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0
110-118 Mycoses		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
137-139 Late effects of infectious and parasitic diseases		5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	0
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
140-149 Malignant neoplasm of lip, oral cavity and pharynx		7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0	1	0	0	0
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0	1	0	0	0	0
Male:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0	1	0	0	0	0
150-159 Malignant neoplasm of digestive organs and peritoneum		166	0	0	0	0	0	0	0	1	1	1	5	10	8	15	21	21	16	21	24	9	8	6
Total:	166	0	0	0	0	0	0	0	0	1	1	1	5	10	8	15	21	21	16	21	24	9	8	6
Male:	100	0	0	0	0	0	0	0	0	1	0	0	3	7	7	12	12	10	10	10	12	6	4	3
Female:	66	0	0	0	0	0	0	0	0	0	1	2	3	3	1	3	9	8	6	11	12	3	4	3
160-165 Malignant neoplasm of respiratory and intrathoracic organs		209	0	0	0	0	0	0	0	0	0	0	1	3	2	9	20	25	45	46	34	15	6	3
Total:	209	0	0	0	0	0	0	0	0	0	0	0	1	3	2	9	20	25	45	46	34	15	6	3
Male:	121	0	0	0	0	0	0	0	0	0	0	0	0	2	1	5	9	16	25	25	10	2	1	
Female:	88	0	0	0	0	0	0	0	0	0	0	0	1	1	4	11	9	20	21	9	5	4	2	

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
170-175 Malignant neoplasm of bone, connective tissue, skin and breast																								
Total:	68	0	0	0	0	0	0	0	1	2	0	4	5	4	14	9	10	4	5	2	4	3	1	
Male:	6	0	0	0	0	0	0	0	1	2	0	0	0	0	0	1	1	0	0	0	1	0	0	
Female:	62	0	0	0	0	0	0	0	0	0	0	4	5	4	14	8	9	4	5	2	3	3	1	
179-189 Malignant neoplasm of genitourinary organs																								
Total:	77	0	0	0	0	0	0	0	1	0	3	1	5	4	8	7	4	12	8	12	6	4	2	
Male:	28	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	5	2	9	2	4	0	
Female:	49	0	0	0	0	0	0	0	1	0	2	1	4	3	7	5	4	7	6	3	4	0	2	
190-199 Malignant neoplasm of other and unspecified sites																								
Total:	69	0	1	0	0	0	0	1	2	1	1	4	1	3	5	3	5	17	6	9	4	2	4	
Male:	34	0	0	0	0	0	0	0	1	0	1	3	0	2	2	1	3	10	2	5	2	0	2	
Female:	35	0	1	0	0	0	0	1	1	1	0	1	1	1	3	2	2	7	4	4	2	2	2	
200-208 Malignant neoplasm of lymphatic and haematopoietic tissue																								
Total:	43	0	1	0	0	0	3	4	1	0	2	3	1	0	1	4	6	3	5	5	2	2	0	
Male:	20	0	0	0	0	0	0	1	0	0	0	2	1	0	0	3	3	2	2	2	1	0	0	
Female:	23	0	1	0	0	0	3	3	1	0	2	1	0	0	1	1	3	1	3	3	1	2	0	
140-208 Total malignant neoplasms																								
Total:	639	0	2	0	0	0	3	5	5	4	7	18	25	21	52	66	74	98	91	87	40	25	16	
Male:	316	0	0	0	0	0	3	1	2	3	2	8	11	11	20	30	39	53	41	54	22	10	6	
Female:	323	0	2	0	0	0	4	4	3	1	5	10	14	10	32	36	35	45	50	33	18	15	10	
210-229 Benign neoplasms																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	
235-238 Neoplasms of uncertain behaviour																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	
239 Neoplasms of unspecified nature																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
240-246 Disorders of the thyroid gland																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
250-259 Diseases of other endocrine glands																								
Total:	133	0	1	0	0	0	0	0	1	0	1	0	3	2	3	10	25	28	21	21	13	3	1	
Male:	65	0	1	0	0	0	0	0	0	0	0	0	2	1	1	5	13	16	7	11	6	2	0	
Female:	68	0	0	0	0	0	0	0	1	0	1	0	1	1	2	5	12	12	14	10	7	1	1	
270-279 Other metabolic disorders and immunity disorders																								
Total:	29	1	0	0	0	0	0	0	0	2	0	1	2	4	4	1	5	4	1	2	2	0	0	
Male:	12	1	0	0	0	0	0	0	0	1	0	0	0	0	2	0	2	2	1	1	2	0	0	
Female:	17	0	0	0	0	0	0	0	0	1	0	1	2	4	2	1	3	2	0	1	0	0	0	
280-289 Diseases of blood and blood-forming organs																								
Total:	4	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	3	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
290-294 Organic psychotic conditions																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	4	2	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	
Female:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2	1	
300-316 Neuroses, personality and other non-psychotic mental disorders																								
Total:	19	0	0	0	0	0	0	0	1	1	2	5	4	1	4	1	0	0	0	0	0	0	0	
Male:	10	0	0	0	0	0	0	0	0	0	2	3	2	1	2	0	0	0	0	0	0	0	0	
Female:	9	0	0	0	0	0	0	0	1	1	0	2	2	0	2	1	0	0	0	0	0	0	0	
330-337 Hereditary and degenerative diseases of central nervous system																								
Total:	9	1	0	0	0	0	0	1	0	0	0	0	2	1	2	0	0	0	1	1	0	0	0	
Male:	6	0	0	0	0	0	0	1	0	0	0	0	2	1	1	0	0	0	0	1	0	0	0	
Female:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	
340-349 Other disorders of central nervous system																								
Total:	19	0	1	1	1	1	1	1	0	0	5	3	3	3	0	0	0	0	0	0	0	0	0	
Male:	11	0	1	0	1	0	1	0	0	0	2	3	2	2	0	0	0	0	0	0	0	0	0	
Female:	8	0	0	1	0	1	0	1	0	0	3	0	1	1	0	0	0	0	0	0	0	0	0	
350-359 Disorders of the peripheral nervous system																								
Total:	5	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	1	0	0	0	0	
Male:	4	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	1	0	0	0	0	
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
380-389 Diseases of the ear and mastoid process																								
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
390-392 Acute rheumatic fever	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
393-398 Chronic rheumatic heart disease	30	0	0	0	0	0	0	0	1	1	2	1	5	6	1	1	2	3	3	3	2	1	0	0
Total:	15	0	0	0	0	0	0	0	1	0	2	0	2	3	0	0	1	2	3	3	1	0	0	0
Male:	15	0	0	0	0	0	0	0	1	0	2	0	2	3	0	0	1	2	3	3	1	0	0	0
Female:	0	0	0	0	0	0	0	0	0	1	0	1	3	3	1	1	1	1	1	0	1	1	0	0
401-405 Hypertensive disease	41	0	0	0	0	0	0	0	0	0	0	1	3	5	3	5	6	4	4	4	2	4	3	3
Total:	24	0	0	0	0	0	0	0	0	0	1	1	3	3	2	3	3	4	2	1	1	1	0	0
Male:	17	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	2	3	0	2	1	3	3	3
Female:	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	2	1	1	2	1	2	0	0	0
410-414 Ischaemic heart disease	515	0	0	0	0	0	0	0	1	0	1	3	12	17	26	51	60	85	80	65	46	37	31	31
Total:	316	0	0	0	0	0	0	0	1	0	2	11	14	17	40	42	56	53	24	22	21	13	13	13
Male:	199	0	0	0	0	0	0	0	0	0	1	1	3	9	11	18	29	27	41	24	16	18	18	
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
415-417 Diseases of pulmonary circulation	9	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	1	2	0	0	0	0
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	0	0	0	0	0	0
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
420-429 Other forms of heart disease	149	0	0	0	0	0	0	0	1	2	1	4	3	5	8	11	15	22	17	20	6	18	16	16
Total:	88	0	0	0	0	0	0	0	1	1	1	3	4	5	10	9	14	12	10	2	9	6	6	6
Male:	61	0	0	0	0	0	0	0	0	1	0	3	1	3	1	6	8	5	10	4	9	10	10	10
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
430-438 Cerebrovascular disease	117	0	0	0	0	0	0	0	0	0	0	1	0	2	8	12	10	19	13	10	14	17	10	10
Total:	55	0	0	0	0	0	0	0	0	0	0	1	0	1	3	6	7	10	5	5	6	7	3	3
Male:	62	0	0	0	0	0	0	0	0	0	0	0	0	1	5	6	3	9	8	5	8	10	7	7
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
440-448 Diseases of arteries, arterioles and capillaries	44	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6	6	8	8	4	3	5	6	6
Total:	17	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1	3	1	3	2	2	3	1
Male:	27	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	7	5	2	1	2	5	5
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
460-466 Acute respiratory infections	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
480-487	Pneumonia and influenza	11	0	0	0	0	0	0	1	0	1	0	1	0	2	1	1	2	0	0	5	9	3	14
	Total:	51																						
	Male:	30	0	0	0	0	0	0	1	0	1	0	1	0	1	1	1	1	0	0	2	4	3	10
	Female:	21	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	3	5	0	4	
490-496	Chronic obstructive pulmonary disease and allied conditions																							
	Total:	158	2	0	0	0	0	0	1	0	2	4	4	8	4	14	22	33	20	15	18	10		
	Male:	87	2	0	0	0	0	0	1	0	2	3	1	5	3	7	11	18	12	7	7			
	Female:	71	0	0	0	0	0	0	0	0	0	1	3	3	1	7	11	15	8	8	11			
500-508	Pneumoconioses and other lung diseases due to external agents																							
	Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
510-519	Other diseases of respiratory system																							
	Total:	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	0	2		
	Male:	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0		
	Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2		
520-529	Diseases of oral cavity, salivary glands and jaws																							
	Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
530-537	Diseases of oesophagus, stomach and duodenum																							
	Total:	7	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	3	0	0	0	0	0	0
	Male:	5	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	2	0	0	0	0	0	0
	Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
540-543	Appendicitis																							
	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
555-558	Noninfectious enteritis and colitis																							
	Total:	6	1	0	0	0	0	0	0	0	0	1	0	2	0	0	1	0	0	1	0	1	0	0
	Male:	3	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
	Female:	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0
560-569	Other diseases of intestines and peritoneum																							
	Total:	4	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0	0	0	0	0	0
	Male:	3	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
570-579 Other diseases of digestive system																								
Total:	26	0	0	0	0	0	0	0	0	0	0	1	0	0	1	6	4	2	2	3	2	4	1	
Male:	14	0	0	0	0	0	0	0	0	0	0	1	0	0	1	6	1	2	1	0	1	1	0	
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	3	1	3	1	
580-589 Nephritis, nephrotic syndrome and nephrosis																								
Total:	33	0	0	0	0	0	0	0	0	0	0	2	2	2	1	1	1	2	4	3	7	5	4	
Male:	15	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	1	2	2	4	2	1	
Female:	18	0	0	0	0	0	0	0	0	0	0	1	2	1	0	1	1	2	2	1	3	3	3	
590-599 Other diseases of urinary system																								
Total:	10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	2	1	1	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	
Female:	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	1	0	
617-629 Other disorders of female genital tract																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
640-648 Complications mainly related to pregnancy																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
670-677 Complications of the puerperium																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
680-686 Infections of skin and subcutaneous tissue																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	
700-709 Other diseases of skin and subcutaneous tissue																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
710-719 Arthropathies and related disorders																								
Total:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	0	1	0	
Female:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	0	1	0	
725-729 Rheumatism, excluding the back																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
730-739 Osteopathies, chondropathies and acquired musculoskeletal deformities																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
740-759 Congenital anomalies																								
Total:	40	30	5	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	
Male:	18	12	3	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	
Female:	22	18	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	
764-779 Other conditions originating in the perinatal period																								
Total:	48	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	21	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
780-789 Symptoms																								
Total:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
797-799 Ill-defined and unknown causes of morbidity and mortality																								
Total:	71	67	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	1	
Male:	40	38	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Female:	31	29	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
E800-807 Railway accidents																								
Total:	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	5	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
E810-819 Motor vehicle traffic accidents																								
Total:	131	4	1	2	1	2	3	8	22	20	19	12	9	5	4	3	3	4	3	1	3	1	1	
Male:	95	1	1	1	1	1	2	4	15	17	11	11	7	4	4	3	3	3	3	0	2	1	0	
Female:	36	3	0	1	0	1	1	4	7	3	8	1	2	1	0	0	1	0	1	0	1	0	1	
E820-825 Motor vehicle nontraffic accidents																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	
E830-838 Water transport accidents																								
Total:	5	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	1	0	0	0	0	0	0	
Male:	5	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	1	0	0	0	0	0	0	
E840-845 Air and space transport accidents																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E850-858 Accidental poisoning by drugs, medicinal substances, and biologicals																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
E860-869 Accidental poisoning by other solid and liquid substances, gases and vapours																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
E870-876 Misadventures to patients during surgical and medical care																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
E880-888 Accidental falls																								
Total:	11	1	0	0	0	0	0	0	0	0	1	0	0	0	0	2	2	0	1	1	2	0	1	0
Male:	7	1	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	1	1	1	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	1	0
E890-899 Accidents caused by fires and flames																								
Total:	10	0	0	1	0	0	0	1	1	0	1	2	1	0	0	0	0	1	1	0	1	0	0	0
Male:	9	0	0	1	0	0	1	1	1	0	1	2	1	0	0	0	0	1	0	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E900-909 Accidents due to natural and environmental factors																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E910-915 Accidents caused by submersion, suffocation and foreign bodies																								
Total:	29	8	3	1	0	1	2	2	3	3	2	1	1	1	0	0	0	0	1	0	0	0	0	0
Male:	21	5	2	1	0	1	0	1	2	3	2	1	1	1	0	0	0	0	1	0	0	0	0	0
Female:	8	3	1	0	0	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E916-928 Other accidents																								
Total:	4	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2	0	0	0	0	0
Male:	4	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2	0	0	0	0	0
E929 Late effects of accidental injury																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
E950-959 Suicide and self-inflicted injury																								
Total:	95	0	0	0	0	0	4	17	21	19	16	6	3	2	4	1	1	1	1	1	0	0	0	0
Male:	71	0	0	0	0	0	1	12	17	17	14	3	1	1	2	1	1	1	1	1	0	0	0	0
Female:	24	0	0	0	0	0	3	5	4	2	2	3	2	1	2	0	0	0	0	0	0	0	0	0

Table 4a (continued): Causes of death: subgroups by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E960-969 Homicide and injury purposely inflicted by other persons																								
Total:	26	2	0	1	0	0	0	0	6	3	6	3	1	1	1	0	1	0	1	0	0	0	0	0
Male:	16	1	0	0	0	0	0	3	2	5	2	1	1	0	1	0	1	0	0	0	0	0	0	0
Female:	10	1	0	1	0	0	0	3	1	1	1	0	0	1	0	0	0	0	1	0	0	0	0	0
E970-978 Legal intervention																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
E980-989 Injury undetermined whether accidentally or purposely inflicted																								
Total:	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5: Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
Total deaths																									
Total:	28379	417	38	22	20	15	54	69	257	270	281	312	339	368	700	858	1178	1744	2629	3541	4069	4631	6567		
Male:	14523	229	19	13	11	9	30	34	171	200	202	205	216	220	389	510	722	1071	1617	2083	2150	2148	2274		
Female:	13856	188	19	9	9	6	24	35	86	70	79	107	123	148	311	348	456	673	1012	1458	1919	2483	4293		
008 Intestinal infections by other organisms																									
Total:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	0	4	2		
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1		
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	4	1		
011 Pulmonary tuberculosis																									
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	1	0	1	0	2		
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	1	0	1		
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	1		
013 Tuberculosis of meninges and central nervous system																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0		
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0		
015 Tuberculosis of bones and joints																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		
018 Miliary tuberculosis																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0		
027 Other zoonotic bacterial diseases																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
031 Diseases due to other mycobacteria																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0		
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
033 Whooping cough																									
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
036 Meningococcal infection																									
Total:	17	4	2	1	2	0	1	0	2	2	0	0	2	0	0	0	0	0	0	0	1	0	0		
Male:	7	1	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
Female:	10	3	2	1	0	0	0	0	2	2	0	2	0	0	0	0	0	0	0	0	0	0	0		

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
038 Septicaemia																									
Total:	49	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0	0	1	3	8	11	20	
Male:	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	7	6	6	
Female:	26	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	2	1	1	5	14	
042 Human immunodeficiency virus disease																									
Total:	38	0	0	0	0	0	0	0	1	0	2	10	2	9	8	0	3	1	1	1	0	1	0	0	
Male:	37	0	0	0	0	0	0	1	0	2	10	2	8	8	0	3	1	1	1	0	1	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
046 Slow virus infection of central nervous system																									
Total:	4	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	
049 Other non-arthropod-borne viral disease of central nervous system																									
Total:	4	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	3	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	
052 Chickenpox																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
053 Herpes zoster																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
054 Herpes simplex																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
070 Viral hepatitis																									
Total:	19	0	0	0	0	0	0	0	0	1	2	1	0	3	2	3	2	2	2	1	2	0	0	0	
Male:	9	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	2	1	0	0	0	0	0		
Female:	10	0	0	0	0	0	0	0	0	1	2	0	1	0	0	2	0	1	1	2	0	0	0		
078 Other diseases due to viruses and Chlamydiae																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
079 Viral and chlamydial infections of unspecified sites																									
Total:	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
112 Candidiasis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
117 Other mycoses	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
135 Sarcoidosis	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
137 Late effects of tuberculosis	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	3	2	0	2	2
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	1	0	0	0
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	1	1	0	2	2
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	1	1	0	2	2
138 Late effects of acute poliomyelitis	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	1
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	1
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
140 Malignant neoplasm of lip	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1	1
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
141 Malignant neoplasm of tongue	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	1	3	2	1
Total:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	1	1	0	0
Male:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	1	1	0	0
Female:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1
142 Malignant neoplasm of major salivary glands	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	5	1
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	4	0
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
143 Malignant neoplasm of gum	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
144 Malignant neoplasm of floor of mouth																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	1	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
145 Malignant neoplasm of other and unspecified parts of mouth																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	3	
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	1	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	
146 Malignant neoplasm of oropharynx																								
Total:	18	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	3	6	2	1	0	0	
Male:	12	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	2	2	1	1	0	0	
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	1	0	0	0	
147 Malignant neoplasm of nasopharynx																								
Total:	16	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	4	3	1	4	0	0	0	
Male:	15	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	3	1	4	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
148 Malignant neoplasm of hypopharynx																								
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	3	1	0	0	
Male:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	3	1	0	0	
149 Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	2	1	1	
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	2	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
150 Malignant neoplasm of oesophagus																								
Total:	192	0	0	0	0	0	0	0	0	0	0	2	4	2	4	16	26	29	41	30	26	16	16	
Male:	124	0	0	0	0	0	0	0	0	0	0	0	2	4	11	18	21	28	19	15	6	6		
Female:	68	0	0	0	0	0	0	0	0	0	2	0	0	0	5	8	8	13	11	11	10	10		
151 Malignant neoplasm of stomach																								
Total:	297	0	0	0	0	0	0	0	0	1	3	4	6	11	18	17	23	35	44	62	32	35		
Male:	176	0	0	0	0	0	0	0	0	1	1	1	5	4	9	13	16	23	26	33	16	18		
Female:	121	0	0	0	0	0	0	0	0	0	2	3	1	2	2	5	7	12	18	29	16	17		
152 Malignant neoplasm of small intestine, including duodenum																								
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	3	2	1	0		
Male:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	2	1	0		
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0		

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
153 Malignant neoplasm of colon																								
Total:	731	0	0	0	0	0	0	0	1	1	1	3	2	5	25	33	45	91	129	96	121	89	89	
Male:	354	0	0	0	0	0	0	1	1	1	0	1	0	0	15	16	19	50	76	46	59	32	38	
Female:	377	0	0	0	0	0	0	0	0	0	1	2	2	5	10	17	26	41	53	50	62	57	51	
154 Malignant neoplasm of rectum, rectosigmoid junction and anus																								
Total:	402	0	0	0	0	0	0	0	0	0	0	3	1	4	15	22	39	44	57	66	54	57	40	
Male:	233	0	0	0	0	0	0	0	0	0	0	2	1	3	9	12	26	28	35	40	34	30	13	
Female:	169	0	0	0	0	0	0	0	0	0	1	0	1	1	6	10	13	16	22	26	20	27	27	
155 Malignant neoplasm of liver and intrahepatic bile ducts																								
Total:	104	0	0	0	0	0	0	0	0	0	0	3	3	3	5	7	12	10	18	18	8	7	10	
Male:	65	0	0	0	0	0	0	0	0	0	0	1	3	2	3	4	9	8	13	9	5	3	5	
Female:	39	0	0	0	0	0	0	0	0	0	0	2	0	1	2	3	3	2	5	9	3	4	5	
156 Malignant neoplasm of gallbladder and extrahepatic bile ducts																								
Total:	48	0	0	0	0	0	0	0	0	0	0	1	1	0	1	3	3	2	6	6	10	7	8	
Male:	23	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	1	4	3	3	4	3	
Female:	25	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	2	3	7	3	5	
157 Malignant neoplasm of pancreas																								
Total:	298	0	0	0	0	0	0	0	0	0	0	2	3	5	10	7	22	32	39	51	56	49	22	
Male:	131	0	0	0	0	0	0	0	0	0	0	2	3	3	7	5	9	15	15	20	29	18	5	
Female:	167	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	13	17	24	31	27	31	17	
158 Malignant neoplasm of retroperitoneum and peritoneum																								
Total:	17	0	0	0	0	0	0	0	0	1	0	0	0	0	1	3	1	1	5	3	2	0	0	
Male:	10	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	1	3	3	0	0	0	
Female:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	2	0	2	0	0	
159 Malignant neoplasm of other sites within the digestive organs and peritoneum																								
Total:	112	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	9	10	14	14	11	19	29	
Male:	51	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	5	8	7	9	4	8	8	
Female:	61	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	2	7	5	7	11	21	
160 Malignant neoplasm of nasal cavities, middle ear and accessory sinuses																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	
161 Malignant neoplasm of larynx																								
Total:	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	3	6	4	5	2	
Male:	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	3	3	3	5	1	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0	1	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
162 Malignant neoplasm of trachea, bronchus and lung																								
Total:	1406	0	0	0	0	0	0	0	0	0	1	2	7	11	31	75	101	184	243	288	213	159	91	
Male:	904	0	0	0	0	0	0	0	0	0	0	0	4	6	25	46	64	121	147	195	139	101	56	
Female:	502	0	0	0	0	0	0	0	0	0	1	2	3	5	6	29	37	63	96	93	74	58	35	
163 Malignant neoplasm of pleura																								
Total:	54	0	0	0	0	0	0	0	0	0	0	1	0	2	2	5	5	10	6	11	6	4	2	
Male:	51	0	0	0	0	0	0	0	0	0	0	0	0	2	1	5	5	10	6	11	5	4	2	
Female:	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0	0	
164 Malignant neoplasm of thymus, heart and mediastinum																								
Total:	14	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	1	0	1	4	4	0	
Male:	8	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1	3	2	0	
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	1	2	0	
170 Malignant neoplasm of bone and articular cartilage																								
Total:	17	0	0	0	0	0	0	0	2	1	3	0	0	0	0	2	1	0	0	2	1	2	2	
Male:	10	0	0	0	0	0	0	1	1	2	0	0	0	0	0	2	0	0	0	1	1	1	1	
Female:	7	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	0	1	1	
171 Malignant neoplasm of connective and other soft tissue																								
Total:	31	0	0	0	0	0	0	0	2	2	0	1	0	2	3	2	4	1	3	3	2	5	0	
Male:	16	0	0	0	0	0	0	1	0	1	2	0	0	1	1	1	2	1	2	2	1	1	0	
Female:	15	0	0	0	0	0	0	1	0	1	0	0	0	1	2	1	2	0	1	1	1	4	0	
172 Malignant melanoma of skin																								
Total:	194	0	0	0	0	0	0	2	0	4	4	3	9	6	10	18	15	14	26	31	25	16	11	
Male:	107	0	0	0	0	0	0	1	0	2	2	1	6	5	8	8	8	7	18	21	14	3	5	
Female:	87	0	0	0	0	0	0	1	0	2	2	2	3	1	2	10	7	7	8	10	11	13	6	
173 Other malignant neoplasm of skin																								
Total:	63	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	4	3	14	9	12	14	
Male:	43	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	4	2	11	5	8	8	
Female:	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	3	4	4	6	
174 Malignant neoplasm of female breast																								
Total:	681	0	0	0	0	0	0	0	0	0	0	11	25	33	70	65	56	58	60	88	74	71	70	
Female:	681	0	0	0	0	0	0	0	0	0	0	11	25	33	70	65	56	58	60	88	74	71	70	
175 Malignant neoplasm of male breast																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0	0	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0	0	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
179 Malignant neoplasm of uterus, part unspecified																								
Total:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	5
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	5
180 Malignant neoplasm of cervix uteri																								
Total:	82	0	0	0	0	0	0	0	1	0	3	4	10	2	9	8	4	10	7	9	6	6	3	3
Female:	82	0	0	0	0	0	0	1	0	3	4	10	2	9	8	4	10	7	9	6	6	6	3	3
181 Malignant neoplasm of placenta																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
182 Malignant neoplasm of body of uterus																								
Total:	58	0	0	0	0	0	0	0	0	0	0	0	1	2	4	6	6	4	8	6	11	12	3	3
Female:	58	0	0	0	0	0	0	0	0	0	0	0	1	2	4	6	6	4	8	6	11	12	3	3
183 Malignant neoplasm of ovary and other uterine adnexa																								
Total:	179	0	0	0	0	0	0	0	0	0	2	2	2	5	11	12	16	28	24	22	24	19	12	12
Female:	179	0	0	0	0	0	0	0	0	0	2	2	2	5	11	12	16	28	24	22	24	19	12	12
184 Malignant neoplasm of other and unspecified female genital organs																								
Total:	21	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	0	3	4	3	5	5
Female:	21	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	0	3	4	3	5	5
185 Malignant neoplasm of prostate																								
Total:	502	0	0	0	0	0	0	0	1	0	0	0	0	1	1	5	10	22	46	93	104	120	99	99
Male:	502	0	0	0	0	0	0	0	1	0	0	0	0	1	1	5	10	22	46	93	104	120	99	99
186 Malignant neoplasm of testis																								
Total:	5	0	0	0	0	0	0	0	1	0	1	0	2	1	0	0	0	0	0	0	0	0	0	0
Male:	5	0	0	0	0	0	0	0	1	0	1	0	2	1	0	0	0	0	0	0	0	0	0	0
187 Malignant neoplasm of penis and other male genital organs																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
188 Malignant neoplasm of bladder																								
Total:	186	0	0	0	0	0	0	0	0	0	0	0	1	2	3	5	15	20	39	39	34	26	26	26
Male:	111	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	12	12	24	23	19	14	14	14
Female:	75	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	3	8	15	16	15	12	12	12
189 Malignant neoplasm of kidney and other and unspecified urinary organs																								
Total:	149	0	0	0	0	0	0	0	0	0	0	0	1	7	4	10	11	13	26	26	15	22	14	14
Male:	89	0	0	0	0	0	0	0	0	0	0	0	1	3	3	8	4	9	18	15	8	12	8	8
Female:	60	0	0	0	0	0	0	0	0	0	0	0	0	4	1	2	7	4	8	11	7	10	6	6

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
190 Malignant neoplasm of eye																								
Total:	12	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1	3	2	1	0	0
Male:	10	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1	3	1	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
191 Malignant neoplasm of brain																								
Total:	200	0	1	0	0	2	4	2	3	2	3	10	6	7	17	13	24	18	27	22	21	12	6	6
Male:	107	0	0	0	0	2	0	1	2	0	2	6	3	5	8	9	14	11	14	10	9	7	4	4
Female:	93	0	1	0	0	0	4	1	1	2	1	4	3	2	9	4	10	7	13	12	12	5	2	2
192 Malignant neoplasm of other and unspecified parts of nervous system																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0
193 Malignant neoplasm of thyroid gland																								
Total:	22	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	5	0	2	3	3	5	5
Male:	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	0	1	0	1	1	1
Female:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	1	3	2	4	4
194 Malignant neoplasm of other endocrine glands and related structures																								
Total:	13	0	0	0	0	1	0	0	0	3	1	0	1	1	0	0	1	2	1	0	1	0	0	0
Male:	11	0	0	0	0	1	0	0	0	2	1	0	1	1	0	0	1	2	1	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
195 Malignant neoplasm of other and ill-defined sites																								
Total:	24	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3	1	3	3	6	6	1	1
Male:	6	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	2	0	0
Female:	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	6	4	1	1
199 Malignant neoplasm, site not specified																								
Total:	498	0	0	0	0	0	0	0	0	0	2	5	4	3	15	21	20	56	66	78	75	85	68	68
Male:	239	0	0	0	0	0	0	0	0	0	0	1	3	2	3	7	12	33	41	40	35	33	29	29
Female:	259	0	0	0	0	0	0	0	0	0	2	4	1	1	12	14	8	23	25	38	40	52	39	39
200 Lymphosarcoma and reticulosarcoma																								
Total:	21	0	0	1	0	0	0	0	1	1	0	1	0	0	1	0	1	2	3	4	3	1	2	2
Male:	10	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	2	1	1	2	1	0	0
Female:	11	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2	3	1	0	2	2
201 Hodgkin's disease																								
Total:	11	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	0	1	2	0	3	1	1
Male:	7	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	1	0	2	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
202 Other malignant neoplasm of lymphoid and histiocytic tissue																								
Total:	265	0	2	0	0	0	0	1	0	0	2	4	1	6	10	15	19	29	37	38	39	33	29	
Male:	135	0	1	0	0	0	0	0	0	0	0	2	0	5	7	8	11	14	24	20	14	18	11	
Female:	130	0	1	0	0	0	1	0	0	0	2	2	1	1	3	7	8	15	13	18	25	15	18	
203 Multiple myeloma and immunoproliferative neoplasms																								
Total:	120	0	0	0	0	0	0	0	0	0	0	0	0	0	4	5	7	15	18	20	20	15	16	
Male:	54	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	2	5	10	9	10	5	6	
Female:	66	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	10	8	11	10	10	10	
204 Lymphoid leukaemia																								
Total:	93	0	1	0	0	0	6	10	5	1	3	1	0	2	1	3	2	6	6	13	14	12	7	
Male:	54	0	0	0	0	5	4	3	3	1	3	0	0	1	0	3	2	3	2	8	10	5	4	
Female:	39	0	1	0	0	1	6	2	2	0	0	1	0	1	1	0	0	3	4	5	4	7	3	
205 Myeloid leukaemia																								
Total:	134	0	0	0	0	0	1	2	0	1	2	3	3	6	3	8	9	8	20	16	23	16	13	
Male:	70	0	0	0	0	0	1	1	0	1	0	2	3	4	1	3	6	4	12	8	11	7	7	
Female:	64	0	0	0	0	0	1	1	0	0	2	1	0	2	2	5	3	4	8	8	12	9	6	
206 Monocytic leukaemia																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
208 Leukaemia of unspecified cell type																								
Total:	24	0	0	0	0	0	0	1	0	0	1	0	1	0	1	0	0	0	1	4	4	4	7	
Male:	14	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	1	4	4	0	2	
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	4	5	
210 Benign neoplasm of lip, oral cavity and pharynx																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
211 Benign neoplasm of other parts of digestive system																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
212 Benign neoplasm of respiratory and intrathoracic organs																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
215 Other benign neoplasm of connective and soft tissue																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
218 Uterine leiomyoma																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
223 Benign neoplasm of kidney and other urinary organs																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
225 Benign neoplasm of brain and other parts of nervous system																								
Total:	13	0	0	0	0	0	0	0	0	1	0	0	0	1	2	1	1	1	0	3	2	0	2	2
Male:	4	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	1	0	0	0	0
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	3	1	0	2	2
227 Benign neoplasm of other endocrine glands and related structures																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
228 Haemangioma and lymphangioma, any site																								
Total:	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
235 Neoplasm of uncertain behaviour of digestive and respiratory system																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
236 Neoplasm of uncertain behaviour of genito-urinary organs																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
237 Neoplasm of uncertain behaviour of endocrine glands and nervous system																								
Total:	9	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	0	0	2	0	2	0	0	0
Male:	6	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	1	0	1	2	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	1	0	0	0
238 Neoplasm of uncertain behaviour of other and unspecified sites and tissues																								
Total:	81	0	0	0	0	0	1	0	0	0	2	0	2	0	2	1	2	10	16	15	20			
Male:	57	0	0	0	0	0	1	0	0	1	0	1	1	1	1	1	7	9	12	10	13			
Female:	24	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	3	7	4	5	7			

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
239 Neoplasm of unspecified nature																								
Total:	26	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	4	4	5	7
Male:	11	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	
Female:	15	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	0	2	2	3	4	
241 Non-toxic nodular goitre																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
242 Thyrotoxicosis with or without goitre																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	1	3	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	
244 Acquired hypothyroidism																								
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	
250 Diabetes mellitus																								
Total:	595	0	0	0	0	0	0	2	1	1	2	5	7	7	8	22	46	52	75	97	101	87	89	
Male:	306	0	0	0	0	0	0	0	1	0	1	4	5	5	4	15	26	30	32	54	59	39	36	
Female:	289	0	0	0	0	0	2	2	0	1	1	1	2	2	4	7	20	22	43	43	42	48	53	
251 Other disorders of pancreatic internal secretion																								
Total:	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Male:	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
252 Disorders of parathyroid gland																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
253 Disorders of the pituitary gland and its hypothalamic control																								
Total:	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Male:	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
255 Disorders of adrenal glands																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
261 Nutritional marasmus																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
263 Other and unspecified protein-calorie malnutrition																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4
272 Disorders of lipid metabolism																								
Total:	70	2	0	0	0	0	0	0	0	0	1	0	0	2	2	0	6	12	15	15	10	5	0	0
Male:	39	1	0	0	0	0	0	0	0	0	0	0	2	2	0	4	10	12	8	1	1	1	0	0
Female:	31	1	0	0	0	0	0	0	0	0	1	0	0	0	0	2	2	3	7	9	4	4	0	0
273 Disorders of plasma protein metabolism																								
Total:	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	4	3	6	6	6
Male:	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	2	4	4	4
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	2	2
274 Gout																								
Total:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	0	3	3	3
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	1	1
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2	2	2
275 Disorders of mineral metabolism																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
276 Disorders of fluid, electrolyte and acid-base balance																								
Total:	27	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	3	1	7	14	14	14
Male:	8	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	1	1	0	4	4	4
Female:	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	7	10	10	10
277 Other and unspecified disorders of metabolism																								
Total:	23	0	0	0	0	0	1	1	4	0	0	1	1	0	1	1	1	2	1	3	4	2	0	0
Male:	13	0	0	0	0	0	1	0	2	0	0	1	0	0	1	1	1	2	0	2	3	0	0	0
Female:	10	0	0	0	0	0	0	1	2	0	0	1	0	1	0	0	0	1	1	1	1	2	0	0
278 Obesity and other hyperalimentation																								
Total:	48	0	0	0	0	0	0	0	0	1	0	3	5	7	6	4	8	6	2	1	3	0	2	2
Male:	15	0	0	0	0	0	0	0	1	0	1	1	1	3	1	1	5	0	1	0	1	0	0	0
Female:	33	0	0	0	0	0	0	0	0	0	2	4	4	5	3	3	3	6	1	1	2	0	2	2
279 Disorders involving the immune mechanism																								
Total:	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	1	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	1	1

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
280 Iron deficiency anaemias																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
281 Other deficiency anaemias																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
282 Hereditary haemolytic anaemias																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
283 Acquired haemolytic anaemias																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
284 Aplastic anaemia																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
285 Other and unspecified anaemias																								
Total:	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7
286 Coagulation defects																								
Total:	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
287 Purpura and other haemorrhagic conditions																								
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
288 Diseases of white blood cells																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
289 Other diseases of blood and blood-forming organs																								
Total:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	5	1	3	
Male:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	4	1	1	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	
290 Senile and presenile organic psychotic conditions																								
Total:	414	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	13	25	52	110	208		
Male:	133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	6	11	21	39	52		
Female:	281	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	7	14	31	71	156		
291 Alcoholic psychoses																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0		
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
293 Transient organic psychotic conditions																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
294 Other organic psychotic conditions (chronic)																								
Total:	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	3	18	35		
Male:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	7	5		
Female:	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	11	30		
295 Schizophrenic disorders																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		
296 Affective psychoses																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
297 Paranoid states																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0		
298 Other nonorganic psychoses																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
303 Alcohol dependence syndrome																								
Total:	13	0	0	0	0	0	0	0	1	1	2	2	0	2	1	1	0	0	0	1	1	1		
Male:	7	0	0	0	0	0	0	0	1	1	0	1	0	0	1	1	0	0	0	1	1	0		
Female:	6	0	0	0	0	0	0	0	0	0	2	1	0	2	0	0	0	0	0	0	0	1		

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
304 Drug dependence	27	0	0	0	0	0	0	0	0	1	1	9	6	6	4	0	0	0	0	0	0	0	0	0
Total:	18	0	0	0	0	0	0	0	0	1	1	6	4	4	3	0	0	0	0	0	0	0	0	0
Male:	9	0	0	0	0	0	0	0	0	1	0	3	2	2	1	0	0	0	0	0	0	0	0	0
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
305 Nondependent drug use disorder	30	0	0	0	0	0	0	0	0	5	4	3	4	4	3	5	2	0	0	0	0	0	0	0
Total:	17	0	0	0	0	0	0	0	0	1	3	3	4	1	1	3	1	0	0	0	0	0	0	0
Male:	13	0	0	0	0	0	0	0	0	4	1	0	0	3	2	2	1	0	0	0	0	0	0	0
Female:	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
307 Special symptoms or syndromes not elsewhere classified	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
318 Other specified mental retardation	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
319 Unspecified mental retardation	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
320 Bacterial meningitis	14	5	0	0	1	0	0	0	0	0	1	1	0	1	1	1	0	1	0	0	1	0	1	1
Total:	6	4	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	8	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	1	1
Female:	8	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	1	1
322 Meningitis of unspecified cause	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
323 Encephalitis, myelitis and encephalomyelitis	3	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
324 Intracranial and intraspinal abscess	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
326 Late effects of intracranial abscess or pyogenic infection	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
330 Cerebral degenerations usually manifest in childhood																								
Total:	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
331 Other cerebral degenerations																								
Total:	81	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	4	10	11	14	37	
Male:	22	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	6	5	2	5	5	
Female:	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	6	6	12	32	
332 Parkinson's disease																								
Total:	94	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	17	17	18	37	
Male:	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	9	12	9	21	
Female:	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	8	5	9	16	
333 Other extrapyramidal disease and abnormal movement disorders																								
Total:	27	0	0	0	0	0	0	0	0	0	0	0	1	1	4	0	2	2	2	8	3	3	1	
Male:	15	0	0	0	0	0	0	0	0	0	0	0	1	1	3	0	0	1	1	4	1	2	1	
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	4	2	1	0	
334 Spinocerebellar disease																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	1	0	
335 Anterior horn cell disease																								
Total:	89	3	0	0	0	1	0	0	0	0	0	3	2	4	5	5	5	10	8	15	18	7	7	
Male:	44	1	0	0	0	0	0	0	0	0	0	2	2	1	2	3	3	5	3	6	12	3	3	
Female:	45	2	0	0	0	1	0	0	0	0	0	1	0	3	3	2	2	5	5	9	6	4	4	
336 Other diseases of spinal cord																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	2	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	
340 Multiple sclerosis																								
Total:	22	0	0	0	0	0	0	0	0	0	0	0	0	4	3	1	5	3	2	1	2	1	1	
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	1	1	1	0	
Female:	14	0	0	0	0	0	0	0	0	0	0	0	0	4	3	0	3	2	0	0	0	0	1	
341 Other demyelinating diseases of central nervous system																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
342 Hemiplegia and hemiparesis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
343 Infantile cerebral palsy	11	0	1	0	1	1	0	2	2	0	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Total:	6	0	1	0	1	0	1	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	5	0	0	0	0	1	0	1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
344 Other paralytic syndromes	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
345 Epilepsy	55	0	1	1	0	1	2	2	1	6	5	8	7	6	5	1	2	0	0	0	1	0	1	0	0
Total:	33	0	1	0	0	2	0	0	0	4	2	5	6	4	3	0	1	0	0	1	0	3	1	3	1
Male:	22	0	0	1	0	1	0	2	1	2	3	3	1	2	2	1	1	0	0	0	2	0	2	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	1	0	0	0	0	0	0
348 Other conditions of brain	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
349 Other and unspecified disorders of the nervous system	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
356 Hereditary and idiopathic peripheral neuropathy	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	2	2	1	0
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	2	1	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
357 Inflammatory and toxic neuropathy	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	1	2	0	0
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1	2	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
358 Myoneural disorders	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
359 Muscular dystrophies and other myopathies																								
Total:	9	1	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	3	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
382 Suppurative and unspecified otitis media																								
Total:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Female:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
391 Rheumatic fever with heart involvement																								
Total:	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
394 Diseases of mitral valve																								
Total:	41	0	0	0	0	0	0	0	0	0	2	0	2	1	3	5	1	2	3	2	6	6	1	7
Male:	13	0	0	0	0	0	0	0	0	1	0	2	0	1	1	1	1	0	0	0	4	2	0	1
Female:	28	0	0	0	0	0	0	0	0	1	0	0	1	2	4	0	2	3	2	2	2	4	1	6
395 Diseases of aortic valve																								
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2	0	1	1	1	2	3	1
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	0	0	1	1	1	1	0
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1	2	1
396 Diseases of mitral and aortic valves																								
Total:	55	0	0	0	0	0	0	0	1	1	2	1	1	2	3	2	1	5	7	6	9	9	5	5
Male:	24	0	0	0	0	0	0	0	1	1	0	1	0	2	2	1	0	3	5	3	4	1	0	0
Female:	31	0	0	0	0	0	0	0	0	0	2	0	1	0	1	1	1	2	2	3	5	8	5	5
397 Diseases of other endocardial structures																								
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	2	2
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	2	2
398 Other rheumatic heart disease																								
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	4	1	1
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	1
401 Essential hypertension																								
Total:	26	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	6	4	9	5	5
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	1	2	1	1
Female:	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3	7	4	4

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
402 Hypertensive heart disease																								
Total:	175	0	0	0	0	0	0	0	0	0	2	1	2	4	3	7	12	13	17	24	33	57		
Male:	74	0	0	0	0	0	0	0	0	0	2	1	1	3	3	4	8	6	11	8	11	16		
Female:	101	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	4	7	6	16	22	41		
403 Hypertensive renal disease																								
Total:	47	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2	2	4	4	11	10	9		
Male:	22	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	1	3	3	7	2	2		
Female:	25	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	4	8	7		
404 Hypertensive heart and renal disease																								
Total:	41	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	4	4	1	7	12	11		
Male:	18	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	4	0	2	6	3		
Female:	23	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	5	6	8		
410 Acute myocardial infarction																								
Total:	3395	0	0	0	0	0	0	0	1	2	2	11	26	41	79	131	229	353	486	595	656	783		
Male:	1892	0	0	0	0	0	0	0	1	1	2	10	20	36	64	101	164	250	307	347	306	283		
Female:	1503	0	0	0	0	0	0	0	0	1	0	1	6	5	15	30	65	103	179	248	350	500		
411 Other acute and subacute forms of ischaemic heart disease																								
Total:	148	0	0	0	0	0	0	0	0	0	0	0	1	2	7	16	11	24	23	21	12	17		
Male:	97	0	0	0	0	0	0	0	0	0	0	0	1	2	6	8	11	19	18	12	4	6		
Female:	51	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	0	5	5	9	8	11		
413 Angina pectoris																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0		
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0		
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		
414 Other forms of chronic ischaemic heart disease																								
Total:	3087	0	0	0	0	0	0	1	9	17	21	65	92	133	170	295	397	480	556	850				
Male:	1738	0	0	0	0	0	0	1	6	15	21	51	80	112	129	227	259	294	274	268				
Female:	1349	0	0	0	0	0	0	0	3	2	0	14	12	21	41	68	138	186	282	582				
415 Acute pulmonary heart disease																								
Total:	65	0	0	0	0	0	0	0	0	1	3	0	0	0	0	3	4	12	8	9	10	15		
Male:	26	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	7	5	4	2	5			
Female:	39	0	0	0	0	0	0	0	0	1	3	0	0	0	2	2	5	3	5	8	10			
416 Chronic pulmonary heart disease																								
Total:	18	0	0	0	0	0	0	1	0	1	1	0	0	0	2	1	3	0	5	1	1	1		
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3	0	0	1		
Female:	12	0	0	0	0	0	0	1	0	1	1	0	0	1	0	3	0	0	2	1	1	0		

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
417 Other diseases of pulmonary circulation																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
420 Acute pericarditis																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
421 Acute and sub-acute endocarditis																								
Total:	23	0	0	0	0	0	0	0	1	0	1	0	0	0	2	0	1	3	3	3	3	5	4	4
Male:	16	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	3	0	3	3	3	3	3	3
Female:	7	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2	2	1	1
422 Acute myocarditis																								
Total:	17	0	0	0	0	0	1	1	3	1	3	0	5	0	1	0	0	1	0	0	1	0	1	0
Male:	6	0	0	0	0	0	1	1	1	1	1	0	1	0	1	0	1	0	0	0	0	0	0	0
Female:	11	0	0	0	0	0	1	0	2	0	2	0	4	0	0	0	0	1	0	0	1	0	1	0
423 Other diseases of pericardium																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
424 Other diseases of endocardium																								
Total:	273	0	0	0	0	0	0	1	0	1	0	1	2	3	6	7	12	18	24	24	51	55	92	92
Male:	105	0	0	0	0	0	0	0	0	0	0	1	2	2	5	6	8	12	11	22	22	15	21	21
Female:	168	0	0	0	0	0	0	1	0	1	0	1	1	1	1	1	4	6	13	29	29	40	71	71
425 Cardiomyopathy																								
Total:	195	0	1	0	0	0	0	0	3	3	4	5	9	8	13	21	32	35	29	14	12	6	6	
Male:	148	0	0	0	0	0	0	0	2	3	3	4	8	7	11	15	27	26	22	9	9	2	2	
Female:	47	0	1	0	0	0	0	0	1	0	1	1	1	1	2	6	5	9	7	5	3	4	4	
426 Conduction disorders																								
Total:	13	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	1	0	2	7	7	
Male:	7	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	1	0	1	3	3	
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	4	4	
427 Cardiac dysrhythmias																								
Total:	237	0	0	0	0	0	1	0	1	0	3	0	1	3	2	2	7	10	22	30	49	106	106	
Male:	68	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2	3	3	13	11	14	20	20	
Female:	169	0	0	0	0	0	1	0	1	0	2	0	1	3	1	0	4	7	9	19	35	86	86	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
428 Heart failure																									
Total:	480	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	6	26	44	112	289		
Male:	190	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	15	28	54	88		
Female:	290	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	11	16	58	201		
429 Ill-defined descriptions and complications of heart disease																									
Total:	45	0	0	0	0	0	0	0	0	2	2	1	2	0	2	2	0	2	2	3	6	5	15		
Male:	22	0	0	0	0	0	0	0	0	2	2	1	1	0	1	2	0	1	1	2	4	3	2		
Female:	23	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	1	2	2	13		
430 Subarachnoid haemorrhage																									
Total:	167	0	0	0	0	0	0	0	0	3	1	2	5	9	19	14	16	18	24	11	24	12	7		
Male:	58	0	0	0	0	0	0	0	0	2	0	2	3	5	6	7	5	8	7	2	6	3	2		
Female:	109	0	0	0	0	0	0	0	0	1	1	2	2	4	13	7	11	10	17	9	18	9	5		
431 Intracerebral haemorrhage																									
Total:	292	0	0	0	0	0	0	0	0	1	1	3	1	2	13	13	14	19	27	43	53	51	50		
Male:	135	0	0	0	0	0	0	0	0	0	0	3	1	0	5	7	7	12	16	25	26	20	13		
Female:	157	0	0	0	0	0	0	0	0	1	1	0	0	2	8	6	7	7	11	18	27	31	37		
432 Other and unspecified intracranial haemorrhage																									
Total:	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0	5	6	9		
Male:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	1	2	4		
Female:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	4	5		
433 Occlusion and stenosis of precerebral arteries																									
Total:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	7	1	4	1		
Male:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	0	3	0		
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1		
434 Occlusion of cerebral arteries																									
Total:	192	0	0	0	0	0	0	0	0	0	0	0	3	0	3	4	8	13	5	24	29	39	64		
Male:	81	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	7	9	5	10	9	16	20		
Female:	111	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	4	0	14	20	23	44		
435 Transient cerebral ischaemia																									
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
436 Acute ill-defined cerebrovascular disease																									
Total:	1654	0	0	0	0	0	0	0	0	0	0	0	1	1	3	8	7	30	68	169	277	389	701		
Male:	610	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	3	18	43	88	107	155	189		
Female:	1044	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	4	12	25	81	170	234	512		

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
437 Other and ill-defined cerebrovascular disease																								
Total:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	0	1	9	
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	1	4	
Female:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	5	
438 Late effects of cerebrovascular disease																								
Total:	292	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	5	10	24	38	77	133		
Male:	128	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	7	14	22	36	43		
Female:	164	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	3	10	16	41	90		
440 Atherosclerosis																								
Total:	76	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	5	5	9	21	32		
Male:	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	4	4	11	7		
Female:	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	1	5	10	25		
441 Aortic aneurysm and dissection																								
Total:	436	0	0	0	0	0	0	0	0	0	0	1	0	0	3	8	15	39	49	73	90	95	63	
Male:	238	0	0	0	0	0	0	0	0	0	0	1	0	0	3	4	8	27	33	41	49	52	20	
Female:	198	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	7	12	16	32	41	43	43	
442 Other aneurysm																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4	5	0	1	
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	4	0	1	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
443 Other peripheral vascular disease																								
Total:	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6	9	27	34	
Male:	35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5	7	10	10	
Female:	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	17	24	
444 Arterial embolism and thrombosis																								
Total:	33	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	3	4	4	9	9	
Male:	21	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	3	4	1	5	4	
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	5	
446 Polyarteritis nodosa and allied conditions																								
Total:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	2	0	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	
447 Other disorders of arteries and arterioles																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	1	3	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	2	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
448 Diseases of capillaries	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
451 Phlebitis and thrombophlebitis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
453 Other venous embolism and thrombosis	32	0	0	0	0	0	0	0	0	1	1	2	1	0	1	1	0	3	4	8	2	2	2	6
Total:	15	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	3	3	1	2	3	3
Male:	17	0	0	0	0	0	0	0	0	1	0	2	0	0	1	1	0	2	1	5	1	0	3	3
Female:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
456 Varicose veins of other sites	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	2
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
458 Hypotension	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
459 Other disorders of circulatory system	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	6
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4
460 Acute nasopharyngitis (common cold)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
465 Acute upper respiratory infections of multiple and unspecified sites	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4
466 Acute bronchitis and bronchiolitis	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	2
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
Female:	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2
478 Other diseases of upper respiratory tract	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
480 Viral pneumonia	14	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	2	
Total:	14	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	2	
Male:	5	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	
Female:	9	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	2	
481 Pneumococcal pneumonia	66	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	3	3	5	6	7	14	25	
Total:	66	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	3	3	5	6	7	14	25	
Male:	32	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	2	1	3	4	3	6	10	
Female:	34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	4	8	15	
482 Other bacterial pneumonia	21	5	0	0	0	0	0	0	1	0	1	0	0	1	1	1	0	1	1	3	2	0	4	
Total:	21	5	0	0	0	0	0	0	1	0	1	0	0	1	1	1	0	1	1	3	2	0	4	
Male:	8	2	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	1	1	0	1	
Female:	13	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	2	1	0	3	
485 Bronchopneumonia, organism unspecified	618	2	0	0	0	0	0	0	1	0	0	0	0	1	2	1	1	7	6	27	58	123	389	
Total:	618	2	0	0	0	0	0	0	1	0	0	0	0	1	2	1	1	7	6	27	58	123	389	
Male:	221	1	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	5	4	17	25	48	117	
Female:	397	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	10	33	75	272	
486 Pneumonia, organism unspecified	373	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	5	18	39	76	228	
Total:	373	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	5	18	39	76	228	
Male:	136	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	5	9	11	29	76	
Female:	237	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	9	28	47	152	
487 Influenza	94	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	19	15	52	
Total:	94	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	19	15	52	
Male:	36	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	11	8	13	
Female:	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	8	7	39	
490 Bronchitis, not specified as acute or chronic	16	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	1	11
Total:	16	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2	1	11
Male:	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	3
Female:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	8
491 Chronic bronchitis	66	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	7	15	9	9	19	
Total:	66	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	7	15	9	9	19	
Male:	43	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	2	3	13	6	6	9	
Female:	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	2	3	3	10	
492 Emphysema	203	0	0	0	0	0	0	0	0	0	0	3	0	4	1	1	7	17	34	35	38	36	26	
Total:	203	0	0	0	0	0	0	0	0	0	0	3	0	4	1	1	7	17	34	35	38	36	26	
Male:	123	0	0	0	0	0	0	0	0	0	0	1	0	3	1	5	10	22	22	19	18	23	19	
Female:	80	0	0	0	0	0	0	0	0	0	0	2	0	1	0	2	7	12	12	16	20	13	7	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
493 Asthma	134	1	0	0	0	0	0	0	2	3	2	4	2	5	3	6	5	9	18	26	13	17	18
Total:	134	1	0	0	0	0	0	0	2	3	2	4	2	5	3	6	5	9	18	26	13	17	18
Male:	60	1	0	0	0	0	0	0	1	1	0	3	1	1	0	4	4	5	12	9	5	9	4
Female:	74	0	0	0	0	0	0	0	1	2	2	1	1	4	3	2	1	4	6	17	8	8	14
494 Bronchiectasis	66	0	0	0	0	0	0	0	0	0	0	2	1	1	1	4	6	8	7	10	8	8	10
Total:	66	0	0	0	0	0	0	0	0	0	0	2	1	1	1	4	6	8	7	10	8	8	10
Male:	30	0	0	0	0	0	0	0	0	0	0	2	1	0	1	2	3	2	2	4	5	4	4
Female:	36	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	6	5	6	3	4	6
495 Extrinsic allergic alveolitis	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
496 Chronic airway obstruction, not elsewhere classified	1301	0	0	0	0	0	0	0	0	0	0	0	0	1	7	12	27	54	148	225	263	272	292
Total:	1301	0	0	0	0	0	0	0	0	0	0	0	0	1	7	12	27	54	148	225	263	272	292
Male:	758	0	0	0	0	0	0	0	0	0	0	0	0	1	4	8	13	26	80	142	140	167	177
Female:	543	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	14	28	68	83	123	105	115
501 Asbestosis	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
507 Pneumonitis due to solids and liquids	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	4
Total:	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	4
Male:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3
Female:	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
510 Empyema	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	1	0	0
511 Pleurisy	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
514 Pulmonary congestion and hypostasis	35	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3	26
Total:	35	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3	26
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	5
Female:	27	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	21
515 Postinflammatory pulmonary fibrosis	38	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	3	4	5	10	10
Total:	38	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	3	4	5	10	10
Male:	19	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	5	3	5
Female:	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	3	0	7	5

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
516 Other alveolar and parietoalveolar pneumonopathy																								
Total:	45	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	2	3	9	9	11	5	
Male:	31	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	0	7	6	8	3		
Female:	14	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	2	3	3	2		
518 Other diseases of lung																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	6		
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3		
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3		
519 Other diseases of respiratory system																								
Total:	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	0	6	14	45		
Male:	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	0	1	6	17		
Female:	41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	8	28		
521 Diseases of hard tissues of teeth																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
Male:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
522 Diseases of pulp and periapical tissues																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
Male:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0		
527 Diseases of the salivary glands																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
530 Diseases of oesophagus																								
Total:	23	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	2	3	5	10		
Male:	13	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	3	3	4		
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	6		
531 Gastric ulcer																								
Total:	41	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2	5	5	8	13			
Male:	18	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	2	2	2	4	1	4		
Female:	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	1	7	9		
532 Duodenal ulcer																								
Total:	55	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	10	3	7	12	20		
Male:	23	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	6	2	2	6	6		
Female:	32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	1	5	6	14		

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
533 Peptic ulcer, site unspecified																								
Total:	45	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	5	6	8	24
Male:	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	4	3	7	
Female:	26	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2	5	17	
534 Gastrojejunal ulcer																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
535 Gastritis and duodenitis																								
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2
537 Other disorders of stomach and duodenum																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
540 Acute appendicitis																								
Total:	5	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1
Male:	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1
541 Appendicitis, unqualified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
550 Inguinal hernia																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0
552 Other hernia of abdominal cavity with obstruction, but without mention of gangrene																								
Total:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	2	8	8
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	7	7
555 Regional enteritis																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
556 Ulcerative colitis																								
Total:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0	0	1	0	1
Male:	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	1	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
557 Vascular insufficiency of intestine																								
Total:	90	1	0	0	0	0	0	0	1	0	0	0	1	0	2	1	5	5	11	13	15	19	16	
Male:	40	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	7	9	8	6	0	
Female:	50	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	1	4	4	7	13	16	
558 Other noninfectious gastroenteritis and colitis																								
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	7	
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	7	
560 Intestinal obstruction without mention of hernia																								
Total:	78	0	0	0	0	0	0	1	0	1	1	1	0	0	0	1	2	1	5	4	18	16	28	
Male:	28	0	0	0	0	0	0	0	0	1	1	1	0	0	0	1	0	3	3	2	6	6	8	
Female:	50	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	2	2	2	12	10	20	
562 Diverticula of intestine																								
Total:	47	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	6	4	10	8	15	
Male:	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	2	7	2	1	
Female:	29	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3	2	3	6	14	
564 Functional digestive disorders, not elsewhere classified																								
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	
565 Anal fissure and fistula																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
566 Abscess of anal and rectal regions																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
567 Peritonitis																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	
568 Other disorders of peritoneum																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
569 Other disorders of intestine																								
Total:	27	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	5	4	6	9	
Male:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	4	5	
Female:	10	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1	2	4	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
570 Acute and subacute necrosis of liver																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	1	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
571 Chronic liver disease and cirrhosis																								
Total:	115	0	0	0	0	0	0	0	0	0	0	3	3	1	7	14	17	8	18	17	13	10	4	
Male:	72	0	0	0	0	0	0	0	0	0	0	2	2	1	4	10	10	5	12	14	7	5	2	
Female:	43	0	0	0	0	0	0	0	0	0	0	3	1	0	3	4	7	3	6	3	6	5	2	
572 Liver abscess and sequelae of chronic liver disease																								
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	4	6	
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	3	3	
573 Other disorders of liver																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	
574 Cholelithiasis																								
Total:	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	4	2	2	2	
Male:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	1	1	
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	1	1	
575 Other disorders of gallbladder																								
Total:	6	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	2	1	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	
Female:	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2	1	
576 Other disorders of biliary tract																								
Total:	13	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	1	1	2	2	4	
Male:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	1	0	1	0	
Female:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	4	
577 Diseases of pancreas																								
Total:	47	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	1	4	4	10	7	9	6	
Male:	23	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2	3	6	3	5	1	
Female:	24	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	2	1	4	4	4	5	
578 Gastrointestinal haemorrhage																								
Total:	84	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	6	9	22	43	
Male:	39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	3	3	13	17	
Female:	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6	9	26	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
579 Intestinal malabsorption																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
580 Acute glomerulonephritis																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
581 Nephrotic syndrome																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	1	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	0	0
582 Chronic glomerulonephritis																								
Total:	15	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	1	2	1	3	1	3	2	1
Male:	8	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	2	0	2	2	1
Female:	7	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	0	1	1	1	1	0	0
583 Nephritis and nephropathy not specified as acute or chronic																								
Total:	17	0	0	0	0	0	0	0	0	0	1	1	1	0	1	4	1	2	1	0	3	1	0	0
Male:	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	0	1	0	0
Female:	12	0	0	0	0	0	0	0	0	0	1	0	1	0	1	3	0	1	1	0	2	0	0	0
584 Acute renal failure																								
Total:	18	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	0	3	12	5
Male:	9	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	7	7
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	5	0
585 Chronic renal failure and impairment																								
Total:	144	0	0	0	0	0	0	0	0	0	0	1	1	2	1	2	2	12	16	25	37	45	45	
Male:	76	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	10	7	13	21	22	22	
Female:	68	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	6	18	12	16	23	23	
586 Renal failure, unspecified																								
Total:	78	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	5	15	17	39	39	
Male:	32	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3	7	9	12	12	
Female:	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	8	8	27	27	
587 Renal sclerosis, unspecified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
589 Small kidney of unknown cause																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
590 Infections of kidney	23	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	3	1	3	1	3	6	4
Total:	9	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	2	2
Male:	14	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	2	4	4	2	2
Female:																								
592 Calculus of kidney and ureter	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	4	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0
Female:																								
593 Other disorders of kidney and ureter	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	3	3	7	7
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	3	3
Male:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2	4	4
Female:																								
596 Other disorders of bladder	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:																								
597 Urethritis, not sexually transmitted, and urethral syndrome	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Male:																								
598 Urethral stricture	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Male:																								
599 Other disorders of urethra and urinary tract	80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5	4	7	21	40	40
Total:	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	4	4	17	17
Male:	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	3	17	23	23
Female:																								
600 Hyperplasia of prostate	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	6	6
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	6	6
Male:																								
601 Inflammatory diseases of prostate	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
Male:																								
614 Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Male:																								

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
620 Noninflammatory disorders of ovary, fallopian tube and broad ligament																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
621 Disorders of uterus, not elsewhere classified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
625 Pain and other symptoms associated with female genital organs																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
641 Antepartum haemorrhage, abruptio placentae and placenta praevia																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
646 Other complications of pregnancy, not elsewhere classified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
665 Other obstetrical trauma																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
674 Other and unspecified complications of the puerperium, not elsewhere classified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
681 Cellulitis and abscess of finger and toe																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
682 Other cellulitis and abscess																								
Total:	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
686 Other local infections of skin and subcutaneous tissue																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
694 Bullous dermatoses																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
695 Erythematous conditions	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
696 Psoriasis and similar disorders	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
707 Chronic ulcer of skin	24	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	4	8
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	5	3
Male:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	4	3
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	6
710 Diffuse diseases of connective tissue	31	0	0	0	0	0	0	0	1	0	0	3	1	0	0	3	0	5	7	5	2	0	0
Total:	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	1	0	0	0
Male:	26	0	0	0	0	0	0	0	1	0	0	2	1	0	0	3	0	4	5	4	2	0	0
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
711 Arthropathy associated with infections	18	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1	6	1	3	3
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0	3	0	2	2
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	1	1	1
Female:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
714 Rheumatoid arthritis and other inflammatory polyarthropathies	40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	7	8	5	10	8	8
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	0	1	3	3
Male:	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5	4	5	9	5	5
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
715 Osteoarthritis and allied disorders	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	11	11
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
Male:	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	10
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
716 Other and unspecified arthropathies	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
719 Other and unspecified disorder of joint	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
720 Ankylosing spondylitis and other inflammatory spondylopathies	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0	0
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	1	0	0
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
721 Spondylosis and allied disorders																									
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
722 Intervertebral disc disorders																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
723 Other disorders of cervical region																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
724 Other and unspecified disorders of back																									
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0	2	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	
725 Polymyalgia rheumatica																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
726 Peripheral enthesopathies and allied syndromes																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
728 Disorders of muscle, ligament and fascia																									
Total:	4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	1	
Female:	4	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	0	1	
730 Osteomyelitis, periostitis and other infections involving bone																									
Total:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	2	0	2	2	1	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1		
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	2	0		
731 Osteitis deformans, osteopathies associated with other disorders classified elsewhere																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
733 Other disorders of bone and cartilage																									
Total:	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	5	5	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5	5	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
737 Curvature of spine	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	2
Total:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	2
Male:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
740 Anencephalus and similar anomalies	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
741 Spina bifida	4	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Total:	4	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	4	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
742 Other congenital anomalies of nervous system	22	13	1	1	0	0	4	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0
Total:	22	13	1	1	0	0	4	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0
Male:	15	9	0	1	0	2	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	7	4	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
745 Bulbus cordis anomalies and anomalies of cardiac septal closure	21	11	3	0	1	0	0	0	1	1	1	1	0	1	0	0	0	0	0	0	0	1	0	0
Total:	21	11	3	0	1	0	0	0	1	1	1	1	0	1	0	0	0	0	0	0	0	1	0	0
Male:	11	7	1	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	10	4	2	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	0	0	0
746 Other congenital anomalies of heart	24	10	0	1	2	0	0	1	0	0	2	1	0	1	0	1	1	0	2	0	0	0	0	1
Total:	24	10	0	1	2	0	0	1	0	0	2	1	0	1	0	1	1	0	2	0	0	0	0	1
Male:	14	6	0	1	1	0	0	0	0	2	0	0	0	0	0	1	1	0	2	0	0	0	0	0
Female:	10	4	0	0	1	0	0	1	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	1
747 Other congenital anomalies of circulatory system	12	2	1	0	1	0	1	0	0	0	0	1	0	0	2	0	0	0	0	0	1	1	2	0
Total:	12	2	1	0	1	0	1	0	0	0	0	1	0	0	2	0	0	0	0	0	1	1	2	0
Male:	7	0	1	0	1	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0
Female:	5	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
748 Congenital anomalies of respiratory system	13	11	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	13	11	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	6	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	7	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
750 Other congenital anomalies of upper alimentary tract	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
751 Other congenital anomalies, digestive system																								
Total:	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
753 Congenital anomalies of urinary system																								
Total:	15	8	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	3	0	1	0	0
Male:	9	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0
Female:	6	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0
754 Certain congenital musculoskeletal deformities																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
755 Other congenital anomalies of limbs																								
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
756 Other congenital musculoskeletal anomalies																								
Total:	9	6	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Male:	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Female:	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
758 Chromosomal anomalies																								
Total:	33	23	0	0	1	0	0	1	1	1	1	1	1	0	0	1	0	0	1	1	1	0	0	0
Male:	12	6	0	0	0	0	1	0	0	1	0	1	0	0	1	0	0	1	1	0	1	0	0	0
Female:	21	17	0	0	1	0	0	1	1	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
759 Other and unspecified congenital anomalies																								
Total:	17	8	2	1	1	0	0	0	1	0	1	0	0	0	2	0	0	0	0	1	0	0	0	0
Male:	10	4	1	1	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	7	4	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
764 Slow fetal growth and fetal malnutrition																								
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
765 Disorders relating to short gestation and unspecified low birthweight																								
Total:	45	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	28	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	17	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
767 Birth trauma																								
Total:	12	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	6	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
768 Intrauterine hypoxia and birth asphyxia																								
Total:	16	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
769 Respiratory distress syndrome																								
Total:	23	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	14	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
770 Other respiratory conditions of fetus and newborn																								
Total:	18	17	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	9	8	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
771 Infections specific to the perinatal period																								
Total:	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
772 Fetal and neonatal haemorrhage																								
Total:	14	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
773 Haemolytic disease of fetus or newborn due to isoimmunization																								
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
775 Endocrine and metabolic disturbances of fetus and newborn																								
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
776 Haematological disorders of fetus and newborn																								
Total:	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																							
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+		
777 Perinatal disorders of digestive system																									
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
778 Conditions involving the integument and temperature regulation of fetus and newborn																									
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
779 Other and ill-defined conditions originating in the perinatal period																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
780 General symptoms																									
Total:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
784 Symptoms involving head and neck																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
785 Symptoms involving cardiovascular system																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
786 Symptoms involving respiratory system and other chest symptoms																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
787 Symptoms involving digestive system																									
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
789 Other symptoms involving abdomen and pelvis																									
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
797 Senility without mention of psychosis																									
Total:	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	26
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	6
Female:	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
798 Sudden death, cause unknown																								
Total:	104	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	61	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	43	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
799 Other ill-defined and unknown causes of morbidity and mortality																								
Total:	24	1	0	0	0	0	0	0	0	2	2	0	0	1	0	1	2	2	2	0	0	3	8	
Male:	15	1	0	0	0	0	0	0	0	2	1	0	0	1	0	2	1	2	0	0	2	3	3	
Female:	9	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	1	0	1	5	
E804 Fall in, on or from railway train																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
E805 Hit by rolling stock																								
Total:	6	0	0	0	0	0	0	0	2	2	1	0	1	0	0	0	0	0	0	0	0	0	0	
Male:	6	0	0	0	0	0	0	2	2	2	1	0	1	0	0	0	0	0	0	0	0	0	0	
E810 Motor vehicle traffic accident involving collision with train																								
Total:	18	0	0	0	0	0	0	0	4	1	1	4	1	2	1	0	0	2	1	0	2	1	0	0
Male:	12	0	0	0	0	0	0	3	1	0	4	0	0	1	0	0	1	1	1	1	1	1	0	0
Female:	6	0	0	0	0	0	0	1	0	1	0	1	2	0	0	0	0	1	0	0	0	0	0	0
E812 Motor vehicle traffic accident involving collision with another motor vehicle																								
Total:	216	6	1	0	0	1	3	5	41	35	22	14	11	6	15	10	8	9	6	5	10	5	3	
Male:	147	3	0	0	0	1	1	5	29	26	14	11	8	2	11	5	7	6	3	4	7	2	2	
Female:	69	3	1	0	0	2	2	0	12	9	8	3	3	4	4	5	1	3	3	1	3	3	1	
E813 Motor vehicle traffic accident involving collision with other vehicle																								
Total:	14	0	0	0	0	0	1	4	2	2	0	1	0	0	0	0	2	1	1	0	0	0	0	
Male:	11	0	0	0	0	0	1	2	2	2	0	1	0	0	0	0	1	1	1	0	0	0	0	
Female:	3	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
E814 Motor vehicle traffic accident involving collision with pedestrian																								
Total:	66	0	0	1	2	2	1	8	7	5	4	2	3	3	3	2	3	3	4	3	4	4	2	
Male:	41	0	0	1	1	1	0	3	7	5	3	1	2	2	1	2	3	3	1	2	1	2	1	
Female:	25	0	0	1	1	1	1	5	0	0	1	1	1	1	2	0	0	0	3	1	3	2	1	
E815 Other motor vehicle traffic accident involving collision on the highway																								
Total:	101	0	0	0	0	0	3	1	27	19	18	7	10	4	2	4	1	1	2	0	0	1	1	
Male:	77	0	0	0	0	0	2	0	20	14	14	6	9	3	0	3	1	1	2	0	0	1	1	
Female:	24	0	0	0	0	0	1	1	7	5	4	1	1	1	2	1	0	0	0	0	0	0	0	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E816 Motor vehicle traffic accident due to loss of control, without collision on the highway																								
Total:	95	0	1	0	0	1	1	4	22	14	14	8	6	6	4	1	3	3	2	2	2	2	1	0
Male:	69	0	1	0	0	1	1	15	12	12	7	4	5	2	2	0	2	3	1	0	1	1	1	0
Female:	26	0	0	0	0	0	3	7	7	2	1	2	1	2	2	1	1	0	1	2	1	1	0	0
E817 Non-collision motor vehicle traffic accident while boarding or alighting																								
Total:	5	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	1	1
Male:	4	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
E818 Other non-collision motor vehicle traffic accident																								
Total:	5	0	0	0	0	0	0	0	0	1	2	1	0	0	0	1	0	0	0	0	0	0	0	0
Male:	4	0	0	0	0	0	0	0	0	1	1	1	0	0	0	1	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E821 Nontraffic accident involving other off-road motor vehicle																								
Total:	3	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	0	0	0
E822 Other motor vehicle nontraffic accident involving collision with moving object																								
Total:	3	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
E823 Other motor vehicle nontraffic accident involving collision with stationary object																								
Total:	2	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
E824 Other motor vehicle nontraffic accident while boarding and alighting																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
E825 Other motor vehicle nontraffic accident of other and unspecified nature																								
Total:	8	0	0	0	0	0	1	2	2	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0
Male:	8	0	0	0	0	0	1	2	2	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0
E826 Pedal cycle accident																								
Total:	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0
Male:	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
E828 Accident involving animal being ridden																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E829 Other road vehicle accidents																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
E830 Accident to watercraft causing submersion																								
Total:	27	0	0	0	0	0	0	0	2	6	3	5	1	1	2	3	3	0	1	0	0	0	0	0
Male:	24	0	0	0	0	0	0	0	2	5	3	4	1	1	2	3	3	0	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0
E832 Other accidental submersion or drowning in water transport accident																								
Total:	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	0	0	1	0	0	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	0	0	1	0	0	0	0
E835 Other and unspecified fall in water transport																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E836 Machinery accident in water transport																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E838 Other and unspecified water transport accident																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E841 Accident to powered aircraft, other and unspecified																								
Total:	16	0	0	0	0	0	0	0	1	0	4	0	3	0	5	1	1	0	0	1	0	0	0	0
Male:	14	0	0	0	0	0	0	0	1	0	2	0	3	0	5	1	1	0	0	1	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
E844 Other specified air transport accident																								
Total:	3	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0
E850 Accidental poisoning by analgesics, antipyretics, and antirheumatics																								
Total:	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
E854 Accidental poisoning by other psychotropic agents																								
Total:	7	0	0	0	1	0	0	0	0	0	0	0	1	1	4	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	6	0	0	0	1	0	0	0	0	0	0	0	1	4	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E855 Accidental poisoning by other drugs acting on central and autonomic nervous system																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E857 Accidental poisoning by other anti-infectives																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
E860 Accidental poisoning by alcohol, not elsewhere classified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E862 Accidental poisoning by petroleum products, other solvents and their vapours, not elsewhere specified																								
Total:	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Female:	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E863 Accidental poisoning by agricultural and horticultural chemical preparations																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
E868 Accidental poisoning by other utility gas and other carbon monoxide																								
Total:	8	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0
Male:	7	0	0	0	0	0	1	0	0	0	1	0	0	0	0	3	0	0	0	0	0	0	1	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E869 Accidental poisoning by other gases and vapours																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
E870 Accidental cut, puncture, perforation or haemorrhage during care																								
Total:	5	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0
Male:	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
E874 Mechanical failure of instrument or apparatus during procedure																								
Total:	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E880 Fall on or from stairs or steps																								
Total:	9	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	1	1	1	1	1
Male:	6	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	1	0	1	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																								
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+			
E881																										
Fall on or from ladders or scaffolding																										
Total:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	2	1	
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
E882																										
Fall from or out of building or other structure																										
Total:	10	0	0	0	0	0	0	0	2	1	1	0	1	0	1	1	0	0	0	0	0	0	0	0	1	1
Male:	9	0	0	0	0	0	0	0	1	1	1	0	1	0	1	1	0	0	0	0	0	0	0	0	1	1
Female:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E883																										
Fall into hole or other opening in surface																										
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
E884																										
Other fall from one level to another																										
Total:	55	0	0	0	0	0	0	0	2	3	3	2	0	1	2	1	1	0	2	5	3	10	3	10	20	
Male:	29	0	0	0	0	0	0	0	1	2	2	2	0	1	2	1	1	0	2	3	5	13	3	13	28	
Female:	26	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	2	2	7	7	7	12	
E885																										
Fall on same level from slipping, tripping or stumbling																										
Total:	49	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	5	8	7	7	27		
Male:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	2	7	27		
Female:	32	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3	3	5	20			
E886																										
Fall on same level from collision, pushing or shoving by other person																										
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
E887																										
Fracture, cause unspecified																										
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	10	
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	7	
E888																										
Other and unspecified fall																										
Total:	120	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	1	2	9	13	27	27	60		
Male:	47	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	1	1	4	4	8	8	23		
Female:	73	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	5	9	19	19	37		
E890																										
Conflagration in private dwelling																										
Total:	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
Male:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E891	Conflagration in other and unspecified building or structure																							
	Total:	5	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	Male:	4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
E892	Conflagration not in building or structure																							
	Total:	3	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Male:	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E894	Ignition of highly inflammable material																							
	Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E895	Accident caused by controlled fire in private dwelling																							
	Total:	3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	Male:	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E901	Excessive cold																							
	Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
E904	Hunger, thirst, exposure, neglect																							
	Total:	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	Female:	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
E905	Venomous animals and plants as the cause of poisoning and toxic reactions																							
	Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E906	Other injury caused by animals																							
	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
E908	Cataclysmic storms, and floods resulting from storms																							
	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E909	Cataclysmic earth surface movements and eruptions																							
	Total:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E910 Accidental drowning and submersion																								
Total:	60	3	4	3	3	1	4	1	5	9	5	5	4	1	2	3	1	1	1	2	2	0	0	0
Male:	40	2	3	2	2	1	1	0	4	7	5	4	3	1	1	1	1	0	0	1	1	0	0	0
Female:	20	1	1	1	1	0	3	1	1	2	0	1	1	0	2	0	0	1	1	1	1	0	0	0
E911 Obstruction of respiratory tract or suffocation from inhaled or ingested food																								
Total:	18	4	0	0	0	0	0	0	1	0	1	0	0	0	2	0	1	0	3	1	1	1	3	3
Male:	11	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	1	0	1	0	0
Female:	7	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1	0	3	3
E912 Obstruction of respiratory tract or suffocation caused by an inhaled or ingested object																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
E913 Accidental mechanical suffocation																								
Total:	12	7	2	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	9	5	1	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E916 Struck accidentally by falling object																								
Total:	7	0	1	0	0	0	0	0	0	1	1	2	0	1	0	0	1	0	0	0	0	0	0	0
Male:	7	0	1	0	0	0	0	0	0	1	1	2	0	1	0	0	1	0	0	0	0	0	0	0
E917 Striking against or struck accidentally by objects or persons																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	1	1
Male:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
E919 Accidents caused by machinery																								
Total:	14	0	0	0	0	0	0	0	0	1	1	0	0	3	5	0	1	0	0	1	0	1	1	1
Male:	14	0	0	0	0	0	0	0	0	1	1	0	0	3	5	0	1	0	0	1	0	1	1	1
E920 Accidents caused by cutting and piercing instruments or objects																								
Total:	4	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2
Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
E922 Accident caused by firearm missile																								
Total:	6	0	0	0	0	0	0	1	1	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0
Male:	6	0	0	0	0	0	0	1	1	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0
E923 Accident caused by explosive material																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E924 Accident caused by hot object, caustic or corrosive material and steam																								
Total:	3	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
E925 Accident caused by electric current																								
Total:	5	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0	1	0	0	0	0	0	0
Male:	5	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0	1	0	0	0	0	0	0
E928 Other and unspecified environmental and accidental causes																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
E929 Late effects of accidental injury																								
Total:	17	0	0	0	0	0	0	0	0	0	0	2	1	2	2	1	1	0	0	1	0	1	3	3
Male:	10	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1	1	0	0	1	0	1	1	0
Female:	7	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2	2	3
E950 Suicide and self-inflicted poisoning by solid or liquid substances																								
Total:	59	0	0	0	0	0	0	1	8	6	2	5	5	6	3	2	3	4	5	4	2	3	0	0
Male:	30	0	0	0	0	0	0	0	3	3	1	2	3	3	1	1	1	3	4	2	1	2	0	0
Female:	29	0	0	0	0	0	0	1	5	3	1	3	2	3	2	1	2	1	1	2	1	1	0	0
E951 Suicide and self-inflicted poisoning by gases in domestic use																								
Total:	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
E952 Suicide and self-inflicted poisoning by other gases and vapours																								
Total:	155	0	0	0	0	0	0	0	7	19	25	21	18	13	16	11	8	4	5	7	1	0	0	0
Male:	124	0	0	0	0	0	0	0	3	12	21	16	17	12	11	9	8	4	5	6	0	0	0	0
Female:	31	0	0	0	0	0	0	0	4	7	4	5	1	1	5	2	0	0	0	1	1	0	0	
E953 Suicide and self-inflicted injury by hanging, strangulation and suffocation																								
Total:	230	0	0	0	0	0	0	6	37	51	33	30	16	8	12	7	8	3	7	4	2	5	1	1
Male:	189	0	0	0	0	0	0	3	26	45	29	27	13	6	9	5	8	3	6	2	2	4	1	1
Female:	41	0	0	0	0	0	0	3	11	6	4	3	3	2	3	2	0	0	1	2	0	1	0	0
E954 Suicide and self-inflicted injury by submersion (drowning)																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	1	1	1	2	2
Male:	8	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1	0	1	2	2
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E955 Suicide and self-inflicted injury by firearms and explosives																								
Total:	47	0	0	0	0	0	0	4	4	4	9	7	3	2	3	2	3	1	2	3	1	1	2	
Male:	46	0	0	0	0	0	0	4	4	4	9	6	3	2	3	2	3	1	2	3	1	1	2	
Female:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
E956 Suicide and self-inflicted injury by cutting and piercing instrument																								
Total:	7	0	0	0	0	0	0	0	0	0	1	1	1	0	2	2	0	0	0	0	0	0	0	
Male:	5	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	0	0	0	0	0	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
E957 Suicide and self-inflicted injuries by jumping from high place																								
Total:	12	0	0	0	0	0	0	3	0	2	2	3	1	1	0	1	0	0	0	0	1	0	0	
Male:	11	0	0	0	0	0	0	2	0	2	2	3	1	1	0	1	0	0	0	0	1	0	0	
Female:	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
E958 Suicide and self-inflicted injury by other and unspecified means																								
Total:	17	0	0	0	0	0	0	0	0	4	0	2	3	1	1	0	0	1	1	3	0	0	1	
Male:	13	0	0	0	0	0	0	0	0	3	0	2	2	0	1	0	0	1	1	2	0	0	1	
Female:	4	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	0	1	0	0	0	
E960 Fight, brawl, rape																								
Total:	8	0	0	0	0	0	0	3	0	1	1	1	1	1	0	0	0	0	0	1	0	0	0	
Male:	8	0	0	0	0	0	0	3	0	1	1	1	1	1	0	0	0	0	0	1	0	0	0	
E962 Assault by poisoning																								
Total:	3	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
E963 Assault by hanging and strangulation																								
Total:	5	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	1	1	0	0	0	
Female:	5	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	1	1	0	0	0	
E965 Assault by firearms and explosives																								
Total:	9	0	0	0	0	0	0	0	0	1	5	2	1	0	0	0	0	0	0	0	0	0	0	
Male:	8	0	0	0	0	0	0	0	0	1	4	2	1	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
E966 Assault by cutting and piercing instrument																								
Total:	18	0	0	0	0	0	0	4	1	3	3	3	2	1	2	0	1	1	0	0	0	0	0	
Male:	12	0	0	0	0	0	0	3	0	2	3	1	0	2	0	1	0	0	0	0	0	0	0	
Female:	6	0	0	0	0	0	0	1	1	1	0	1	1	0	0	0	0	1	0	0	0	0	0	

Table 5 (continued): Causes of death: individual 3-digit codes by age and sex, total population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E967 Child battering and other maltreatment																								
Total:	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	4	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E968 Assault by other and unspecified means																								
Total:	21	0	0	0	0	0	0	3	4	3	0	0	2	1	3	1	1	1	0	1	0	0	2	2
Male:	14	0	0	0	0	0	1	1	1	2	0	0	2	1	2	1	1	1	0	1	0	0	2	2
Female:	7	0	0	0	0	0	2	3	3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
E970 Injury due to legal intervention by firearms																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
E980 Poisoning by solid or liquid substances undetermined whether accidental or on purpose																								
Total:	8	0	0	0	0	0	1	2	0	1	0	1	0	1	0	2	0	0	0	0	0	0	1	1
Male:	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	6	0	0	0	0	0	1	1	0	1	0	1	0	1	0	2	0	0	0	0	0	0	0	0
E983 Hanging, strangulation or suffocation, undetermined whether accidental or on purpose																								
Total:	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E984 Submersion (drowning), undetermined whether accidental or on purpose																								
Total:	6	0	0	0	0	0	1	1	1	1	0	0	0	0	1	0	1	0	0	0	0	0	1	0
Male:	5	0	0	0	0	0	1	1	1	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
E985 Injury by firearms and explosives, undetermined whether accidental or on purpose																								
Total:	2	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
E987 Injury from falling from high place, undetermined whether accidental or on purpose																								
Total:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E988 Injury by other and unspecified means, undetermined whether accidental or on purpose																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E999 Late effects of injury due to war operations																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

Table 5a: Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
Total deaths		184	16	8	3	5	9	22	67	66	75	84	90	84	151	188	242	318	313	254	179	149	123
Male:	1462	97	9	3	2	2	5	9	44	52	51	58	57	50	77	117	139	182	168	132	88	70	50
Female:	1168	87	7	5	1	3	4	13	23	14	24	26	33	34	74	71	103	136	145	122	91	79	73
011 Pulmonary tuberculosis																							
Total:	6	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2	2	1	1	1	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0
015 Tuberculosis of bones and joints																							
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
031 Diseases due to other mycobacteria																							
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
033 Whooping cough																							
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
036 Meningococcal infection																							
Total:	7	2	2	1	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Male:	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	5	1	2	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
038 Septicaemia																							
Total:	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	2	0	0
Male:	4	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	2	0	0
042 Human immunodeficiency virus disease																							
Total:	4	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0	0	0	0	0
Male:	4	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	0	0	0	0	0
070 Viral hepatitis																							
Total:	5	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0	1	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0
117 Other mycoses																							
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
137 Late effects of tuberculosis																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	0	0	0	0
138 Late effects of acute poliomyelitis																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
141 Malignant neoplasm of tongue																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
143 Malignant neoplasm of gum																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
147 Malignant neoplasm of nasopharynx																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	1	0	0	0
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	1	0	0	0
148 Malignant neoplasm of hypopharynx																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
150 Malignant neoplasm of oesophagus																								
Total:	13	0	0	0	0	0	0	0	0	0	0	1	5	4	2	0	1	5	3	0	1	0	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	4	4	2	0	0	2	1	0	1	0	0	0
Female:	7	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	3	2	0	0	0	0	0	0
151 Malignant neoplasm of stomach																								
Total:	54	0	0	0	0	0	0	0	0	1	1	5	4	5	7	8	3	4	6	4	2	4	2	4
Male:	35	0	0	0	0	0	0	0	0	0	0	4	4	5	5	6	2	2	3	1	1	2	2	
Female:	19	0	0	0	0	0	0	0	0	1	1	1	1	0	2	2	2	2	3	3	3	2	2	
152 Malignant neoplasm of small intestine, including duodenum																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	
153 Malignant neoplasm of colon																								
Total:	24	0	0	0	0	0	0	0	1	0	0	1	0	1	4	4	2	7	2	2	0	0	0	
Male:	11	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	4	1	2	0	0	0	0	
Female:	13	0	0	0	0	0	0	0	0	0	0	1	0	3	3	3	3	3	1	0	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
154 Malignant neoplasm of rectum, rectosigmoid junction and anus																								
Total:	18	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	1	3	0	5	1	2	0	
Male:	15	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	3	0	3	1	2	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	
155 Malignant neoplasm of liver and intrahepatic bile ducts																								
Total:	16	0	0	0	0	0	0	0	0	0	2	1	0	2	4	3	3	1	1	2	0	0	0	
Male:	13	0	0	0	0	0	0	0	0	0	1	1	0	2	3	3	1	1	1	1	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	0	0	0	
156 Malignant neoplasm of gallbladder and extrahepatic bile ducts																								
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	1	0	1	0	1	1	
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	1	0	1	1	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	
157 Malignant neoplasm of pancreas																								
Total:	24	0	0	0	0	0	0	0	0	0	2	2	2	2	3	0	1	1	5	6	1	1	0	
Male:	9	0	0	0	0	0	0	0	0	0	2	2	1	1	0	0	0	1	1	1	1	0	0	
Female:	15	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	1	4	5	0	0	1	0	
158 Malignant neoplasm of retroperitoneum and peritoneum																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
159 Malignant neoplasm of other sites within the digestive organs and peritoneum																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	1	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	
161 Malignant neoplasm of larynx																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
162 Malignant neoplasm of trachea, bronchus and lung																								
Total:	202	0	0	0	0	0	0	0	0	0	1	3	2	8	19	24	24	45	45	32	14	6	3	
Male:	116	0	0	0	0	0	0	0	0	0	0	2	1	5	8	15	25	24	24	9	2	1	1	
Female:	86	0	0	0	0	0	0	0	0	0	1	1	3	3	11	9	20	21	8	5	4	2	2	
163 Malignant neoplasm of pleura																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
164 Malignant neoplasm of thymus, heart and mediastinum																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
170 Malignant neoplasm of bone and articular cartilage																								
Total:	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
171 Malignant neoplasm of connective and other soft tissue																								
Total:	6	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0	0	0	0	1	0	0
Male:	4	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
172 Malignant melanoma of skin																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
174 Malignant neoplasm of female breast																								
Total:	57	0	0	0	0	0	0	0	0	0	4	5	4	5	4	13	7	8	4	4	2	2	3	1
Female:	57	0	0	0	0	0	0	0	0	0	4	5	4	5	4	13	7	8	4	4	2	2	3	1
179 Malignant neoplasm of uterus, part unspecified																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
180 Malignant neoplasm of cervix uteri																								
Total:	22	0	0	0	0	0	0	0	1	0	1	0	4	2	4	3	2	0	2	2	1	1	0	0
Female:	22	0	0	0	0	0	0	0	1	0	1	0	4	2	4	3	2	0	2	2	1	1	0	0
182 Malignant neoplasm of body of uterus																								
Total:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	1	1	1
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	1	1	1
183 Malignant neoplasm of ovary and other uterine adnexa																								
Total:	13	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	2	5	2	0	1	0	0	0
Female:	13	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	2	5	2	0	1	0	0	0
184 Malignant neoplasm of other and unspecified female genital organs																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
185 Malignant neoplasm of prostate																								
Total:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	1	6	1	4	0	0
Male:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	1	6	1	4	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
186 Malignant neoplasm of testis																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
188 Malignant neoplasm of bladder																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	2	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	0	0
189 Malignant neoplasm of kidney and other and unspecified urinary organs																								
Total:	10	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	0	0	1	3	0	0	0	0
Male:	8	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	0	0	1	2	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
191 Malignant neoplasm of brain																								
Total:	21	0	1	0	0	0	0	1	2	1	0	3	1	0	3	1	1	2	2	1	1	1	1	0
Male:	9	0	0	0	0	0	0	1	0	0	0	2	1	0	2	1	0	2	1	0	0	0	0	0
Female:	12	0	1	0	0	0	1	1	1	1	0	1	0	1	0	1	1	0	1	1	1	1	1	0
193 Malignant neoplasm of thyroid gland																								
Total:	6	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	0	0	1	0	1	1
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1	0	1	1
194 Malignant neoplasm of other endocrine glands and related structures																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
195 Malignant neoplasm of other and ill-defined sites																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
199 Malignant neoplasm, site not specified																								
Total:	39	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	2	13	4	8	2	1	3	3
Male:	21	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	8	1	5	2	2	0	2	2
Female:	18	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	5	3	3	0	0	1	1	1
201 Hodgkin's disease																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0
202 Other malignant neoplasm of lymphoid and histiocytic tissue																								
Total:	13	0	1	0	0	0	1	0	0	0	1	0	0	0	2	1	2	2	1	1	1	1	1	0
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	0	0	0	0	0	0
Female:	8	0	1	0	0	0	1	0	0	0	1	0	0	0	1	1	0	0	1	1	1	1	1	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
203 Multiple myeloma and immunoproliferative neoplasms																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
204 Lymphoid leukaemia																								
Total:	10	0	0	0	0	0	3	1	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	
Male:	6	0	0	0	0	0	3	1	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	
Female:	4	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
205 Myeloid leukaemia																								
Total:	13	0	0	0	0	0	0	0	0	1	2	0	0	0	0	1	4	1	1	2	1	0	0	
Male:	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	0	0	1	0	0	
Female:	8	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2	1	1	2	0	0	0	
208 Leukaemia of unspecified cell type																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	
215 Other benign neoplasm of connective and soft tissue																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
225 Benign neoplasm of brain and other parts of nervous system																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	
238 Neoplasm of uncertain behaviour of other and unspecified sites and tissues																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	
239 Neoplasm of unspecified nature																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
241 Non-toxic nodular goitre																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
250 Diabetes mellitus																								
Total:	132	0	0	0	0	0	0	0	1	0	1	0	3	2	3	10	25	28	21	21	13	3	1	
Male:	64	0	0	0	0	0	0	0	0	0	0	2	1	1	5	13	16	7	11	6	2	0		
Female:	68	0	0	0	0	0	0	0	1	0	1	0	1	2	5	12	12	14	10	7	1	1		

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
253 Disorders of the pituitary gland and its hypothalamic control																								
Total:	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
272 Disorders of lipid metabolism																								
Total:	7	1	0	0	0	0	0	0	0	0	0	0	2	0	0	1	3	0	0	0	0	0	0	
Male:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	
Female:	4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	0	0	0	
273 Disorders of plasma protein metabolism																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	
274 Gout																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
276 Disorders of fluid, electrolyte and acid-base balance																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	
278 Obesity and other hyperalimentation																								
Total:	16	0	0	0	0	0	0	0	1	0	1	2	2	2	3	1	3	1	1	0	1	0	0	
Male:	6	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2	0	1	0	1	0	1	0	
Female:	10	0	0	0	0	0	0	0	0	0	1	2	2	2	2	1	1	0	0	0	0	0	0	
279 Disorders involving the immune mechanism																								
Total:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
284 Aplastic anaemia																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
285 Other and unspecified anaemias																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	
286 Coagulation defects																								
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
288 Diseases of white blood cells																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
290 Senile and presenile organic psychotic conditions																								
Total:	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	4	1	
Male:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	0	
294 Other organic psychotic conditions (chronic)																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
303 Alcohol dependence syndrome																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
304 Drug dependence																								
Total:	6	0	0	0	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	0	0	0	0	
Male:	3	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	
305 Nondependent drug use disorder																								
Total:	11	0	0	0	0	0	0	0	1	2	1	2	1	2	0	3	1	0	0	0	0	0	0	
Male:	6	0	0	0	0	0	0	0	0	2	1	1	1	0	2	0	0	0	0	0	0	0	0	
Female:	5	0	0	0	0	0	0	1	1	0	0	1	0	1	1	0	1	0	0	0	0	0	0	
330 Cerebral degenerations usually manifest in childhood																								
Total:	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
331 Other cerebral degenerations																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
332 Parkinson's disease																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
334 Spinocerebellar disease																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
335 Anterior horn cell disease	4	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
Total:	4	1	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
Female:	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
343 Infantile cerebral palsy	4	0	0	0	1	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	4	0	0	0	1	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
345 Epilepsy	14	0	1	1	0	0	0	1	0	0	3	3	3	2	0	0	0	0	0	0	0	0	0	0
Total:	14	0	1	1	0	0	0	1	0	0	3	3	3	2	0	0	0	0	0	0	0	0	0	0
Male:	9	0	1	0	0	0	0	0	0	0	1	3	2	2	0	0	0	0	0	0	0	0	0	0
Female:	5	0	0	1	0	0	1	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0
348 Other conditions of brain	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
357 Inflammatory and toxic neuropathy	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
359 Muscular dystrophies and other myopathies	3	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Total:	3	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
382 Suppurative and unspecified otitis media	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
391 Rheumatic fever with heart involvement	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
394 Diseases of mitral valve	13	0	0	0	0	0	0	0	0	1	0	1	1	3	3	0	1	1	1	0	1	0	0	0
Total:	13	0	0	0	0	0	0	0	0	1	0	1	1	3	3	0	1	1	1	0	1	0	0	0
Male:	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	1	0	0	0
Female:	9	0	0	0	0	0	0	0	0	1	0	0	1	2	2	0	1	1	1	0	0	0	0	0
395 Diseases of aortic valve	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
396 Diseases of mitral and aortic valves																								
Total:	12	0	0	0	0	0	0	0	1	0	1	1	0	0	3	1	0	1	2	1	0	1	0	0
Male:	8	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0	0	1	2	1	0	0	0	0
Female:	4	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0	0	0	0	0	1	0	0
398 Other rheumatic heart disease																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
401 Essential hypertension																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	0	1	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
402 Hypertensive heart disease																								
Total:	22	0	0	0	0	0	0	0	0	0	0	1	1	1	2	2	4	2	0	4	1	1	3	0
Male:	14	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	3	2	0	2	0	1	0	0
Female:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1	0	3	0
403 Hypertensive renal disease																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	1	0	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
404 Hypertensive heart and renal disease																								
Total:	11	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	3	0	1	2	0	0
Male:	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3	0	1	0	0	0
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	2	0	0
410 Acute myocardial infarction																								
Total:	269	0	0	0	0	0	0	0	0	1	0	5	10	6	24	35	43	47	43	23	19	13	13	0
Male:	162	0	0	0	0	0	0	0	0	0	0	4	7	5	17	27	29	34	15	9	10	5	5	0
Female:	107	0	0	0	0	0	0	0	0	1	0	1	3	1	7	8	14	13	28	14	9	8	8	0
411 Other acute and subacute forms of ischaemic heart disease																								
Total:	20	0	0	0	0	0	0	0	0	0	0	0	1	6	4	1	2	4	0	1	1	0	0	0
Male:	11	0	0	0	0	0	0	0	0	0	0	0	1	2	3	0	2	3	0	0	0	0	0	0
Female:	9	0	0	0	0	0	0	0	0	0	0	0	0	4	1	1	1	1	0	1	1	0	0	0
414 Other forms of chronic ischaemic heart disease																								
Total:	226	0	0	0	0	0	0	1	0	0	3	7	6	14	23	24	40	29	22	22	17	18	18	0
Male:	143	0	0	0	0	0	0	1	0	0	2	7	6	10	20	15	25	16	9	13	11	8	8	0
Female:	83	0	0	0	0	0	0	0	0	0	1	0	0	4	3	9	15	13	13	9	6	10	10	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																					
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+
415 Acute pulmonary heart disease		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	4																						
Male:	2																						
Female:	2																						
416 Chronic pulmonary heart disease		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	5																						
Male:	1																						
Female:	4																						
421 Acute and sub-acute endocarditis		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	2																						
Male:	2																						
422 Acute myocarditis		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	4																						
Male:	2																						
Female:	2																						
424 Other diseases of endocardium		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	22																						
Male:	12																						
Female:	10																						
425 Cardiomyopathy		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	57																						
Male:	44																						
Female:	13																						
427 Cardiac dysrhythmias		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	22																						
Male:	10																						
Female:	12																						
428 Heart failure		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	36																						
Male:	15																						
Female:	21																						
429 Ill-defined descriptions and complications of heart disease		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	6																						
Male:	3																						
Female:	3																						

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
430 Subarachnoid haemorrhage	15	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	2	2	1	0	0	0	0	1
Total:	15	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	2	2	1	0	0	0	0	1
Male:	9	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	1	1	0	0	0	0	0	0
Female:	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	1	1	0	0	0	1
431 Intracerebral haemorrhage	18	0	0	0	0	0	0	0	0	0	0	1	0	1	2	4	0	4	3	1	1	1	0	1
Total:	18	0	0	0	0	0	0	0	0	0	0	1	0	1	2	4	0	4	3	1	1	1	0	1
Male:	8	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	3	2	0	0	0	0	0
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	1	1	1	1	1	0	1
432 Other and unspecified intracranial haemorrhage	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
433 Occlusion and stenosis of precerebral arteries	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
434 Occlusion of cerebral arteries	14	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	3	0	1	3	1	0	0
Total:	14	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	3	0	1	3	1	0	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0
Female:	11	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	2	0	1	3	0	0	0
435 Transient cerebral ischaemia	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
436 Acute ill-defined cerebrovascular disease	57	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	7	7	8	10	12	8	8
Total:	57	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	7	7	8	10	12	8	8
Male:	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	2	5	6	3	3	3
Female:	31	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	5	3	4	9	5	5
438 Late effects of cerebrovascular disease	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	3	0	0
Total:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	3	0	0
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	2	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
440 Atherosclerosis	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
441 Aortic aneurysm and dissection																								
Total:	39	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	6	8	6	4	2	5	4	
Male:	17	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1	3	2	2	3	1	
Female:	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	7	3	2	0	2	3	
443 Other peripheral vascular disease																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
466 Acute bronchitis and bronchiolitis																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
480 Pneumococcal pneumonia																								
Total:	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	1	0	1	
Male:	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
482 Other bacterial pneumonia																								
Total:	7	5	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	
Male:	3	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	4	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
485 Bronchopneumonia, organism unspecified																								
Total:	19	2	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	0	2	3	1	7	
Male:	12	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	1	2	1	4	
Female:	7	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	3	
486 Pneumonia, organism unspecified																								
Total:	14	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	4	2	5	
Male:	10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	2	5	
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	
487 Influenza																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
491 Chronic bronchitis																								
Total:	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	
Male:	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
492 Emphysema	22	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	3	4	6	2	1	1	0	0
Total:	22	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	3	4	6	2	1	1	0	0
Male:	13	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	2	4	1	1	0	0	0
Female:	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	2	1	0	1	0	0
493 Asthma	25	1	0	0	0	0	0	0	1	0	0	1	1	3	2	0	1	2	5	2	2	4	0	0
Total:	25	1	0	0	0	0	0	0	1	0	0	1	1	3	2	0	1	2	5	2	2	4	0	0
Male:	13	1	0	0	0	0	0	0	1	0	0	1	1	1	0	0	1	1	3	1	1	1	0	0
Female:	12	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	2	1	1	3	0	0
494 Bronchiectasis	18	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	4	4	2	2	1	0	1	0
Total:	18	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	4	4	2	2	1	0	1	0
Male:	8	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	1	1	1	0	0	0
Female:	10	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	3	1	1	0	0	1	0
495 Extrinsic allergic alveolitis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
496 Chronic airway obstruction, not elsewhere classified	88	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	6	10	20	13	11	13	9	9
Total:	88	0	0	0	0	0	0	0	0	0	0	0	0	0	4	2	6	10	20	13	11	13	9	9
Male:	48	0	0	0	0	0	0	0	0	0	0	0	0	3	1	4	5	10	8	4	6	7	7	7
Female:	40	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	5	10	10	7	7	2	2	2
507 Pneumonitis due to solids and liquids	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
514 Pulmonary congestion and hypostasis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
515 Postinflammatory pulmonary fibrosis	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
516 Other alveolar and parietoalveolar pneumonopathy	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
519 Other diseases of respiratory system	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
521 Diseases of hard tissues of teeth																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
530 Diseases of oesophagus																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
531 Gastric ulcer																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
532 Duodenal ulcer																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
533 Peptic ulcer, site unspecified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
540 Acute appendicitis																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
557 Vascular insufficiency of intestine																								
Total:	6	1	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	1	0	0	1	0	0	0
Male:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0
560 Intestinal obstruction without mention of hernia																								
Total:	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
569 Other disorders of intestine																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
570 Acute and subacute necrosis of liver																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
571 Chronic liver disease and cirrhosis																								
Total:	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	1	1	0	0	1	2	0
Male:	8	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	1	1	0	0	1	1	0	
Female:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	1	0	
574 Cholelithiasis																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	
575 Other disorders of gallbladder																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
576 Other disorders of biliary tract																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
577 Diseases of pancreas																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	
578 Gastrointestinal haemorrhage																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
581 Nephrotic syndrome																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
582 Chronic glomerulonephritis																								
Total:	4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0	0	0	
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
Female:	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	
583 Nephritis and nephropathy not specified as acute or chronic																								
Total:	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
Female:	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
584 Acute renal failure	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
585 Chronic renal failure and impairment	15	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	2	1	1	3	3	2	2
Total:	8	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	1	2	1	1	1
Male:	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	1	2	1	1
Female:	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	2	1
586 Renal failure, unspecified	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3	2	2	2
Total:	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0	0
Male:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0
Female:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2
590 Infections of kidney	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Female:	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
592 Calculus of kidney and ureter	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
599 Other disorders of urethra and urinary tract	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1	1
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Male:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0
Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0
620 Noninflammatory disorders of ovary, fallopian tube and broad ligament	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
646 Other complications of pregnancy, not elsewhere classified	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
674 Other and unspecified complications of the puerperium, not elsewhere classified	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
682 Other cellulitis and abscess	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
707 Chronic ulcer of skin																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
710 Diffuse diseases of connective tissue																								
Total:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
711 Arthropathy associated with infections																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
715 Osteoarthritis and allied disorders																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Female:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
728 Disorders of muscle, ligament and fascia																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
730 Osteomyelitis, periostitis and other infections involving bone																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
740 Anencephalus and similar anomalies																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
741 Spina bifida																								
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
742 Other congenital anomalies of nervous system																								
Total:	6	4	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	4	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
745 Bulbus cordis anomalies and anomalies of cardiac septal closure																								
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
746 Other congenital anomalies of heart																								
Total:	4	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Female:	2	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
747 Other congenital anomalies of circulatory system																								
Total:	3	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	2	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
748 Congenital anomalies of respiratory system																								
Total:	5	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
750 Other congenital anomalies of upper alimentary tract																								
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
753 Congenital anomalies of urinary system																								
Total:	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
758 Chromosomal anomalies																								
Total:	8	7	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	6	5	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
759 Other and unspecified congenital anomalies																								
Total:	4	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
764 Slow fetal growth and fetal malnutrition																								
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
765 Disorders relating to short gestation and unspecified low birthweight																								
Total:	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	12	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female:	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
767 Birth trauma	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
768 Intrauterine hypoxia and birth asphyxia	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
769 Respiratory distress syndrome	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
770 Other respiratory conditions of fetus and newborn	5	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	5	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	4	3	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
772 Fetal and neonatal haemorrhage	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
775 Endocrine and metabolic disturbances of fetus and newborn	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
776 Haematological disorders of fetus and newborn	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
779 Other and ill-defined conditions originating in the perinatal period	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
780 General symptoms	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
797 Senility without mention of psychosis	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
798 Sudden death, cause unknown																								
Total:	68	67	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	39	38	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	29	29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
799 Other ill-defined and unknown causes of morbidity and mortality																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
E805 Hit by rolling stock																								
Total:	5	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	5	0	0	0	0	0	0	0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E810 Motor vehicle traffic accident involving collision with train																								
Total:	3	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E812 Motor vehicle traffic accident involving collision with another motor vehicle																								
Total:	47	4	0	0	0	0	0	2	7	10	5	5	3	1	2	0	0	2	1	1	3	0	1	1
Male:	31	1	0	0	0	0	0	2	5	8	2	4	3	0	2	0	0	1	1	0	2	0	0	0
Female:	16	3	0	0	0	0	0	0	2	2	3	1	0	1	0	0	0	1	0	1	1	0	1	1
E813 Motor vehicle traffic accident involving collision with other vehicle																								
Total:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0
E814 Motor vehicle traffic accident involving collision with pedestrian																								
Total:	20	0	0	1	1	1	3	2	2	2	3	0	0	1	1	1	2	0	0	0	0	0	1	0
Male:	14	0	0	1	0	0	1	2	2	2	2	0	0	1	1	1	2	0	0	0	0	0	0	1
Female:	6	0	0	1	1	1	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E815 Other motor vehicle traffic accident involving collision on the highway																								
Total:	24	0	0	0	0	0	1	0	7	4	3	2	3	2	0	1	0	0	1	0	0	0	0	0
Male:	18	0	0	0	0	0	1	0	4	3	2	2	2	2	0	1	0	0	1	0	0	0	0	0
Female:	6	0	0	0	0	0	0	0	3	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0
E816 Motor vehicle traffic accident due to loss of control, without collision on the highway																								
Total:	32	0	1	0	0	1	3	5	4	7	3	3	3	1	1	0	1	1	0	0	0	0	0	0
Male:	26	0	1	0	0	1	1	4	4	4	5	3	2	1	1	0	1	1	0	0	0	0	0	0
Female:	6	0	0	0	0	0	2	1	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E817 Non-collision motor vehicle traffic accident while boarding or alighting																								
Total:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E818 Other non-collision motor vehicle traffic accident																								
Total:	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E823 Other motor vehicle nontraffic accident involving collision with stationary object																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E825 Other motor vehicle nontraffic accident of other and unspecified nature																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E830 Accident to watercraft causing submersion																								
Total:	4	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0
Male:	4	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	0	0	0	0	0	0	0
E832 Other accidental submersion or drowning in water transport accident																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E841 Accident to powered aircraft, other and unspecified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
E854 Accidental poisoning by other psychotropic agents																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
Female:	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
E862 Accidental poisoning by petroleum products, other solvents and their vapours, not elsewhere specified																								
Total:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
E870 Accidental cut, puncture, perforation or haemorrhage during care																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
E880 Fall on or from stairs or steps																								
Total:	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E881	Fall on or from ladders or scaffolding																							
	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E884	Other fall from one level to another																							
	Total:	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
	Male:	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
E886	Fall on same level from collision, pushing or shoving by other person																							
	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E888	Other and unspecified fall																							
	Total:	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	1	0
	Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0
	Female:	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
E890	Conflagration in private dwelling																							
	Total:	7	0	0	0	0	0	1	0	0	1	2	1	0	0	0	0	1	1	0	0	0	0	0
	Male:	6	0	0	0	0	0	1	0	0	1	2	1	0	0	0	0	1	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
E891	Conflagration in other and unspecified building or structure																							
	Total:	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	Male:	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
E895	Accident caused by controlled fire in private dwelling																							
	Total:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Male:	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E905	Venomous animals and plants as the cause of poisoning and toxic reactions																							
	Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
E910	Accidental drowning and submersion																							
	Total:	21	3	3	1	0	1	2	1	3	2	1	1	1	0	0	0	0	0	0	0	0	0	0
	Male:	16	2	2	1	0	1	0	0	2	2	1	1	1	0	0	0	0	0	0	0	0	0	0
	Female:	5	1	1	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E911	Obstruction of respiratory tract or suffocation from inhaled or ingested food																							
	Total:	4	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Male:	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	Female:	2	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E913 Accidental mechanical suffocation																								
Total:	4	3	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	3	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E917 Striking against or struck accidentally by objects or persons																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
E922 Accident caused by firearm missile																								
Total:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E924 Accident caused by hot object, caustic or corrosive material and steam																								
Total:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E925 Accident caused by electric current																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
E929 Late effects of accidental injury																								
Total:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
E950 Suicide and self-inflicted poisoning by solid or liquid substances																								
Total:	11	0	0	0	0	0	1	1	1	1	0	2	2	0	2	0	1	0	0	0	0	0	0	0
Male:	4	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0
Female:	7	0	0	0	0	0	1	0	1	0	0	2	2	0	1	0	0	0	0	0	0	0	0	0
E952 Suicide and self-inflicted poisoning by other gases and vapours																								
Total:	10	0	0	0	0	0	0	0	2	3	1	1	1	1	1	1	0	0	0	0	0	0	0	0
Male:	9	0	0	0	0	0	0	0	1	3	1	1	1	1	1	1	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E953 Suicide and self-inflicted injury by hanging, strangulation and suffocation																								
Total:	64	0	0	0	0	0	3	16	17	12	11	2	0	0	1	1	1	0	1	0	0	0	0	0
Male:	50	0	0	0	0	0	1	11	15	10	10	1	0	0	0	0	1	0	1	0	0	0	0	0
Female:	14	0	0	0	0	0	2	5	2	2	1	1	0	0	1	1	0	0	0	0	0	0	0	0
E955 Suicide and self-inflicted injury by firearms and explosives																								
Total:	4	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E956 Suicide and self-inflicted injury by cutting and piercing instrument																								
Total:	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Female:	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
E957 Suicide and self-inflicted injuries by jumping from high place																								
Total:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
E958 Suicide and self-inflicted injury by other and unspecified means																								
Total:	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0
E960 Fight, brawl, rape																								
Total:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E963 Assault by hanging and strangulation																								
Total:	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0
Female:	3	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0
E965 Assault by firearms and explosives																								
Total:	3	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	3	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0
E966 Assault by cutting and piercing instrument																								
Total:	10	0	0	0	0	0	0	0	4	1	2	2	1	0	0	0	0	0	0	0	0	0	0	0
Male:	7	0	0	0	0	0	0	0	3	0	1	2	1	0	0	0	0	0	0	0	0	0	0	0
Female:	3	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
E967 Child battering and other maltreatment																								
Total:	4	2	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male:	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Female:	3	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E968 Assault by other and unspecified means																								
Total:	5	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0
Male:	4	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	0
Female:	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E970 Injury due to legal intervention by firearms																								
Total:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
Male:	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0

Table 5a (continued): Causes of death: individual 3-digit codes by age and sex, Māori population, 1996.

Cause of death	Total deaths	Age in years																						
		0-	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85+	
E980 Poisoning by solid or liquid substances undetermined whether accidental or on purpose																								
<i>Total:</i>	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Female:</i>	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
E984 Submersion (drowning), undetermined whether accidental or on purpose																								
<i>Total:</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
<i>Male:</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
E985 Injury by firearms and explosives, undetermined whether accidental or on purpose																								
<i>Total:</i>	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Male:</i>	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Explanatory Notes

1. Deaths

Every death occurring in New Zealand is required to be registered within three days after the day of burial in a city or borough, or seven days in any other case, but the law does not impose any limit of time after which a death may not be registered. The death statistics in this publication relate to registration during the year.

2. Causes of death

The classification of causes of death used throughout this report is the Australian Version of the International Classification of Diseases, 9th Revision (2nd edition), Clinical Modification (World Health Organisation ICD-9-CMA-II). This classification was used for the first time for the 1994 mortality data.

The selection of the cause of death in New Zealand, where more than one cause is entered on a death certificate, is in accordance with the WHO Mortality Rules for Selection of the Underlying Cause of Death. This is largely determined from the statement of the certifying doctor, but reference is also made to all post mortem reports received and cancer registrations. On some occasions, hospital case summaries are compared with the entries on the death certificate. Information is also obtained from letters to certifying doctors, coroners' records, the Land Transport Safety Authority, Water Safety New Zealand and Media Search.

Where the death is due to an external cause such as an accident, it is the external cause and not the resulting injury that is coded as the cause of death. For example, if the death is caused by a head injury as a result of a motor vehicle crash, the motor vehicle crash will be listed as the cause of death. Details of the injury may be recorded as supplementary information.

3. Domicile

In general, deaths are classified according to the usual residence of the deceased. In 1996 the domicile code based on the 1991 Census Area Unit Code was used.

4. Age-specific and age-standardised rates

Age-specific death rates show the number of deaths per 100 000 of the population in each age group for a particular year.

Age-standardised death rates adjust for differences in age distribution of the populations being compared. They are calculated by multiplying age-specific rates by a standard population. The standard population used in these calculations is Segi's world population (see table on next page).

5. Population data 1996

A table showing the 1996 census population of New Zealand is given on the next page. Note that ethnic data in this table is based on prioritised self-identified ethnicity ("mixed ethnicity"), where individuals select up to three ethnic groups that they feel they belong to. Previously, ethnic data has been based on ancestry, with the choice of only one ethnic group ("sole ethnic origin").

6. Segi's world population

Age group	Population	Age group	Population
0-4	12 000	50-54	5 000
5-9	10 000	55-59	4 000
10-14	9 000	60-64	4 000
15-19	9 000	65-69	3 000
20-24	8 000	70-74	2 000
25-29	8 000	75-79	1 000
30-34	6 000	80-84	500
35-39	6 000	85+	500
40-44	6 000	Total	100 000
45-49	6 000		

Source: Waterhouse J, Muir C, Correa P, et al. 1982. Cancer Incidence in Five Continents IV. *Scientific Publications no. 42*. Lyon: IARC.

Census population 1996 of New Zealand by ethnicity, age and sex.

Age	Both sexes total			Males			Females		
	Total	Māori	non-Māori	Total	Māori	non-Māori	Total	Māori	non-Māori
0-1	54 747	14 844	39 903	28 293	7 740	20 553	26 457	7 098	19 359
1-4	224 856	56 823	168 033	115 818	29 388	86 430	109 035	27 429	81 606
5-9	288 297	67 419	220 878	147 720	34 335	113 385	140 571	33 084	107 487
10-14	264 186	57 318	206 868	135 666	29 142	106 524	128 523	28 170	100 353
15-19	262 977	51 714	211 263	133 569	25 692	107 877	129 405	26 025	103 380
20-24	271 764	47 346	224 418	134 835	22 953	111 882	136 923	24 399	112 524
25-29	273 303	43 152	230 151	132 453	20 340	112 113	140 847	22 809	118 038
30-34	293 487	41 994	251 493	142 455	19 821	122 634	151 032	22 170	128 862
35-39	285 207	36 402	248 805	139 296	17 301	121 995	145 920	19 113	126 807
40-44	255 036	28 041	226 995	125 439	13 587	111 852	129 597	14 454	115 143
45-49	241 191	22 344	218 847	120 249	10 950	109 299	120 942	11 394	109 548
50-54	186 717	16 098	170 619	93 351	7 881	85 470	93 366	8 211	85 155
55-59	158 604	13 860	144 744	78 786	6 828	71 958	79 821	7 026	72 795
60-64	135 267	10 185	125 082	67 419	4 974	62 445	67 848	5 202	62 646
65-69	132 969	7 215	125 754	65 187	3 381	61 806	67 791	3 840	63 951
70-74	113 658	4 368	109 290	51 759	1 989	49 770	61 896	2 379	59 517
75-79	82 287	2 322	79 965	33 561	966	32 595	48 729	1 347	47 382
80-84	55 284	1 224	54 060	20 409	477	19 932	34 872	744	34 128
85+	38 457	702	37 755	11 196	240	10 956	27 258	456	26 802
Total	3 618 303	523 374	3 094 929	1 777 461	258 000	1 519 461	1 840 839	265 374	1 575 465

Source: Statistics New Zealand.

Note: Owing to rounding, individual figures in this table do not always sum to give stated totals.

7. Mortality data available from NZHIS

Item	Notes
1. Registration district	District in which the death was registered.
2. Entry number	Allocated by registry office.
3. Healthcare user number (HCU)	Also known as National Health Index (NHI) number. Restricted access.
4. Domicile code	Based on Statistics New Zealand Standard Area Unit code used for the 1991 Census.
5. Sex	Male, female.
6. Ethnic origin	For example, NZ Māori, NZ European or Pākehā, Other European, Samoan, Chinese.
7. Occupation	The Statistics New Zealand Standard Classification of Occupations. Housewives, many unemployed, students, infants and some beneficiaries are included under one code.
8. Age	Age in days, weeks, months or years as applicable.
9. Date of birth	Date, month, year.
10. Country of birth	From the Statistics New Zealand standard country code list, 1986.
11. Time deceased was in New Zealand	Number of years.
12. Date of death	Date, month, year.
13. Year of registration	
14. Quarter of registration	
15. Place died	Public hospital, private hospital, psychiatric hospital, other institution, own residence, or other.
16. Hospital number	Unique number assigned for each public, private and psychiatric hospital (if died in hospital).
17. Underlying cause of death	Codes from the Australian Version of the World Health Organisation International Classification of Diseases, 9th Revision, (2nd edition), Clinical Modification (ICD-9-CM-A-II).
18. Selected contributing disease or condition	

19. Fetal and infant deaths	Fetal, early neonatal, late neonatal, post-neonatal deaths.
20. Cot death indicator	Sudden infant death syndrome (SIDS) indicator.
21. Maternal death indicator	Assigned for any woman who dies during pregnancy or within 3 months following the conclusion of pregnancy.
22. Post mortem indicator	Whether post mortem was performed and/or used in classification by the New Zealand Health Information Service.
23. Certification	Certified by doctor, or coroner with/without inquest, coroner's interim report.
24. Death information source	For example, Department for Courts, Land Transport Safety Authority, Water Safety Council.
25. Comments	Free text field that contains additional comments relating to the death; eg, may include injuries from external causes of death, blood-alcohol levels, time sequence of conditions.

8. Additional information available from NZHIS

You may require information not included in this report. For additional information or analyses, or for material tabulated in other ways, please contact:

Analytical Unit
New Zealand Health Information Service
Ministry of Health
PO Box 5013
Wellington
New Zealand

phone (04) 801 2700 fax (04) 801 2769

or see the NZHIS Web site at www.nzhis.govt.nz